

Ahoy!

\$2.95/ CAN. \$3.35
MARCH 1988

...CATCH THE COMMODORE WAVE!...

VEE KLOSOS

FIVE BATTLEFIELD
FRENZY

AMIGA HAM MODE


PUT 4096
COLORS ONSCREEN!

SYNTHESIZING WAVEFORMS

STUDIES IN SOUND PHENOMENA

INSIDE THE BLACK BOX

SUPPRESSING
POWER
SUPPLY
PROBLEMS



PREMIERING IN MAY:

Ahoy's
AmigaUser

DETAILS ON PAGE 4!



A C-128
NIGHTMARE

THE EXTRACTOR

PROGRAM PURIFICATION

3-D GRAPHIC PROJECTOR

ENHANCE YOUR IMAGE
AND MORE FOR THE COMMODORE



AND
MORE
GAME
REVIEWS



New Insights, New Laughs, New Adventures, New Productivity. Yours Every Month. From UPTIME.

"Last Night I Shot a Round of Golf and Created a Mailing List in my Pajamas." UPTIME subscribers say the funniest things. They tell us UPTIME makes the most of their leisure time and helps them get the most from their personal computers. There's one more thing they tell us. UPTIME gives them value. With 8 programs on every disk, a subscription to UPTIME builds a software library quickly and affordably. No wonder it's the best selling disk monthly in America.

Man Cannot Live by Games Alone. Nor by business software. Today there's a disk monthly offering more – variety, change, and a fascinating mix of programs and information guaranteed to keep you up past your bedtime.

Every Disk Delivers the Best in educational, finance and home management programs directly to you.

Look for us in Waldenbooks,
B. Dalton and other book and
computer stores in your area.



UpTime. A Masterful Mix. With the younger members of the family in mind, UPTIME delivers games, adventures, fascinating puzzles and intriguing mysteries. (OK, you can play too!) Add to that valuable UPTIME reviews and news, and you've got one highly entertaining disk monthly.

You'd Expect to Pay More, But Right Now... a one-year subscription to UPTIME delivers quality programs for less than one dollar each.

Your Guarantee. If, for any reason, you decide UPTIME isn't for you, simply cancel. We will refund the subscription balance with no questions asked.

Start Your Subscription with the very next UPTIME.

Call Toll Free and place your order today or mail the coupon below.

Also available for
Apple II, Macintosh and
IBM & compatible PCs.

Here's an example of a typical issue of UPTIME:

- ▶ Apartment of Mystery
- ▶ Color Tiles
- ▶ Word Master 128
- ▶ Data Cruncher/Data Uncruncher
- ▶ Blackjack
- ▶ Quad-Link
- ▶ Taxable Income

UPTIME Subscribers Say:

"I think it is a fantastic idea! Keep it up!" SNOWFLAKE, AZ

"I have just received my single issue of UPTIME. I love it! Please send me a full year." NORTH HALEDON, NJ

Yes, this family is ready for entertainment, education and home management programming, too!

SAVE 70%	12	6	3	1
	Disk Issues	Disk Issues	Disk Issues	Trial Issue
	<input type="checkbox"/> \$69.95	<input type="checkbox"/> \$49.95	<input type="checkbox"/> \$29.95	<input type="checkbox"/> \$11.95

☐ Payment enclosed (Please make checks payable to UPTIME.)

Bill my: ☐ VISA ☐ MASTERCARD ☐ AMEX

ACCOUNT NO. _____ EXP. DATE _____

SIGNATURE _____

COMPUTER TYPE _____

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

For immediate service call Toll Free 1-800-437-0033
or mail coupon to: Uptime, P.O. Box 299, Newport,
Rhode Island 02840 Telephone: 401-849-4925

Ahoy!

CONTENTS

DEPARTMENTS

A View from the Bridge... <i>of the March issue of Ahoy!</i>	4
Scuttlebutt... <i>a mizzenmast view of coming Commodore products.</i>	7
Art Gallery... <i>our Commodore reader/artists transport you.</i>	42
Tips Ahoy! <i>...put programming power at your fingertips.</i>	49
Reviews... <i>power supplies, desktop publishing, and more.</i>	63
Commodores... <i>eat your heart out, Professor Rubik.</i>	68
Program Listings... <i>the best software deal in town.</i>	73

FEATURES

Power to the Computers <i>by Morton Kevelson</i>	13
Rupert Report: Synthesizing Waveforms <i>by Dale Rupert*</i>	32
Entertainment Software Section <i>(contents on page 44)</i>	44
Amiga Section <i>(contents on page 53)</i>	53

*Includes programs: *Waveform Synthesis* and *Hear the Beats* (for the C-128)

PROGRAMS

Phantasy for the C-128 <i>by Cleveland M. Blakemore</i>	18
Vee Kloros for the C-64 <i>by Cleveland M. Blakemore</i>	20
3-D Graphic Projector for the C-64 <i>by Eric Fortier</i>	41
The Extractor for the C-64 <i>by R. Harold Droid</i>	61
Bug Repellents for the C-64 and C-128 <i>by Buck Childress</i>	74
Flankspeed for the C-64 <i>by Gordon F. Wheat</i>	75

Cover art by James Regan; photography by COMSTOCK, Michael R. Davila, and Morton Kevelson

President
Michael Schneider

Publisher/Editor
David Allikas

Art and Production Director
Laura Pallini

Managing Editor
Michael R. Davila

Senior Editor
Cleveland M. Blakemore

Technical Editors
David Barron
Bob Lloret

Consulting Editors
Morton Kevelson
Tim Moriarty
Dale Rupert

Entertainment Editor
Arnie Katz

Art Production
Christopher Carter

Circulation Director
W. Charles Squires

Advertising Director
Lynne Dominick

Director of Promotion
Mark Kammerer

Promotion Art Director
Stacy Weinberg

Controller
Dan Tunick

Advertising Representative
JE Publishers' Representative
6855 Santa Monica Blvd., Suite 200
Los Angeles, CA 90038
(213) 467-2266
Boston (617) 437-7628
Dallas (214) 660-2253
New York (212) 724-7767
Chicago (312) 445-2489
Denver (303) 595-4331
San Francisco (415) 864-3252

ISSUE NO. 51

MARCH 1988

Ahoy! (ISSN #8750-4383) is published monthly by Ion International Inc., 45 W. 34th St., Suite 500, New York, NY 10001. Subscription rate: 12 issues for \$23.00, 24 issues for \$44.00 (Canada \$30.00 and \$55.00 respectively). Second class postage paid at New York, NY 10001 and additional mailing offices. © 1988 by Ion International Inc. All rights reserved. © under Universal International and Pan American Copyright conventions. Reproduction of editorial or pictorial content in any manner is prohibited. No responsibility can be accepted for unsolicited material. Postmaster, send address changes to Ahoy!, 45 W. 34th Street, Suite 500, New York, NY 10001. Direct all address changes or matters concerning your subscription to Ahoy!, P.O. Box #341, Mt. Morris, IL 61054 (phone: 815-734-4151). All editorial inquiries and products for review should be sent to Ahoy!, 45 W. 34th St., Suite 500, New York, NY 10001.

VIEW FROM THE BRIDGE

To understand the changes about to occur in *Ahoy!*, visit your local record store. See how much of the floor space that was once devoted to vinyl albums is now occupied by compact discs. If a turntable remains your favorite music-playing hardware, you may be outraged. But the store owner, no matter how eager he is to please you and your fellow record-buyers, wouldn't remain in business long if he catered to your dwindling numbers. His store's future—in fact, its present—is in the new CD technology to which more and more of his customers are upgrading every day.

In the same way, we'd love to keep bringing you C-64 and 128 users *Ahoy!* every month, as it has been our privilege to do for more than four years. But during the past year, two facts have become increasingly clear. Fact one: like it or not, the C-64 and C-128 are headed the way of the vinyl record album—to a sizeable but unexpanding niche. Fact two: the Amiga is destined to do for the home computer market what the CD did for the record industry—revitalize it, expand it, and raise it to levels of quality and achievement never before approached. And here to chronicle it all, four times a year, will be *Ahoy!'s AmigaUser*.

Ahoy!'s

AmigaUser

We could have simply increased *Ahoy!'s* amount of Amiga coverage proportionate to 64/128 coverage, but neither Amiga nor 64/128 users would have been happy with half a magazine for their \$2.95. By turning *Ahoy!* entirely over to the Amiga on a quarterly basis, no one is forced to pay for a lot of material that's irrelevant to his needs.

Naturally, the many Amiga owners who've written us requesting more space will be pleased—but we have a hunch that many 64 and 128 users will welcome the change as well. We publish so many programs and features per month, we're told, that the average reader can't keep up. With eight C-64/128 issues spread out over a year, many readers can start getting a lot more out of each issue. And of course, the one-third decrease in pages per annum will make us even more selective than before about what goes in. If you've always considered *Ahoy!* the cream of the crop, you'll soon find it to be the cream of the cream!

If you're presently a subscriber, you'll receive only the 64 and 128 issues of *Ahoy!*, spread out over a greater period of time, unless you tell us otherwise. If you'd like to receive all 12 issues, or just the issues of *Ahoy!'s AmigaUser*, write to our subscription service at *Ahoy!*, P.O. Box 341, Mt. Morris, IL 61054-9925 or call 815-734-4151.

The first issue of *Ahoy!'s AmigaUser* will be May, on sale April 5, to be followed by August and November editions. We hope that even the die-hardest 64 and 128 users will

pick it up. If nothing you've seen yet has convinced you to upgrade, let us try!

We must reiterate that as excited as we are about our Amiga venture, *Ahoy!* for the C-64/128 user will retain, and even raise, its high standards—as is evidenced by the lineup of features in the March *Ahoy!*:

- Dale Rupert helps you put together what the *Rupert Report* has taught you so far about the physics of sound for the purpose of *Synthesizing Waveforms*, or graphically combining simple waves to generate the same waveforms as the Commodore computers. (Turn to page 32.)

- Having torn open, dissected, analyzed, and photographed every other device that can plug into a Commodore, Morton Kevelson had nowhere left to turn except to—the power supply. Actually, the inner workings of that little black box comprise a much-neglected but vital aspect of Commodore computing. When you've finished Morton's double-length feature, you'll finally understand the mysterious cube that gives *Power to the Computer*. (Turn to page 13.)

- Something of a mini-CAD package for the C-64, *3-D Graphic Projector* lets you create, modify, and rotate three-dimensional images on your screen. (Turn to page 41.)

- Especially helpful for ridding telecommunications files of unwanted characters, *The Extractor* allows you to remove lines or groups of lines from any sequential file. (Turn to page 61.)

- After dropping "about \$500 worth" of quarters into the coin slot of *Xevious*, Cleve Blakemore knew he'd grow up and get revenge someday. Someday is now, with the arrival of Cleve's *Vee Kloros*, packing a respectable percentage of the arcade classic's excitement into a magazine-length shoot-em-up. (Turn to page 20.)

- As for C-128 gamers, they can share Cleve's midnight *Phantasy* and wander through a nine-screen wraparound maze in search of keys to enable them to open their bedroom door and return to sleep. (Turn to page 18.)

Because this month's special announcement has left us a little short on space, we'll let you explore the rest of this issue alone. Meet us back here in 30 days and we'll tell you how you can win a trip to Paris, courtesy of Firebird and *Ahoy!*

—David Allikas

BONUS PROGRAM!

John Fedor's *Lazer Maze* is one of the finest programs we've ever had the sad duty to reject. It's not that we weren't enthralled by the dual screen action game—it was simply too long to even consider printing.

However, so desirous is John of getting his masterpiece to the audience it was intended for that he's agreed to let us place it on the flip side of this month's *Ahoy! Disk* (see page 23 to order). If you enjoy *Lazer Maze* and would like to receive two pages of playing tips plus two pages of printed listings for adding new mazes, send a stamped and self addressed envelope and a \$1.00 bill to John Fedor, 73 Brook Lane, Lindenhurst, IL 60046.

THE MONTHLY SOFTWARE COLLECTION FOR COMMODORE® – ONLY \$6.65

Lots of Great Software Every Month

Loadstar™ is a collection of exciting new Commodore programs, published monthly on 5¼-inch diskettes. Disk issues contain quality, ready-to-run Commodore 64 and 128 software: home and business, education, music, graphics, animation, utilities, tutorials, games, and bonus programs from popular software developers.

Loadstar provides an endless number of things to do with your Commodore. Subscribers enjoy more than a hundred programs every year for pennies each, including C-64 and C-128 programs from **Commodore Magazine**. At only \$6.65 per issue, Loadstar is your best software value.

The Best of Loadstar Yours FREE

Loadstar will deliver three months of software, for a total of \$19.95. That's only \$6.65 per month. Order now and we will include The Best of Loadstar #3 absolutely FREE! The Best of Loadstar #3 is a double-sided disk filled with the finest programs published in Loadstar issues. You can't lose.

Satisfaction Guaranteed

As a Loadstar subscriber, you will get software variety to make your Commodore investment pay off – plus the convenience of home delivery and our unconditional money-back guarantee. If you are not 100% satisfied with your first issue of Loadstar, you may return it for a full \$19.95 refund. The Best of Loadstar is yours to keep.

Available at Waldenbooks, B. Dalton Booksellers, and fine bookstores everywhere (cover price \$9.95). Apple and IBM PC versions also available.

Commodore Microcomputers

Review by Steve Levin

"...I highly recommend Loadstar. If you can afford only one disk service, make it Loadstar..."

Loadstar Subscribers Say...


"Loadstar contains a variety of programs that are usually not available anywhere else. The format is great!"

"Being user-friendly is a big plus for LOADSTAR, and what a value!"

"I have recommended LOADSTAR to my friends and they love it."

Every issue of Loadstar contains ready-to-run software for everyone in the family. For example, Loadstar Issue #40 is contained on two disks and features all of the following programs:

- All Smiles • Ohms Law • Farmer's Market
- Error Aid • Pixel Puzzler • Dugan's Art Depot
- Print Shop Composite • Beginning Bytes
- Byte by Byte • Bit by Bit • Lullaby
- Gensprite • Seq Edit • Join Four • Big League
- Matches • Math Help • Window Demo 128
- Auto-Answer Disabler • Sound Synthesizer
- plus the complete arcade game Pensate from Penguin/Polarware, and regular monthly features



YES! Please rush The Best of Loadstar disk #3 with the first issue of my 3-month Loadstar trial subscription. Only \$19.95 postage paid! (Overseas \$27.95)

Name _____

Address _____

City _____ State _____ Zip _____

Daytime Telephone Number (_____) _____

☐ Visa ☐ MasterCard ☐ AmEx ☐ Payment enclosed (U.S. funds)

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Signature _____ Exp. _____

DEPT. AH038
P.O. BOX 30008
SHREVEPORT, LA 71130-0008

LOADSTAR



3-Month Trial Subscription plus FREE Best of Loadstar Disk #3

Order your 3-month Loadstar trial subscription today for just \$19.95 postage-paid. Act now

and we will include our latest Best of Loadstar disk **ABSOLUTELY FREE** with your first issue.


CALL TOLL FREE AND ORDER NOW

1-800-831-2694

(In Louisiana call 318-221-8718)

CDA COMES TO EARTH

Now you can have the same quality software that for millennia has been available throughout the universe. With titles like THE GRAPHICS TRANSFORMER, MOVING PICTURES, QUACKDAS and LEXCHECK, that have been number one sellers for centuries in other galaxies, you are guaranteed quality software without the hassle of using products that have not been tried by at least two other species. Of course with our 1987 line including NEOFONT, 1541 AUNTIE BUMP BOARD, THE MANDELBROT POSTER, and ENTROPY, we are destined to supersede the monotony of generic software . . . again. So take a look and enjoy the fabled CDA line of software, where we bring quality software to your planet.



THE GRAPHICS TRANSFORMER — \$34.95
(C-64/C-128)

★★★★★ (Megagalactic Software Weekly)

"... THE GRAPHICS TRANSFORMER is the greatest graphics utility since the release of OMNI-PAINT. It allows you to quickly and easily convert between ALL of the popular drawing programs (over 25 supported), and does other neat things as well. I highly recommend it to all software consumers..."



LEXCHECK — \$29.95
(Amiga)

\$\$\$\$\$ (Business Software & Galaxian Report)


"... [LexCheck] will help you do [everything] that you need to do with your [word-processing] programs. It will [rapidly spellcheck] all of your documents [with its 100,000 word dictionary]. I would [buy two of them] if I were you..."



MOVING PICTURES — \$29.95
(C-64/C-128)

★★★★★ (Transmission — The Intelligence Journal)


"... Chris Zamara & Nick Sullivan (of Transactor Magazine, Earth) did it again with the most comprehensive animation program yet available for any silicon based unit. Unfortunately, you don't have to be intelligent to use it..."



QUACKDAS — \$39.95
(C-64/C-128 mode/1541/1571 mode)

★★★★★ (Operating Systems & Intergalactic Insight)

"... finally a cartridge that speeds up SAVE's as well as LOAD's (fast format, included FREE!). QUACKDAS comes complete and ready to use with its blinding speed, built in DOS wedge, sector editor, and a token disk copier! Definitely something to write home about..."



NEOFONT — \$29.95
(C-64/C-128/GEOS compatible)
+ = - + ! (Crabnebula Computer Art & Design)


"... NEOFONT is the most artistic and well designed collection of fonts for the GEOS operating system. It contains over 23 different fonts, that are simply sublime. Do yourself a favor, and appreciate some REAL art..."



1541 AUNTIE BUMP BOARD — \$49.95
(C1541 compatible)


★★★★★ (BuyIt Magazine)

"... it's surprising that the generic mortal species hadn't come up with a device to ELIMINATE the damaging knock on the 1541 disk drive before now. After looking at the circuit board, I've come to the conclusion that they did it almost as good as the Vorkons could've..."



ENTROPY — \$29.95
(Amiga/C-64/C-128 compatible)
??????? (The Hitchhiker's Guide to Galaxian Software)

"... an interesting implementation of an adventure game. It's hard to believe that so many abstract perversions can be contained in one place. ENTROPY is destined to become another milestone in the realm of interactive fiction..."



THE MANDELBROT POSTER — \$9.95
(compatible)

★★★★★ (Fractalgalactic & Surfer Weekly)

"... what can you say about a software company that markets posters. The fabled Mandelbrot Set is now captured on paper (where available — some restrictions might apply), using the highest resolution ever experienced to date..."

P.O. Box 1052, Yreka, CA 96097
(916) 842-3431



CDA

Please include \$3.00 s/h
California residents add 6% sales tax

Dealers Inquiries Invited



PAPERCLIP III • AMIGA MEMORY EXPANSION • KEYBOARD TUTOR • BIBLE FOR C-128 • VIDEO DIGITIZER • NEWSLETTER PROGRAM • GAMES FROM FIREBIRD, SSI, EA, INFOCOM, FREE SPIRIT • DISK BBS, DIVER'S LOG UPDATES • SPEECH DIAGNOSIS • AMIGA ACCOUNTING • PRINTER

SPIRITED SOFTWARE

Free Spirit Software has informed us that a number of their programs are being sold without their consent by Key-punch Software, Inc. These games include four of the arcade titles reported on this month—*Pebbles*, *Alien Panic*, *Journey*, and *Gladiator*—plus four text games as yet unreleased by Free Spirit—*Yukon*, *Stalag 23*, *Shifting Sands*, and *On the Run*. Free Spirit owns the exclusive rights to these programs, which are copyrighted; neither Free Spirit nor the programs' authors gave permission to Key-punch to publish these programs.

Legal action has been filed for damages and an injunction against Key-punch Software. A swift judgment can be expected—so blatant was Key-punch's thievery that they didn't even bother removing the authors' names from the title screens. But in the meantime, the responsibility of every honest software consumer is clear. Buy Free Spirit software from Free Spirit. To make following your conscience easy, until the injunction goes into effect Free Spirit will sell the four arcade games (see GAME RELEASES for description) on one disk for \$9.95, and the four text games on one disk for \$9.95.

And, as we always do in a case like this, we ask that concerned readers spread the word via users groups and bulletin boards.

Free Spirit Software, Inc., 312-352-7323 (see address list, page 12).

EXPANDED SPECTRUM

Spectrum Electronic Network, the "offline" BBS service on a disk, has added several new SIGs and released a new operating system that supports full color text display and more powerful E-mail editing. As reported in the May 1987 *Scuttlebutt*, the collection of

C-64/128 forums, user-written features, and E-mail is sent on disk to subscribers once a month for \$6.00. A one-time payment of \$16.95 buys the operating system software, support utilities, and the first two monthly disks.

Spectrum Electronic Network (see address list, page 12).

SEIKOSHA PRINTER

With a 100 character per second draft quality mode and a built-in tear bar, Seikosha's SP-185AI printer (\$385) is designed for rapid, Telex-type interoffice communication. Other features include a 9-pin print head, 10 inch carriage, and noise level below 52 dBA. The printer is available in serial and parallel versions.

Seikosha America Inc., 201-529-4655 (see address list, page 12).

RECHARGED

Electronic Arts has released two products in its Batteries Included line of C-64 productivity software:

PaperClip III contains all the word processing features of versions I and II, plus new editing features like Instant Phrases (assign commonly used words or phrases to a specific key) and column editing. Its \$49.95 list price

also represents a reduction over previous versions.


Outrageous Pages permits the design and layout of newsletters, certificates, and the like, with 50 fonts and 80 different pieces of clip art. Autoflow margins allow the user to wrap text around or within art. A number of templates are included for quick production of coupons, name tags, and other items. The price is \$49.95, but until April 1 owners of any other C-64/128 graphics program (*Print Shop*, *Certificate Maker*, etc.) can send a check for \$25 plus \$3 shipping, along with the manual cover of their current program, and receive *Outrageous Pages*. Address orders to Electronic Arts, Outrageous Pages Upgrade Offer, P.O. Box 7530, San Mateo, CA 94403.



Electronic Arts, 415-571-7171 (see address list, page 12).

AMIGA ACCOUNTANT

The Amiga version of *The Accountant* offers numerous advantages over the C-128 program, including HELP windows for every input field and 10 check registers including Payroll, all based on a 1 megabyte system. The program also includes Accounts Payable and Payroll check writing, Point-

Seikosha's SP-185AI printer is designed for interoffice communication, with built-in tear bar and 100 cps draft mode. READER SERVICE NO. 171





Demon Stalkers: 100 maze levels, plus construction set.
READER SERVICE NO. 170

of-Sale Invoicing utilizing an Invoice generator, and a batch system for Sales Journals and Purchase Journals.

An Inventory Control and a Cash Register and Inventory System for use with *The Accountant* will be released later in the year. All upgrades will be available to registered owners for postage and handling with membership in the Update Club.

KFS Software, Inc. (see address list, page 12).

GAME RELEASES

Two new C-64 trilogies from Firebird, each \$24.95:

Silicon Dreams casts the gamer as a 23rd century colonizer of the planet Eden. The three scenarios are Snowball (on the way to Eden, you are awakened from hibernation by a ship malfunction), Return to Eden (the ship's vengeful crew makes your journey to the Robot City of Enoch hazardous), and Worm in Paradise (solve the prob-

lems plaguing the Robot City).

Jewels of Darkness, occurring in the Land of the Demon Lord, consists of Colossal Adventure (rescue elves imprisoned in the Demon Lord's dungeons), Adventure Quest (as an apprentice magician, defeat the Demon Lord), and Dungeon Adventure (after beating the Demon Lord, set out toward glory and greater riches).

Firebird, 201-444-5700 (see address list, page 12).

Six new C-64 releases from Free Spirit:

The graphic adventure *Torchbearer* documents the quest for the Torch of Truth, stolen years ago by an evil wizard and hidden in the Kingdom of Pistoria. Armed with the last of the mysterious luckstones, you'll study magic, increase your strength, and speak with townspeople as you search the island's dungeons and sanctuaries.

In the *Super Bike* motorcycle competition, the rider races the clock in Motocross, Enduro, Supercross, or Trials, steering over and around obstacles like brick walls, logs, and wader holes.

Pebbles requires the player to mine through 18 different playfields, collecting diamonds and avoiding rocks.

To avert *Alien Panic*, the player must trap monsters by digging holes, waiting for the monsters to fall in, and burying them. Contact with the creatures, which carry a deadly virus, must be avoided.

You must guide a spaceship on its *Journey* to the bottom of a cavern while avoiding the defenses built into the walls.

In *Gladiator Combat*, you challenge another player or the computer to a duel to the death. Selection of weapons and armor is a key element: heavier ar-

SAVE

WITH THE
Ahoy!

DISK MAGAZINE

The money-saving subscription rates for *Ahoy!* magazine and the *Ahoy!* program disk are now even lower!

If you subscribe to the *Ahoy! Disk Magazine*—magazine and disk packaged together—you'll receive the two at substantial savings over the individual subscription prices!

YEARLY SINGLE ISSUE PRICE (12 ISSUES)		SEPARATE SUBSCRIPTION PRICE (12 ISSUES)	
Magazine:	\$ 35.40	Magazine:	\$ 23.00
Disk:	\$107.40	Disk:	\$ 79.95
TOTAL:	\$142.80	TOTAL:	\$102.95

**AHOY! DISK
MAGAZINE
12 ISSUES
\$97**

Use the postpaid card bound between pages 66 and 67 of this magazine to subscribe. (Canadian and foreign prices are higher.)

The *Ahoy! Disk Magazine* is also available at Waldenbooks and B. Dalton's bookstores, as well as other fine software outlets.

mor provides more protection but slows the player down, while bigger weapons are more difficult to swing but do greater damage.

Super Bike is priced at \$14.95, *Torchbearer* at \$29.95, and the other four titles at \$9.95 for all four (see SPIRITED SOFTWARE, page 7). Shipping is free.

Free Spirit Software, Inc., 312-352-7323 (see address list, page 12).

Based on the videodisc arcade game, *Dragon's Lair* (\$24.95) contains two C-64 adventures on one double-sided disk. In the first, *Dragon's Lair*, you must overcome snapping skulls, fiery chasms, and phantom knights to rescue Princess Daphne from Singe the Dragon. In *Escape from Singe's Castle* deadly boulders and the treacherous Throne Room stand between you and the Lizard King, from whom you must seize a fortune in gold.

Owners of SSI's *President Elect—1988 Edition* can compete for \$1,988 in prize money by selecting the winners in 1988's primaries and elections. Entries for the Pre-Primary phase must be postmarked by February 12, and entries for the Campaign phase by October 28. In each phase, the player whose Democratic and Republican candidates come closest to matching the actual election results will win \$994. Complete contest rules are packaged with the program, or can be obtained by writing to SSI.

Strategic Simulations Inc., 415-961-6716 (see address list, page 12).

Sherlock: The Riddle of the Crown Jewels (\$34.95) casts you as Watson as you work with Sherlock Holmes to find the missing gems in time for the Queen's Jubilee. \$34.95 for the C-64; a \$39.95 Amiga version with sound will be available in mid-March.

Infocom, 617-492-6000 (see address list, page 12).

Demon Stalkers: The Raid on Doomfane (\$29.95) provides action adventure fans with 100 levels of dungeon mazes, plus a construction set for creating unlimited original ones. One or two C-64 gamers must find and battle the demon Calvrak, hiding at the bottom of a 99-level catacomb guarded by rats, snappers, dervishes, mad mages, and ghosts. The menu-driven construction set, containing over 200 design options, permits the creation of dungeon games from scratch, or the modifica-

tion of any of the existing levels in the game.

Electronic Arts, 415-571-7171 (see address list, page 12).

Two new releases in Epyx's Maxx-Out! line of C-64 software for younger gamers, each \$24.95:

Spiderbot concerns three chemical reactors approaching meltdown and the SpiderDroid called upon to defuse them. He must first enlist the aid of creatures roaming the jungle outside the citadel. With that done, he must cope with impassable lasers and electromagnets, and robot guards.

Coil Cop patrols a toy factory where he is the only plaything to survive a takeover by a master computer that is building evil toys. Using a maze of underground pipes, he must collect the pieces of a program that will stop the computer, while avoiding adversaries like Gerald the Gremlin and the Blue Meanie.

Epyx, Inc., 415-366-0606 (see address list, page 12).

WRITTEN IN LISP?

A program that will assist teachers in identifying possible speech or language problems in children, and in communicating effectively with a speech/language specialist, has been developed by Hilltop Speech and Language Services. The C-64 disk contains a speech screening guide, speech/language test request form with parent authorization section, and parents' guide to "10 Ways to Improve Speech Skills at Home." Price is \$15.

Hilltop Speech and Language Services (see address list, page 12).


DIVER'S LOG UPDATE

Improvements reflected in Version 1.1 of *The Computer Diver's Log* (see July '87 *Scuttlebutt*) include log search by main activity (photography, spearfishing, etc.) and a checklist generator that allows you to create and store on disk checklists of items to pack for each type of diving you do. Price of the program for the C-64 or C-128 (in 128 mode) is \$37.95; CA residents add \$2.27 sales tax.

PC Fuel Co., 415-349-9702 (see address list, page 12).

AMIGA EXPANSION

Memory expansion products for the Amiga from Pacific Peripherals:



PLUS 4™ SOFTWARE

Turn your home computer into a household finance organizer, learning center, and entertainment center. The Plus 4™ Software Package contains three floppy diskettes compatible with the Commodore® Plus 4™ computer. Due to special arrangements with the manufacturer, you save.

Software Package Contains: *Fun and Games* disk with more than 20 imaginative games for the whole family to enjoy, plus music and graphics selections. The second disk is *Utilities/Finance*. It can help you organize and maintain files, lists and information. The Finance section is designed to help you organize your personal and home finances and investments. The third disk is *Education*. A fun way for students to learn more about math, language, geography, science, history and more.

Compute the Savings! You don't need a computer to figure out this is an exceptional value...one that everyone in the family will enjoy.

Mfr. List Price **\$30.00**

Liquidation Price/Set \$19

Item H-2670-7235-294
S/H: \$4.50/set

Credit card customers can order by phone, 24 hours a day, 7 days a week.

Toll-Free: 1-800-328-0609

SEND TO:

COME Authorized Liquidator
1405 Xenium Lane N/Minneapolis, MN 55441-4494
Send **Plus/4™ Software Set(s)** Item H-2670-7235-294 at \$19 per set, plus \$4.50 per set for insured shipping, handling. (Minnesota residents add 6% sales tax. Sorry, no C.O.D. orders.)

☐ My check or money order is enclosed. (No delays in processing orders paid by check.)

PLEASE CHECK: ☐ VISA ☐ MasterCard ☐ Discover ☐ American Express

Acct. No. _____ Exp. / _____
PLEASE PRINT CLEARLY

Name _____

Address _____ Apt. # _____

City _____

State _____ ZIP _____

Phone (____) _____

Sign Here _____

WE WON'T PAY YOUR TAXES!

But **TAX MASTER** will help you compute them more QUICKLY and EASILY. Be the Master of your Income Taxes with **TAX MASTER**, now available for your 1987 Federal Income Taxes for the C64/C128 with single, twin, or dual disk drive and optional printer.

- **NEW** Tax laws are covered.
- **FORMS 1040, 4562, & Schedules A, B, C, D, E, and F.**
- **PERFORMS** all arithmetic CORRECTLY.
- **EASY CHANGE** of any entry with automatic RECALCULATION of the entire form.
- **TRANSFERS** numbers between forms.
- **CALCULATES** your taxes and **REFUND**. Tax tables are included.
- **SAVES** all your data to disk for future changes.
- **PRINTS** the data from each form.
- **CALCULATOR** function is built in.
- **DISCOUNT** coupon toward the purchase of next year's updated program is included.

TAX MASTER (DISK ONLY) ONLY \$30.00

TIRED OF SWITCHING CABLES?

VIDEO MASTER 128 provides continuous 80 column color (RGBI), 80 column monochrome, and audio out. Switch between 80 column monochrome and 40 column color for composite monitor. Use up to 4 monitors at once! Includes composite cable.

VIDEO MASTER 128 for Commodore 128 \$39.95

FED UP WITH SYNTAX ERRORS?

HELP MASTER 64 provides Instant On-Line Help screens for all 69 BASIC commands when you need them. Takes no BASIC RAM. No interference with loading, saving, editing, or running BASIC programs. Includes 368 page BASIC reference text, more.

HELP MASTER 64 for Commodore 64 \$24.95

OTHER MASTER SOFTWARE ITEMS

- RESET MASTER** C64 reset switch with 2 serial ports \$24.95
- CHIP SAVER KIT** protects computer's chips from static \$ 5.95
- MODEM MASTER** user port extender \$29.95; with/reset \$34.95
- Y-NOT7** 6-foot serial Y cable, 1 male, 2 female connectors \$15.00
- Y-YES1** 6-foot serial Y cable, 3 male connectors \$15.00
- C128** 80 col monochrome cable for non-RGB monitor \$ 9.00
- Disk Notcher** — lets you use both sides of disk \$ 8.00
- 64-TRAN** Fortran compiler \$50.00

Send for Free Catalog

MASTER SOFTWARE

6 Hillery Ct.
Randallstown, MD 21133
(301) 922-2962

All prices in US Dollars. Surface shipping in US & Canada is included. Foreign orders add \$5. Canadian orders use Canadian POSTAL money order. Maryland residents add 5% tax. Dealer inquiries welcome!



LANDMARK

THE COMPUTER REFERENCE BIBLE

C64 and C128 versions on the same Program Disk!

LANDMARK TCRB consists of the entire King James version, individual verse references, Words of Christ in color, and a Concordance of 3300+ words!

- **CONDUCT SEARCHES** of the Bible!
- **MAKE TOPICAL FILES** copying from Bible text and Search results also adding your own comments! Your LANDMARK files can also be converted for use with other programs like Paperclip and GEOS (with Writer's Workshop!)
- **KEEP YOUR OWN PERSONAL BIBLE** by outlining text in color, adding notes or comments, create supplementary study files, even reference your own files or notes!

A GOOD Bible Program with your computer can GREATLY ENHANCE your study of the Bible! Our Brochure explains how!

LANDMARK TCRB is \$164.95

CALL or WRITE for our FREE Brochure!

P.A.V.Y. Software P.O. Box 1584
Ballwin, MO 63022 (314) 527-4505

DEALER INQUIRIES INVITED!

OBOS and Writer's Workshop are registered trademarks of Berkeley Software. Paperclip is a registered trademark of Berkeley Software. Commodore 64/128 are registered trademarks of Commodore Business Machines, Inc.



Fuji's colored 3 1/2" disks come in 10 packs containing two disks each of green, blue, pink, gray, and ivory. Included is a free storage case.

READER SERVICE NO. 190

The Advantage (\$199), a 2 meg RAM expansion card for the 500, 1000, and 2000, autoconfigures with Amiga software and permits the user to install inexpensive 256 x 1 dynamic RAM.

The SubSystem (\$249) allows 500 and 1000 owners to use cards designed for the 2000 by providing two expansion slots and a space for an optional second floppy drive. The unit, 1 1/2" tall, fits under the 500, raising it to the height of an ordinary typewriter.

OverDrive, a direct memory access SCSI interface for the 500, 1000, and 2000, offers compatibility with Macintosh external storage devices, as well as the ability to add a hard drive inside your Amiga and still use external devices. The card is \$249; with a 30 meg external drive, \$895; with 50 meg, \$1295.

Case II (\$149), a two-slot expansion box for the 1000, uses standard Zorro cards and passes through the 86-pin bus for use with nonstandard applications. Power supply is included.

Pacific Peripherals (see address list, page 12).

DYNACOMP CATALOG

Dynacomp's software catalog No. 32 is now available upon written request, featuring expanded education, business, investment, science/engineering, and public domain sections.

Dynacomp, Inc., 716-671-6160 (see address list, page 12).

BIBLE ON C-128

Landmark, The Computer Reference Bible, is now available in Version 2.0, for the C-128. Like its C-64 predecessor, this version contains the entire text of the King James Bible, but adds a buffer, for a total of three areas in which to store text (main, reference, and buffer). The C-128 and C-64 ver-

sions reside on the same disk and utilize the same text files (Bible and Concordance disks). Price of the complete system is \$164.95; Version 1.1 owners can upgrade for \$10.00.

P.A.V.Y. Software, 314-527-4505 (see address list, page 12).

MUSIC TEACHER

The *Fast Fingers Keyboard Lessons* series (\$29.95 each) allows keyboard students to practice their playing with the aid of their C-64's. The screen shows an exercise in musical notation, the location of notes on the keyboard, and which fingers to use. With the aid of a MIDI interface, the program can test and grade your performance. Sound is generated by the computer and/or a MIDI keyboard. Volume One covers Major Scales Ascending and Descending, Major Arpeggios, and Major Triads.

Maximum Management, 516-536-0298 (see address list, page 12).

COLORED DISKS

Fuji has released a line of 3 1/2" disks in assorted colors—blue, green, pink, gray, and ivory—designed to facilitate the organization of disks by application or any other criteria. A box of 10 disks includes a plastic storage case.

Fuji Photo Film U.S.A., 800-367-3854 (see address list, page 12).

VIDEO DIGITIZER

Perfect Vision (\$219.95) allows the Amiga user to capture an image from a VCR or video camera in 16 gray scales in 1/60 of a second. Color images can be captured from a color or black and white camera using the supplied color wheel. 320 x 200 and 320 x 400 HAM modes are supported, as are 16 and 32 color modes. Files can be saved in IFF format for use in any



BANK CARDS SAME AS CASH

DATA SWITCHES

VSI switches let users share equipment, end costly duplication. Plan your own system: two computers to one disk drive and printer, or two printers to one computer, share a printer between a PC and a C128, etc. Cable changing is a thing of the past, turn a knob to switch from one device to another. Remember, if you need extra cables, we carry a broad selection.

ONE YEAR WARRANTY

- Compact Design, All Metal Case
- Gold Plated Contacts
- All Female Sockets, Rotary Switch
- Anti-Skid Feet to Prevent Movement
- Full Shielding Exceeds FCC Requirements

\$ SAVER AB \$29.95

VIC-20, C16, Plus 4, C-64, OR C128 compatible.

SUPER SAVER ABCD \$39.95

VIC-20, C16, Plus 4, C-64, OR C128 compatible.

PARALLEL or SERIAL AB \$29.95

Parallel = 36 pins, serial = 25 pins.

PARALLEL or SERIAL ABCD \$39.95

Parallel = 36 pins, serial = 25 pins.

PARALLEL AaxBb \$44.95

Two computers share two printers.

8 PIN MINI DIN AB \$29.95

Designed for the new Apple Computer applications.

DB9 AB \$29.95

For monitors, modems, etc.

CABLES

Drive/printer, 6 ft. 6 pin male/male	B66	\$ 5.95
Drive/printer, 9 ft. 6 pin male/male	B69	\$ 7.95
Drive/printer, 18 ft. 6 pin male/male	B618	\$12.95
Drive/printer, 6 ft. 6 pin male/fem.	A66	\$ 5.95
Monitor, 6 ft. 5 pin to 4 RCA plugs	M654	\$ 5.95
Monitor, 6 ft. 5 pin to 2 RCA plugs	M652	\$ 4.95
Monitor ext., 6 ft. 5 pin male/female	ME65	\$ 5.95
Joystick ext. 9 pin, 12 ft. male/fem.	JS12	\$ 4.95
Joystick Y, 9 pin, 1 female/2 male	JSY	\$ 7.95
Joystick Y, 9 pin, 1 male/2 female	RJSY	\$ 3.95
Power cable, male/right ang. male	PR6	\$ 6.95
DB9, 6 ft., male/male	DB9MM	\$ 8.95
DB9, 6 ft., male/female	DB9MF	\$ 8.95
8 pin Mini Din, 6 ft., male/male	8M6MM	\$ 9.95
Parallel, 6 ft., male/male	C6MM	\$ 9.95
Parallel, 10 ft., male/male	C10MM	\$11.95
Parallel, 6 ft., male/female	C6MF	\$ 9.95
Parallel, 10 ft., male/female	C10MF	\$11.95
Serial, 6 ft., male/male	R6MM	\$ 8.95
Serial, 6 ft., male/female	R6MF	\$ 8.95
IBM printer, 6 ft., male/male	IBP6	\$ 8.95
IBM printer, 10 ft., male/male	IBP10	\$10.95
IBM keyboard extension, 5 pin	IBKE	\$ 5.95
Gender change, parallel, male/male	CGMM	\$ 9.95
Gender change, parallel, fem./fem.	CGFF	\$ 9.95
Gender change, serial, male/male	R6MM	\$ 5.95
Gender change, serial, fem./fem.	RGFF	\$ 5.95

PRINTER BUFFERS

let you compute and print at the same time. The buffer stores the data, then sends it to the printer at the right speed while you go on with your work.

MW-256 DATA STUFFER 256k CALL

VIC20, C64, 64C, SX64, C16, C128, + 4 compatible.

MICROSTUFFER, 64K, centronics

\$ 69.95

INTELLIGENT BUFFER 256K,

centronics

\$169.95

INFORMATION: For technical information or Oregon buyers phone: 503-246-0924

TO ORDER BY MAIL: We accept VISA, MASTER CARD, money orders, certified, and personal checks. Allow 21 days for personal checks to clear.

SHIPPING: \$3.00 per order, power supplies \$4.00, power center \$5.00, \$3.00 service charge on COD orders (cash only).

TERMS: All in stock items shipped within 48 hours. No sales tax or surcharge for credit cards. We CANNOT GUARANTEE COMPATIBILITY. All sales are final. Defective items replaced or repaired at our discretion. RA# required. Prices and items subject to change without notice.


VALUE SOFT INC

3641 S.W. Evelyn
Portland, OR 97219




1200 EASY DATA MODEM

Hayes COMPATIBLE
External 300/1200 Baud
Supports Bell 103 & 212A
Specs
Both Half & Full Duplex
Modes
Redial Last Number
Touch Tone & Pulse
Auto Busy Redial
Auto Dial, Auto Answer
"AT" Commands & more
Power Up Self Test
FCC Registered



1200 EASY DATA MODEM PLUS C64
INTERFACE PACKAGE \$119.95



SPECIAL PURCHASE

Now \$12.95

Chrome plated, heavy duty universal printer stand. Rubber feet, allows front, back, or bottom feed. For 80 or 132 column printers. Original price \$24.95, sale limited to quantities in stock.

POWER SUPPLIES

MAXTRON C-64, dependable heavy duty replacement. Output: 5V DC, 1.7A, 9V AC, 1.0A. UL Approved. 90 day warranty \$29.95
PHOENIX C-64, fused, repairable, all metal case. Output: 5V DC, 1.7A, 10V AC, 1.0A. UL approved. 1 year warranty \$39.95
PHOENIX C-128, fused, repairable, all metal case, 3 sockets, spike protection, EMI RFI filtering, lighted switch. Output: 5V DC, 6.0A, 10V AC, 2.0A. UL approved. 1 year warranty \$59.95

COOLING FAN \$29.95



Heat is a #1 enemy to your disk drive. Reduce bad loads and costly repair bills with a fan, keep your 1541 or 1571 cool. Quiet, surge and spike protection, EMI filtering


POWER CENTER

The POWER CENTER provides individual control of up to 5 components plus master on or off switch.

System protection: EMI/RFI filtering, surge and spike protection, 15 AMP breaker, heavy duty cable, 3 prong plug. Lighted rocker switches, all steel case, size: 1 3/4 H x 12 1/4 D x 15 W.

WAS \$59.95

NEW LOW PRICE \$49.95



INKWELL SYSTEMS

Light Pen 184C	\$49.95
Flexidraw 5.5	\$27.95
Flexifont	\$24.95
Graphics Int. II	\$24.95
Clip Art II	\$19.95
Holiday Theme	\$19.95

APROSPAND

64 \$29.95

plugs into the cartridge port, has 4 switchable slots, fuse protected and a reset button.

JOYSTICK REDUCER

\$3.95

Every once in a while, our buyers find one of those odd gadgets they just can't resist. The Joy Stick Reducer is odd and low-priced. It allows one joystick to be plugged into both ports at the same time. I know you are saying, what's it good for. Stop and think, how many times have you had to try both ports before finding the right one?

The Experts
in Accessories

"THE STRIPPER"

The "Stripper" removes perforated edges from print-outs. Insert 1 to 20 sheets, presto edges are gone. Clean, quick



SUNCOM ANIMATION STATION C64

NEW

Touch the pad with the stylus or a finger tip, create magic with the Animation Station ... Draw pictures, graphs, etc., Software with printer option included. Compatible with many other programs for keyboard, mouse, joystick or paddles.



\$79.95

40/80 COL. CABLE

\$19.95

One cable for both 40 or 80 columns on the C128. Flip a switch to change modes. Plugs to the back of the monitor for a sharp display. 16 colors in 40 column, black and white in 80. Not for RGB monitors or television sets.

DISK DOUBLER

\$6.95

The original! All metal Cuts an exact square notch in the disk. Same spot every time!



READY RESET 64 NEW \$11.95

A reset button that you place where you want, not some out of the way place. Plugs into the serial port (of course the port is replaced for your disk drive), the button is on the end of a 15 inch cable.

BLASTER C64, C128

\$5.95

Add automatic firepower to your games, plug-in module that makes the fire button of your joystick have machine gun action. Adjustable speed control.

DUST COVERS

C64/VIC20 or 1541 drive, anti static	\$ 5.95
Buy one of ea. SAVE \$1.41	C64 set \$10.49
C128 or 1571 drive, anti static	\$ 7.95
Buy one of ea. SAVE \$1.41	C128 set \$14.49
64C, anti static	\$ 7.95
1581, 3 1/2" drive, anti static	\$ 7.95
1541C, NEW 5 1/4" drive, anti static	\$ 7.95

BLACK BOOK OF C128 \$15.95

The best friend a C128 user ever had ... Includes C-64, C128, CPM, 1541, 1571. 261 pages of easy to find information. 75 easy to read charts and tables. The Black Book of C128 is very much like a dictionary, always ready to answer your questions.

PROTECTION REVEALED C 64 \$15.95

A beginners guide to software protection. Written to give you a fundamental understanding of a disk and BASIC protection. Identify what you are seeing when examining a disk. Become a master of illusion. Reveals countless tricks and tips that mystify the user. The book is 141 pages and includes a free disk of 21 utility programs.

SAM'S BOOKS

C64 Troubleshooting & Repair Guide	\$19.95
1541 Troubleshooting & Repair Guide	\$19.95
Computer facts VIC-20	\$19.95
Computer facts C-64	\$19.95
Computer facts C-128	\$19.95
Computer facts 1541	\$19.95
Computer facts 1571	\$19.95

"TOUCH ME BUTTON" \$9.95

Static can KILL your COMPUTER and your PRO-GRAMS. Touch Me rids your system of harmful static like MAGIC before you touch your computer peripherals or other devices. The controlled electrical resistance of Touch Me, drains static charges harmlessly away to ground at low energy levels. Touch Me can add years of life to your equipment.

GROUND FAULT IND. \$5.95

Computer equipment is very sensitive to ungrounded household wiring. Disk drives have a bizarre way of mixing up data. The Ground Fault Indicator tells you if your outlet is properly grounded.

MISCELLANEOUS

CARDCO numeric keypad	\$47.95
Disk Sleeves, white tyvek, 100 pack	\$ 7.95
Write protect tabs, silver, 100 pack	\$ 1.49
Floppy wallet, 3 1/2 in., holds 15	\$ 9.95
Floppy wallet, 5 1/4 in., holds 15	\$12.95
Disk pages, 2 pocket, 3 hole, 10 pack	\$ 6.95
American Mouse House	\$ 6.95
American Mouse Mat	\$ 7.95

CALL TOLL FREE 1-800-544-SOFT





THE GLADIATOR

FOR THE BEGINNER AND EXPERT TOO!
A UNIQUE GAME WITH 16 LEVELS OF DIFFICULTY PLUS 8 MORE EARNED LEVELS!

The gladiator must prove his cunning and endurance in the coliseum of death.

ALL THE SOUND AND ACTION OF THE ORIGINAL SPECTATOR SPORT

For Commodore 64/128™ and Atari 48K 800, XLs and XEs disk only

\$14 SPECIAL OFFER \$14*

Purchase the Gladiator and you receive the famous Ghost Hunter II game Free!

SEND \$14 PLUS \$2 SHIPPING AND HANDLING
(CA. RESIDENTS ADD 6% SALES TAX)
PLEASE ALLOW 2-3 WEEKS FOR DELIVERY

RICHWOOD SOFTWARE

3011 ALHAMBRA DRIVE, SUITE C
CAMERON PARK, CA., 95682

916-677-6779

*DEALERS PLEASE CALL FOR QUANTITY INFORMATION

As the data on your disk changes, the NoLabelSystem allows you to keep a written record on the outside of the disk.

READER SERVICE NO. 191



ges, the insert card can be updated or replaced. A set of 100 pockets and cards costs \$22.45; or, a starter kit containing 25 of each is available for \$6.50. One free sample can be had by writing or calling the manufacturer.

Weber & Sons, 201-431-1128 or 800-225-0044 (see address list, this page).

AMIGA PIANIST

The Hotlicks keyboard player lets Amiga users compose music with the aid of 20 channels for digitized instru-

ments, tape recorder functions for recording scores, built-in metronome and rhythm guides, cut and paste editing of single notes or sections of music, transposition of notes or sections up and down the scale, and onscreen display of the musical keyboard. The program uses 8SVX instruments and SMUS scores, allowing compositions created with it to be played with many other Amiga music applications.

Infinity Software, Inc., 415-420-1551 (see address list, this page).

compatible paint or desktop publishing program.

SunRize Industries, 409-846-1311 (see address list, this page).

MISSION BOOK

JET: 82 Challenging New Adventures contains 12 chapters of historical aviation scenarios which the C-64 flight fan can recreate with SubLOGIC's JET program. Each scenario contains details on aircraft performance, targets, objectives, and weaponry, plus information on events leading up to each battle, guidance through it, screen images of the flight simulator in action, and a debriefing to help players rank their flight results. \$12.95 paperback, \$19.95 hardcover.

TAB Books Inc., 717-794-2191 (see address list, this page).

DISK POCKETS

The NoLabelSystem eliminates the use of labels on computer disks (and of word breaks in product titles). Instead, a plastic window pocket is affixed to the disk and a card inserted in the pocket. As data on the disk chan-

Companies Mentioned in Scuttlebutt

Dynacomp, Inc.
178 Phillips Road
Webster, NY 14580
Phone: 716-671-6160

Electronic Arts
1820 Gateway Drive
San Mateo, CA 94404
Phone: 415-571-7171

Epyx, Inc.
600 Galveston Drive
P.O. Box 8020
Redwood City, CA 94063
Phone: 415-366-0606

Firebird Licensees
71 North Franklin Tpke.
Waldwick, NJ 07463
Phone: 201-444-5700

Free Spirit Software
905 W. Hillgrove, Suite 6
LaGrange, IL 60525
Phone: 312-352-7323

Fuji Photo Film U.S.A.
555 Taxter Road
Elmsford, NY 10523
Phone: 800-367-3854

Hilltop Speech and Language Services
3330 Lewis Avenue
Long Beach, CA 90807
Phone: 213-490-0210

Infinity Software, Inc.
1144-65th St., Studio C
Emeryville, CA 94608
Phone: 415-420-1551

Infocom, Inc.
125 CambridgePark Drive
Cambridge, MA 02140
Phone: 617-492-6000

KFS Software, Inc.
P.O. Box 107
1301 Seminole Blvd.
Largo, FL 34649-0107

PC Fuel Co.
P.O. Box 3294
San Mateo, CA 94403
Phone: 415-349-9702

Pacific Peripherals
P.O. Box 14575
Fremont, CA 94539
Phone: 415-651-1905

P.A.V.X. Software
P.O. Box 1584
Ballwin, MO 63022
Phone: 314-527-4505

Maximum Management
P.O. Box 741
Rockville Center, NY 11571
Phone: 516-536-0298

Seikosha America Inc.
1111 MacArthur Blvd.
Mahwah, NJ 07430
Phone: 201-529-4655


Spectrum Electronic Network
P.O. Box 4903
Panorama City, CA 91412

Strategic Simulations
1046 N. Rengstorff Ave.
Mountain View, CA 94043
Phone: 415-964-1353

SunRize Industries
3801 Old College Road
Bryan, TX 77801
Phone: 409-846-1311

TAB Books
P.O. Box 40
Blue Ridge Summit,
PA 17214
Phone: 717-794-2191

Weber & Sons, Inc.
3468 Highway 9, R.D. #4
Freehold, NJ 07728
Phone: 800-225-0044 or
201-431-1128



POWER TO THE COMPUTERS

OR,

The VIC 20, C-64, Plus/4,
C-128, and Amiga 500 Really
Get a Charge Out of This

**Text and Photos by
Morton Kevelson**

INTRODUCTION: RATINGS AND SPECIFICATIONS

What do all the machines named above have in common? Among other things, they all have an external power supply. To most of us this power supply is a featureless box with a cable coming out of each end. One cable is fitted with a standard appliance power plug, while the other is terminated in a fitting which is unique to each computer. In all cases the power supply converts the raw, alternating current (AC), high voltage as provided by the local power company, to a form palatable to the computer.

In the ideal case we can ignore the power supply; however, it is not always prudent to do so. The power supply has definite limitations which should not be exceeded. Occasionally the power supply will fail, necessitating a costly replacement. We feel that a better understanding of what these boxes can and cannot do will be beneficial for all.

To start with, we'll examine the markings on our own power supply. You may wish to retrieve your own unit from wherever you have stashed it and follow along at this point. Don't be concerned if the data on your supply does not match ours. Commodore has changed power supply sources on numerous occasions. Looking at one of our C-64 power supplies we see a line which looks something like this:

INPUT : 117V 50/60 Hz 40 VA

This provides the ratings for the source side of the supply. The first number is the nominal line voltage, which in this case is 117 volts. Although it is not explicitly stated, a properly designed supply will tolerate at least a 5% and as much as a 10% voltage variation. This means that the supply voltage should be able to range from as low as 105 volts to as high as 129 volts without any undesirable effects. The 117 volt source is the nominal value for North American users. European users may obtain their electricity at 230 volts.

The second set of figures, 50/60 Hz, represents the al-

lowable range of power line frequencies. Although we have spoken of the source voltage as a constant value, this is not the case. It is constantly changing in a uniform and cyclic manner. The instantaneous source voltage actually ranges from zero to a maximum of 165 volts. The voltage actually reverses polarity 50 times per second in Europe and 60 times per second in North America. The variation is sinusoidal with time and extremely uniform. The local power company goes to great pains to maintain the frequency at a constant value. In fact instantaneous deviations from the proper frequency are measured in fractions of a percent.

Although the power supply is able to operate over a frequency range of 50 to 60 Hz, the computer is set up for one or the other. We will go into this in greater detail below.

The nominal value of 117 volts is mathematically derived by calculating the root of the mean of the square (rms) of the sinusoidally varying voltage over the time it takes to complete a single cycle. The rms value is equivalent to the effective power which can be delivered by a constant (DC) voltage of that value.

The last number on the first line (40 VA) is related to the maximum power or the rate of energy consumption by the power supply. The VA stands for volt-amperes or the product of the input voltage and current. For our purposes we can consider VA synonymous with watts (W), the electrical unit of power or the rate of energy consumption. Watts are what the power company adds up on your monthly electric bill. The figure shown represents a maximum value for this power supply. Normal operation would be at a lower power level.

To find out the maximum costs of operating the computer, simply divide the value in watts or VA by 1000 and multiply the result by the number of hours the computer is on. This figure is the energy consumption of the computer in kilowatt hours. This value is then multiplied by the cost per kilowatt hour in your area to obtain the actual operating cost. Using New York City as an example, where

the cost per kilowatt hour is currently about 15 cents, we find we could leave our C-64 turned on for less than 14.4 cents per day. Most users will pay even less than that, as New York City's electric rates are the highest in the country. Of course the total operating cost should include the energy used by the disk drive, printer, and monitor. You will probably find that the operating cost of the monitor exceeds the combined operating costs of all the other components in your system.

If you have a C-128 you will find a similar set of figures except for the input power rating. On our sample this was 70 VA, nearly double that of the C-64.

The second line on our C-64 sample power supply reads as follows:

OUTPUT : 5VDC 7.5W 9VAC 6.7VA

Our C-128 power supply has an even more cryptic notation which consists of 5V followed by a hieroglyphic which looks like a solid line over a dashed line, followed by 4.3A 9V, a squiggly line, and 1A. All this tells us that both of these power supplies provide direct current (DC) at 5 volts and alternating current (AC) at 9 volts. The five volt output is carefully regulated and free of any significant fluctuations. In the case of the C-64 the 5 volts can supply a maximum power of 7.5 watts which translates to a maximum

current of 1.5 amperes to the computer. The C-128's power supply also provides 5 volts DC but at a maximum capacity of 4.3 amperes which translates to 21.5 watts, nearly three times that of the C-64. In addition both power supplies provide 9 volts AC at a maximum current of 1 ampere.


Although the C-128's 5 volt power supply has nearly three times the capacity of the C-64's, the computer uses a proportionally smaller part of the available current. The spare capacity was designed into the supply in anticipation of the extra current which would be needed by the 1750 RAM expansion module. In fact with the 1764, the 256K RAM expansion module for the C-64, Commodore actually provides a replacement power supply with a 2.5 ampere rating at 5 volts DC.

We would like to emphasize that for power supplies it is only the voltages which are constant. The ratings for power or current represent maximum capabilities. The current which is actually delivered by the power supply is determined by the size of the computer, the accessories which are connected to it, and possibly what the computer is doing at the time. A power supply with a particular current rating may always be replaced by another one with a higher current rating. The extra current capacity is simply not used until it is actually needed by the equipment.

Before we go on we would like to mention that the power supply on early models of the VIC 20 was nothing more

ALTERNATE POWER SUPPLIES

Just what are your options when the computer's power supply is no longer capable of performing its duties? The obvious choice is to go to your local Commodore service center and buy a replacement unit. This is certainly a satisfactory solution; however, you will end up with the same thing you had before. We have also found exact replacement power supplies to be a bit pricey.



Power plug MOV connections

If you don't like to get your hands dirty, but want something better than the original, then you might consider a third party replacement power supply (see this issue's *Reviews* section for some options). Third party units usually have a higher rating than the original. Unlike the original Commodore power supply, which is sealed in epoxy, third party units can usually be opened and serviced if required.

If you like to tinker and know something about electronic construction, then for some time, effort, and a minimal investment you can assemble your computer's power supply needs from what is currently available in the "surplus" market.

A while back (Dec. '86 *Ahoy!*) we showed how to assemble a simple 5 volt power supply. That unit was adequate for powering small peripherals, such as a printer interface, but it lacked the capacity to supply current requirements of the entire computer. Here is an alternate solution to the power supply problem.

First check your present power supply. The chances are that it is the 5 volt section which is not working. The 9 volt AC part rarely fails, as it is nothing more than a transformer. If you still have a viable source of 9 volts AC, there is no reason not to use it. If you need a replacement for the entire power supply, you should start looking for a suitable transformer. The 1988 Radio Shack catalog lists an 18 volt, center tapped unit (cat. no. 273-1515, \$7.99), rated at 2 amperes. This will provide two 9 volt sources, of which one is simply ignored.

If you're willing to put up with a little clutter, a 5 volt replacement may be easily found. There is presently a glut of "surplus" IBM power supplies in the computer flea markets. The original IBM PCs came with power supplies rated at 65 watts. As the PC's were expanded with additional memory, disk drives, and hard cards, these supplies were found to be inadequate. A booming market developed for replacement supplies, which were typically rated at 135 watts, 150 watts, and most recently 200 watts. Of course once a PC's power supply was upgraded there was no use

than a 9 volt transformer. The conversion to 5 volts DC took place inside the computer itself. In later releases Commodore went to a uniform arrangement where all the power supplies on the 8 bit machines provided 5 volts DC and 9 volts AC. If you are looking at an Amiga 500 you will not find an output of 9 volts AC. You will notice that the Amiga 500 power supply provides +12 volts DC at 1 ampere and -12 volts DC at 0.1 ampere as well as 5 volts DC at 4.3 ampere.

WHERE IT GOES

We will now take a look at how the 5 volt DC and 9 volt AC supplies are utilized inside the C-64 and the C-128. Most of the machine runs off the 5 volt external power supply: in particular the microprocessor, the RAM, the ROM, the SID chip, and all the logic chips which glue the rest of the components together. In addition this same 5 volts is routed to all the external ports for use by add-on peripherals. The 5 volt supply is not available at the serial (disk drive) port and the video port. Thus any accessories which are powered from these ports, such as a printer interface with a wire to the cassette port or the joystick port, will place an additional burden on the external 5 volt supply.

The 9 volt AC supply is utilized in several ways. It is available at the user port for peripherals such as modems and other RS-232 devices. Internally the AC voltage is fed

to the CIA chip where it serves as the clock pulse for built-in time of day clocks. These clocks are not used directly by the operating system, but are of interest to programmers.

In the C-64 the 9 volts AC is also converted to a regulated 12 volt DC supply, an unregulated 9 volt DC supply, and a second regulated 5 volt supply. The C-128 does not have this second 5 volt supply. The 9 volts DC is used to power the motor of the cassette recorder.

In the Commodore 64 the 5 volt supply, which is derived from the 9 volts AC, is used to power the computer's clock, the VIC chip and its associated video circuitry. However, the RF modulator, which provides the TV signal, is powered from the external 5 volt supply. This information will prove useful when we diagnose C-64 power supply problems. In the Commodore 128, all of these sections run off the external 5 volt supply.

The only application for the internal 12 volts DC is to the SID chip. An ongoing project at Commodore's semiconductor division is the development of a SID chip which will run off a single 5 volt DC supply, thereby eliminating the need for the 12 volt supply. The latest versions of the SID chip may already utilize the unregulated 9 volt DC supply. Computers with this version of the SID chip may not have the circuitry for the regulated 12 volt supply. This information may prove useful if you ever need to replace the SID chip. □

PC Power Supply Wiring Colors

Color	Voltage
Black	Ground
Red	+5 Volt
White	-5 Volt
Yellow	+12 Volt
Blue	-12 Volt
Orange	Power Good

for the original, still functional unit. At a recent computer flea market we found 65 watt PC power supplies selling for as little as \$15.

A "surplus" PC power supply looks like a hardware hacker's delight. These are all switching supplies with built-in fans and plenty of capacity for Commodore users. The unit we obtained had four connectors with wires for no fewer than five 5 volt supplies, one -5 volt supply, three 12 volt supplies, and one -12 volt supply. The capacities of the 5 volt lines were either 1.93 amperes or 0.6 amperes. We took a look inside the unit and noticed that all the wires for a single voltage originated from a single source. This gave our unit an effective capacity of 7 amperes at 5 volts, more than enough capacity to run two C-64's and a C-128.


If you examine the business end of a C-64 power supply, you will notice a round plug with four pins in oddly spaced intervals. A close look at the mating jack on the computer shows an industry standard seven pin DIN connector. The sketch on the facing page shows the connections to the power supply plug as seen from its business end. You can use this sketch as a guide for wiring up your own connector.

We took the easy way out by simply using the existing plug and cable on our defunct C-64 power supply. In spite

of the epoxy we were able to pry off the bottom cover of our unit. Inside we found enough wire and space to splice in the wires from our PC supply and still be able to reclose the box. An alternative approach would be to carefully cut away the insulation of the C-64's power supply cable and splice in at that point.

On our unit we found a pair of black wires, a brown wire, and a blue wire as shown in the sketch. The black wires we left intact as they carried the 9 volts AC from the C-64's transformer. The brown wire turned out to be the lead for the 5 volt supply, and the blue wire was the corresponding ground connection. Although we suspect that this color code scheme will hold for all C-64 power supplies, we cannot be certain. We advise that you check your own wiring before proceeding.

There remained a single obstacle to overcome before we could get our setup to work. We got no output from our PC supply till we noticed that one of the wires was labled



Inside the C-64's power supply. Our splice to the external 5 volt supply (red heat shrink tubing) is clearly visible. All the components are embedded in epoxy, but a careful examination will reveal a fuse just on the surface.

Power Good. When this wire was connected to one of the 5 volt output leads, everything worked fine. Apparently PC power supplies have a voltage sensor to verify that proper operation. We also noticed that the PC power supply would automatically shut down its output whenever the C-64 was turned off. To reset the supply we had to turn off all power for several seconds.

The color code table on the preceding page will be useful if you intend to tinker with PC power supplies. Once

again, these are the colors which we found on the output wires of our unit. We suspect that these are the standard colors adhered to in the PC world.

As with all construction projects, we must warn you to proceed at your own risk. Power line voltages are potentially lethal. A wrong connection on the output can fry the computer. If you have any doubts about your abilities in this regard, we strongly recommend that you stick to commercially finished products. □

ANALOG V. SWITCHING SUPPLY

At present there are two types of power supply designs which are used to provide a regulated DC voltage for use by electronic equipment. Both designs start with a high, unregulated DC voltage and end up with a lower, regulated DC voltage. For the end user, it makes very little difference which design is used. Either approach may be equally effective in providing a regulated source of electrical energy.

The analog design is the older of the two. Its operation consists of the continuous regulation of the output voltage with respect to the input voltage. The advantages of the analog design are a small number of components and a simple and reliable design which may be easily modified for different voltage and power requirements. The disadvantage of the analog design is its low efficiency, which results in bulky and expensive heat dissipating components. In particular, as the power requirements increase, the analog supply needs larger transformers, power transistors, and heat sinks. These tend to get expensive as their size increases.

The switching design was developed to overcome the low efficiency of the traditional analog power supply. The regulating action of the switching design consists of the opening and closing of an electronic switch which briefly permits the passage of an electrical power pulse which maintains the output voltage at a constant value. Since the regulating switch spends most of its time open and drops very little voltage when it is closed, it dissipates less power than the equivalent component in the analog design. As a result the power transformer and the regulating elements in the switching design can be smaller and less expensive than the corresponding components of the analog design for the same output power level.

The disadvantages of the switching design are greater design complexity, increased component count, and a more critical design which cannot be easily modified.

The various economic tradeoffs result in analog designs being used for low power applications where the volume and weight of the power supply are of little consequence. Thus the C-64, C-128, and Amiga 500, which all have low capacity externally encapsulated supplies, use analog designs. The Amiga 1000 and 2000, which have higher capacity, internally mounted power supplies, use switching designs with forced ventilation. From the point of view of the end user the tradeoff is in a possibly lower energy cost in exchange for an initially higher equipment cost. □

SURGE SUPPRESSION

Power line surges or electrical transients are the bane of electronic equipment. These anomalies may be caused by the opening or closing of electrical circuits anywhere on the power system. They may result from natural causes such as a lightning strike on or near a power line, or they may be nothing more than the discharge of static electricity from the human body in contact with the keyboard. Surge voltages are measured in thousands of volts. Fortunately their durations are measured in microseconds or fractions of a microsecond.


The power line is frequently blamed as the source of damaging electrical transients. Manufacturers and distributors have capitalized upon this concept, as can be seen from numerous surge protected power strips on the market. Power strips which incorporate surge protection cost considerably more than equivalent devices lacking this feature.

The need for power line surge protection is difficult to ascertain. The likelihood of a significant electrical transient finding its way to your computer is strongly linked to the physical configuration of your house wiring and the type of service supplied by your local power company. In general, urban environments, which are usually served by underground systems, are less likely to have problems from surges. On the other hand rural systems, which may consist of long stretches of overhead power lines exposed to lightning, present a greater possibility of damaging transients.

Unfortunately the magnitude or duration of a surge is impossible to predict. Along with this is the lack of agreement on just what may be considered suitable or adequate surge protection. If you are able to do your own electrical maintenance, such as replacing electrical outlets or wall switches, you may be able to install what we feel is a reasonable amount of protection at minimal cost. Keep in mind that power line voltages are potentially lethal. Any equipment which is being worked on should be completely de-energized by pulling its power cord or by opening the branch line's circuit breaker.

The most popular form of surge protection is the metal oxide varistor (MOV). This often takes the form of a 1" diameter disklike device with two electrical connections. The electrical characteristics of this semiconductor device are such that it normally does not influence the circuit to which it is connected. When a voltage which exceeds the protec-

Continued on page 30



COMPU SERVE. YOU DON'T HAVE TO KNOW HOW IT WORKS TO APPRECIATE ALL IT CAN DO.

CompuServe is a computer information service. You subscribe to it. In return, you have access to an incredible amount of information, entertainment, communications and services. Here are a few of the hundreds of things you can do.

COMMUNICATE

CB Simulator features 72 channels for "talking" with other subscribers. National **Bulletin Boards** let you post messages where thousands will see them. Friends, relatives and business associates can stay in touch through **EasyPlex™ Electronic Mail**.

More than 100 **CompuServe Forums** welcome participation in discussions on all sorts of topics. **Software Forums** help with online solutions to software problems. **Hardware Support Forums** cater to specific computers. There's even free software, and online editions of computer periodicals.

HAVE FUN

Play all sorts of sports and entertainment trivia games, brain-teasing educational games plus TV-type game shows with "live entertainment." Or, for the ultimate in excitement, get into an interactive space adventure.

SHOP

THE ELECTRONIC MALL™ takes you on a coast-to-coast shopping spree of nationally known merchants, without ever leaving home.

SAVE ON TRIPS

With CompuServe's travel services you can scan flight availabilities, find airfare bargains and even book your own flights online. Plus, there are complete listings of over 28,000 hotels worldwide.

BE INFORMED

CompuServe puts all of the latest news at your fingertips, including the AP news wire, the *Washington Post*, the *St. Louis Post-Dispatch*, specialized business and trade publications and more. Our executive news service will electronically find, "clip" and file news for you to read whenever you'd like.

INVEST WISELY

Get complete statistics on over 10,000 NYSE, AMEX and OTC securities. Historic trading statistics on over 90,000 stocks, bonds, funds, issues and options. Five years of daily commodity quotes. Updates on hundreds of companies worldwide. Standard & Poor's Value Line. Over a dozen investment tools.

So much for so little.

All you pay is a low, one-time cost for a Subscription Kit (suggested retail price \$39.95). The low cost, standard rate for online time is just 10¢ a minute, 24 hours a day. In most major metropolitan areas you can go online with a local phone call. Plus, you'll receive a **\$25.00 U.S. Introductory Usage Credit** with the purchase of your CompuServe Subscription Kit.

So easy the whole family can go online.

CompuServe is "menu-driven," so beginners can simply read the menus (lists of options) that appear on their screens, then type in their selections. If you ever get lost or confused, type H for help. Remember, you can always ask questions online through our feedback service or phone our Customer Service Department.

Before you can access CompuServe, you need a computer, a modem (to connect your computer to your phone) and, in some cases, some simple communications software. Now you're ready to order. For your low, one-time subscription fee, you'll receive:

- a complete, easy-to-understand, 200-page spiral-bound Users Guide
- your exclusive preliminary password
- a subscription to CompuServe's monthly magazine, *Online Today*
- a \$25.00 usage credit!


To buy a CompuServe Subscription Kit, see your nearest computer dealer. To receive our informative brochure or to order direct, write or call **800-848-8199** (in Ohio or Canada, 614-457-0802).

CompuServe. You don't have to know how it works to appreciate all it can do—for you.

CompuServe®

Information Services, P.O. Box 20212
5000 Arlington Centre Blvd., Columbus, Ohio 43220

An H&R Block Company
EasyPlex and THE ELECTRONIC MALL are trademarks of
CompuServe Incorporated.



ALSOFT ABOUT I

RACE ANALYSIS SYSTEMS III

PROVEN HANDICAPPING SOFTWARE FOR THE COMMODORE COMPUTER. INCLUDES WINNING METHODS FOR HARNESS, THOROUGHBRED, AND GREYHOUND RACING.

ONLY \$49.95

ALSOFT • BOX 164 • DEPT. M • CLAIRTON, PA 15025
PHONE (412) 233-4659

BRAND NEW AMIGA 500 only \$135 or NEW C128D w/built-in drive only \$19

with trade-in of C128 Computer, 1571 Disk Drive, 1902 Monitor, 1200 Modem.

We buy/sell/trade Commodore, IBM compatible, Atari hardware - software - accessories.

We also carry new and used equipment for Commodore, IBM compatibles, and Atari — everything from VIC20, C64, Atari 400/800, ST, to the Amiga 2000!

We want to trade for YOUR EQUIPMENT!

If your equipment is not mentioned, then call us now for an instant quote. We also pay cash for used equipment and accessories. CALL for an instant price quote on your equipment. Nothing is too old or obsolete! We also pay cash for damaged equipment!

NEW EQUIPMENT

64C CPU w/GEOS	1351 Mouse	1764k RAM	\$129
1581 3-1/2" Drive	1802C Color Mon	1541C Drive	\$169

128D w/built-in drive	1571 Drive	1700 128k RAM	\$ 99
-----------------------------	------------------	---------------------	-------

A500 CPU	A501 512k RAM	A1010 3-1/2" drive	\$219
----------------	---------------------	--------------------------	-------

A2002 RGB Mon	A2088D Bridgecard	Full Line!!!!	
---------------------	-------------------------	---------------	--

Star NX-10C	Sar NP-10	Xetec JR Intfc	\$ 39
-------------------	-----------------	----------------------	-------

Avatec 1200	Avatec 2400hc	SmartLink 2400hc	\$189
-------------------	---------------------	------------------------	-------

Avatec 1200hc	Prac Per 2400hc	Aprotek Intfc	\$ 36
---------------------	-----------------------	---------------------	-------

PC COMPATIBLES

PC XT Compatible — Dual mono Hercules & Color (CGA) compatible graphics card.

4.77/10 Mhz Phoenix BIOS, More than 3x as fast as the IBM XT, 640 K Ram, 360K drive.

Printer/Modem/Game ports, Clock/calendar, AT Style keyboard and case. Only \$619*

*Add \$89 for monochrome monitor, add \$269 for RGB Color monitor

Hard drives: Miniscribe 30MB w/cont \$369, 20 MB w/cont \$339 installed

POWER SUPPLIES

C64 Replacement, repairable power supply only \$39, C128 replacement only \$75.

Amiga 500 replacement only \$99.

USED PRICES

C64 CPU	C128 CPU	1571 Drive	\$179
---------------	----------------	------------------	-------

1600 300 Modem	Mono Monitor	Color Monitors from	\$129
----------------------	--------------------	---------------------------	-------

MPS 801 Printer	Datacassette	Software & books!!!	
-----------------------	--------------------	---------------------	--

Quantities of USED products vary. Call before ordering. All used products are guaranteed to be in good working condition. All references to trade-ins in our ad assume equipment to be in good working condition. CALL to place your order and for price quotes on your equipment. Prices are subject to change without notice. SHIPPING/HANDLING: Charges based on actual weight of order. Call for shipping and handling.

2017 13th St., Suite A
Boulder, CO 80302

Computer Repeats, Inc.

MAIL-ORDER DIVISION

VOICE: (303) 939-8144

MODEM (303) 939-8174

MASTERCARD/VISA/CHOICE/C.O.D

C-128 PHANTASY

BY
CLEVELAND M. BLAKEMORE

Have you ever awakened in the middle of the night only to find that you were still dreaming? In the C-128 game *Phantasy*, you wander through a huge wraparound maze that covers nine screens, trying to locate two keys that will open the doors to your bedroom again.

Avoid the shadowy phantoms that float through the corridors of sleep, who grasp hungrily for you as you explore the maze. If they get their talons on you, you'll never wake up again!

The listing is completely in BASIC 7.0, and requires a joystick in Port 2 to play.


There are five different levels of challenge in *Phantasy*, each more difficult than the last. You can select any level you want from the title screen by moving the joystick left or right. Push the fire button to start the game.

On each succeeding level, the phantoms move faster, and the keys are harder to locate. You'll have to use extremely detailed cunning to get to the keys on the more advanced stages.

Do not enter a new room at an angle in the proximity of a wall! You'll find yourself entombed in solid rock on the other side, at least until the phantoms can pounce on you. Always enter or exit a room in horizontal or vertical directions if you are close to a wall.

Level 5 may drive you mad with frustration, especially when the key is visible but you cannot find the proper entrance. Keep trying. Persistence, patience, and concentration are vital in this nonviolent game.

A complete map of the entire *Phantasy* maze will be published in a future issue of *Ahoy!* Until then, you're on your own! ☐ **SEE PROGRAM LISTING ON PAGE 86**



PHOTOS: MICHAEL R. DAVILA

ANOTHER DULL DAY?

You could dust the bowling trophies, groom the dog, clean the gardening tools, go for a walk, floss, thaw some fish sticks, pay a few bills, or ...

You could be thrust headlong into the most chilling and deadly of worlds—Alternate Reality.®


After being kidnapped by an alien spaceship, you stalk the streets of The City of Xebec's Demise, boldly wielding everything from Battle Hammers to Magical Flameswords. Become an awesome Warrior, mighty in strength and wealth, able to meet all challenges, preparing for the fateful day you enter The Dungeon.

Descend into the gloomy depths of The Dungeon, where Trolls, Ghouls, Dragons, and Devourers all vie to make you into a quick and crunchy snack! Where crossing a gorgeous Valkyrie could mean a grisly demise. Where you must conquer quest after life-threatening quest. Where you can choose to become good or evil!

... or make some tapioca, open a letter marked "occupant," floss (again), arrange your sock drawer ...



THE CITY
AVAILABLE ON
ATARI, C64/128,
APPLE II AND IBM PC
COMPATIBLES, ATARI ST,
MACINTOSH, AND RADIO
SHACK COLOR
COMPUTER
SYSTEMS



**THE
DUNGEON**
AVAILABLE ON
ATARI, C64/128 AND
APPLE II COMPATIBLE
COMPUTER
SYSTEMS



Visit your retailer or call 800-245-4525 (In California call 800-562-1112) for ordering information.

Radio Shack is a registered trademark of Tandy Corp.
Atari and Atari ST are registered trademarks of Atari Computers, Inc.
C-64 and C-128 are trademarks of Commodore Business Machines, Inc.
Apple is a registered trademark of Apple Computers, Inc.
Macintosh is a trademark of Apple Computers, Inc.
IBM is a registered trademark of International Business Machines, Inc.
Alternate Reality is a registered trademark of Paradise Programming, Inc.
Datasoft is a registered trademark of IntelliCreations, Inc.
© 1987 IntelliCreations, Inc. All rights reserved.

Datasoft®

We challenge you

19808 Nordhoff Place, Chatsworth, California 91311 (818) 886-5922

CLEVE BLAKEMORE PRESENTS...

VEE KLOROS

JOYSTICK IN PORT TWO

PRESS FIRE BUTTON TO START MISSION

MISSIONS DESERT JUNGLE CITY 1 CITY 2

The luminescent screen inside your cockpit blinks for a few moments as the ship's computer navigator searches for an entry on the remote planet you've stumbled across.

There is a bleep, and you gasp in terror as the entry in the log appears on your screen.

V-KLS.V SYSTEM, ORPHEUS CLUSTER

Nicknames: "VEE KLOROS"

"DEATHWORLD"

"THE SILENT ONES"

Galactic Council Status: None

Lifeforms: Highly Intelligent

Silicon Based

Obscure Motivations

Extremely Hostile

Technology: Advanced, Military

Pilot's Instructions:

AVOIDAVOID**AVOID**AVOID**

Your curiosity is even stronger than your fear. Is this the world that explorers speak of in trembling whispers? You cannot resist seeing what lies below the heavy cloud cover.

Your fighter craft descends through the eerie fog with a blast of exhaust, the mystery planet waiting below.

about the time most people were getting tired of shoot-em-ups, no matter how graphically interesting, *Xevious* proved that there was always room for improvement. The strange planet was like a golf course designed by Salvador Dali with General Patton in charge of the grounds. The game was rewarding in that you got to view new landscapes and even weirder alien contraptions at work as you progressed, making you work harder to stay alive as you went along.

I often got the feeling that there was some mindboggling conspiracy of xenophobic technology at work in the game, that the aliens were continually preparing more powerful weapons as I moved further into their forbidden regions. This paranoid feeling combined with the bizarre twinkling theme music to create a near Zen trance of concentration. This, plus the fact that the game had a "continue" option if you got killed, kept me in a sweaty hysteria that only closing hour at the arcade could shake me out of.

I must have dropped about five hundred dollars' worth of quarters into that monster.

Luckily, I eventually tired of it. If not, I might be sleeping on a curb with the rest of the joystick junkies instead of working at *Ahoy!*

Vee Kloros is not quite *Xevious*, but I tried to give it as much of the feel and style that I could given the memory limitations of a magazine program. There are five different landscapes that smooth scroll vertically inside a win-


My all-time favorite arcade game has to be *Xevious*. Right

PHOTOS: MICHAEL R. DAVILA




ON LAND, SEA, OR IN THE AIR...

REALISTIC SIMULATIONS FOR ARMCHAIR WARRIORS



Bismarck—The North Sea Chase

This is a taut battleship simulation that puts you in command of an exciting array of combat controls: air reconnaissance, weather forecasting, radar search, bridge command, main screen map, and more! And when it's time for action, you direct anti-aircraft and heavy guns; launch torpedo attacks; handle damage control; even pilot torpedo planes using the built-in flight simulator.




Tomahawk

This real-time flight simulator puts you in the cockpit of the deadliest chopper in the world. Whether you choose the training exercises or the advanced attack options, you'll be involved in one tracer-hot mission after another. Features include offensive and defensive maneuvers; all-weather flying; day and night vision systems; and an advanced weapons arsenal.



Theatre Europe

The continent of Europe is the final battleground. You oversee huge forces of troops, artillery, aircraft, and deadliest of all... nuclear warheads! You can portray a fighter pilot, tank commander, foot soldier, or helicopter pilot as you're pitted against an enemy bent on the enslavement of Europe.



Tobruk—The Clash of Armour

The fate of Northern Africa is in your hands. As the Axis leader, you must execute precision armoured attacks to crush the Allies. This tank-battle simulator features mine laying and removal; air support; and engineering and re-supply options. And there's a legion of combat choices to put you on the desert road to victory.

Bismarck, Tobruk and Theatre Europe are trademarks of PSS.
Tomahawk is a trademark of Digital Integration.
Datasoft is a registered trademark of IntelliCreations, Inc.
© 1987 IntelliCreations, Inc.
Visit your retailer or call 800-245-4525
(In California call 800-562-1112) for ordering information

Datasoft®

We Challenge You
19808 Nordhoff Place
Chatsworth, CA 91311 • (818) 886-5922



dow on your screen (not an easy feat on the 64) and almost 21 separate sprite shapes in the game. I made sure to include spinning toroids that fire glowing wads of plasma, along with a bevy of mysterious alien ground structures and aerial ships. The game even has hidden underwater bases, just like the original.

The game is in two parts, a BASIC program and an object code file. I like hybrids; it's neat to have the ease and advantage of BASIC with the speed of machine language.

The program loads in the object code file, then moves video RAM up to 49152 to make room for all the graphic information. The program has no escape option, so it's wisest to reset the computer when you want to end the game.

Plug a good joystick into Port 2 to play.

You'll have the option of starting at any point on the planet you wish by selecting from the five different locations on the title screen. Illuminate the terrain you wish to begin at by moving the stick left or right and press the fire button to start the game.

To blow up a ground structure, center your bombsight directly over it and press the trigger. It will explode and leave a glowing crater in its wake.

Press fire to shoot plasma missiles. The toroids are very difficult to hit, but the alien attack ships are worth more points. The ground structures are worth more points because they are the alien's habitations.

If you manage to go 500 miles across the current landscape, you are awarded a special flag in the box at right to represent a victory over that sector of the alien's terrain. Each time you conquer a sector, the speed of the game picks up and the aliens fire faster and more accurately. Watch out for rearshots! The aliens love to pass you by and then let off with a volley of missiles on your flank.

I have yet to make it through more than eight sectors of terrain. The game gets so quick after that, you will be caught in a crossfire if your attention wavers for even a few milliseconds. As in the original *Xevious*, the interrupt-driven music can send you into a sonambulistic daze.

The machine language code is entered using *Flankspeed*. Make sure the BASIC portion and the machine code file are on the same disk, and that the code file has the correct name before running *Vee Kloros*. □

SEE PROGRAM LISTING ON PAGE 77



The latest DISK-INVADER SERIES V

THE SERIES "V" DISK-INVADER COPIES 99.90% OF PROTECTED SOFTWARE EASILY WITH POWER AND PARAMETERS TO SPARE & UPDATING ADDS EVEN MORE

- OVER 40 SPECIAL PARAMETERS built into the INVADER Copying Modules are AUTOMATICALLY called when copying the "Tough to Copy" Disks. This method of copying often produces a working copy without using a parameter. These are all installed on DISK-INVADER SIDE 1.
- OVER 200 EXTRA PARAMETERS to make working copies of recent disks that were impossible before are installed on DISK-INVADER SIDE 2. Because we UPDATE on a regular basis the quantity of extra parameters grows faster than we can advertise. We will always ship the LATEST CURRENT VERSION to purchasers. Registered owners may update earlier versions at any time for \$15.50 P & P included.

Quebec residents add 9% sales tax.
All orders shipped within 48 hours.

We accept VISA.

- FOR USE WITH 1 or 2 1541/1571 Drives and compatibles or MSD Dual Drive and a COMMODORE 64 or the COMMODORE 128 (used in 64 mode).

FAST FILE COPIER included with 8 second NO KNOCK PERFECT FORMATTER and the ability to issue DISK COMMANDS & DELETE unwanted files.

FAST FULL DISK COPIER for 2 1541/1571 copies in under 1 minute.
FAST FULL DISK COPIER for 1 1541/1571 copies in under 2 minutes.

**POSTAGE & PACKING INCLUDED US \$36.50
CANADIAN \$49.50**

TO ORDER

send Check or Money Order to:

AVANTGARDE 64
18 Place Charny, Lorraine
Quebec J6Z 3X9, Canada

Telephone: 1-514-621-2085

Ahoy! DISK

Why type in the listings in this month's *Ahoy!* when we've done it for you? All the programs in this issue are available on the current *Ahoy! Disk* for \$8.95. Isn't your time worth more than that?

Use the coupon at the bottom of this page to order disks for individual months, a disk subscription, or the special anthology disks described below.

(You can also subscribe to the *Ahoy! Disk Magazine*—disk and magazine packaged together at a special reduced rate. See the card bound between pages 66 and 67.)

BEST OF '84

Address Book (3/84)
Air Assault (5/84)
Alpiner (6/84)
Checklist (7/84)
Construction Co. (12/84)
DOS (9/84)
Emerald Elephant (10/84)
I Got Biorhythm (5/84)
Lawn Job (10/84)
Lunar Lander (4/84)
Math Master (5/84)
Micro Minder (8/84)
Multi Draw 64 (1/84)
Name That Star (4/84)
Post Time (6/84)
Salvage Diver (9/84)
Space Lanes (VIC) (3/84)
Space Lanes (64) (3/84)
Space Patrol (12/84)
VIC 40 (10/84)

BEST OF '85

Ahoy! Dock (9/85)
Auto Line Numbers (3/85)
Directory Manipulator (12/85)
File Lock (9/85)
Fontasia (2/85)
Futureware! (2/85)
Gameloader (12/85)
Home Budget (3/85)
Jewel Quest (12/85)
Lightning Loader (11/85)
Midprint (1/85)
Music Tutor (1/85)
Salmon Run (3/85)
Screen Dump (8/85)
Telelink (2/85)
Tile Time (5/85)

BEST OF '86

Disk Cataloger (8/86)
Dogcatcher (9/86)
Fidgits' Music School (7/86)
Flap! (8/86)
Guardian (11/86)
Head to Head (2/86)
Highlight (8/86)
JCALC (4/86)
Meteor Run (8/86)
Mine Canyon (9/86)
Mountaineer Mack (10/86)
Star Strike (6/86)
Step On It (8/86)
Syntax Patrol (9/86)
Teleporter (11/86)
Tenpins (1/86)
1541 Alignment Check (2/86)

BEST UTILITIES

Auto Append (7/85)
BASIC Trace (4/85)
Base Conversions (9/84)
Booter (4/85)
Commodore Font Editor (5/85)
DOS (9/84)
Fastnew (9/85)
Formatter (8/85)
Lucky Lottery (7/85)
Maestro (10/85)
Micro Minder (8/84)
Printat (7/85)
Screen Bit Dump (6/85)
Screen Magic (6/85)
Start & End File Address (9/85)
Two Column Directory (5/85)
Windows (8/85)
1541 Cleaning Utility (10/85)

BEST UTILITIES II

Alarm Clock (1/86)
BASIC Relocator (1/86)
Bigprint (5/86)
Chrono-Wedge (4/86)
Disk Checkup (10/86)
Fallsafe (5/86)
Long Lines (11/86)
Programmer's Aid (3/86)
Quick Change (10/86)
Reversed Remarks (7/86)
Screen Sleuth (7/86)
Screen Window (4/86)
Speech64 (9/86)
The Editor (12/86)
Trackdown (6/86)
Very-Able (3/86)
128 to 64 Autoboot (10/86)

BEST GAMES

Alpiner (6/84)
Construction Co. (12/84)
Disintegrator (8/85)
Dragon Type (9/85)
Duck Shoot (6/85)
Emerald Elephant (10/84)
Gators N Snakes (8/85)
Gravinats (10/85)
Lawn Job (10/84)
Mystery at Mycroft Mews (10/85)
Name That Star (4/84)
Post Time (6/84)
Salvage Diver (9/84)
Script Analysis (7/85)
Space Patrol (12/84)
Tile Time (5/85)
Wizard of Im (7/85)

BEST GAMES II

Actionaids (4/86)
Air Rescue (4/86)
Brickbusters (3/86)
Crabflight (2/86)
English Darts (5/86)
Got a Match? (6/86)
Haunted Castle (1/86)
Head On (7/86)
Knockout (1/86)
Micro City (12/86)
Minotaur Maze (12/86)
Penguins (10/86)
Ski Folly (5/86)
Star Search (5/86)
Swoop (4/86)
The Last Ninja (9/86)

BEST C-128

Ahoy!Term (3/86)
Dark Fortress (1/87)
Dual Dump (9/86)
Extended Background Mode (4/87)
Inflow (4/87)
List Formatter (4/87)
More BASIC 128 (2/87)
Nebergall Run (7/86)
Planet Duel (4/87)
Queen's and Bishop's Tours (6/86)
Rescue 128 (3/87)
The Artist (12/86)
Variable Manager (9/86)
Wordcount (7/86)
128 to 64 Autoboot (10/86)

We've collected *Ahoy!*'s best programs onto the Anthology Disks described here.

Please note that many of these programs will be unusable without the documentation printed in the issues of *Ahoy!* listed in parentheses.

SINGLE ISSUE AND SUBSCRIPTION PRICES

(Postage and Handling Included)

	U.S.A.	CANADA	ELSEWHERE
<input type="checkbox"/> March '88 <i>Ahoy!</i> Disk	\$ 8.95	\$ 12.95	\$ 13.95
<input type="checkbox"/> 12-Month Disk Subscription	\$ 79.95	\$ 99.95	\$124.95
<input type="checkbox"/> 24-Month Disk Subscription	\$149.95	\$179.95	—

BACK ISSUES \$8.95

In Canada add \$2.00 per issue; outside US and Canada add \$4.00 per issue.

<input type="checkbox"/>	\$8.95	<input type="checkbox"/>	\$8.95
<input type="checkbox"/>	\$8.95	<input type="checkbox"/>	\$8.95
<input type="checkbox"/>	\$8.95	<input type="checkbox"/>	\$8.95
<input type="checkbox"/>	\$8.95	<input type="checkbox"/>	\$8.95

ANTHOLOGY DISKS \$10.95 EACH

- | | |
|--|--|
| <input type="checkbox"/> Best of '84 | <input type="checkbox"/> Best Utilities |
| <input type="checkbox"/> Best of '85 | <input type="checkbox"/> Best Utilities II |
| <input type="checkbox"/> Best of '86 | <input type="checkbox"/> Best Games |
| <input type="checkbox"/> Best of C-128 | <input type="checkbox"/> Best Games II |

Send coupon or facsimile to: *Ahoy!* Program Disk
Ion International Inc.
45 West 34th Street, Suite 500
New York, NY 10001



NAME _____

ADDRESS _____

CITY _____

STATE _____

ZIP _____

Make check or money order payable to Double L Software. N.Y. State Residents must add 8¼% sales tax.

COMPUTER DIRECT
Will Not Be UNDERSOLD!
AND WE MEAN IT!* Prices Expire 3-31-88

Famous Seikosha National Brand

Ultra-Hi Speed Printer


★ **300 CPS Draft - 50 CPS NLQ** ★

With Color Printing Capabilities

Sale Price
\$299⁹⁵
 List \$599
 (Add \$10.00 shipping & handling.)

*No One Sells This
 Printer For Less!*

Sale Price
\$299⁹⁵
 List \$599
 (Add \$10.00 shipping & handling.)



Optional Color Printing Kit . . . List \$199.95 Sale \$99.95

**Hi-Speed Printing (300 CPS Draft) With Minimum Noise • Superb Near Letter Quality •
 Variety of Characters and Graphics • IBM and Epson Modes • Built-in 10K Buffer •
 Built-in Parallel & Serial Interface Ports • Automatic Paper Loading and Ejection •
 Download Character Setting • Front Panel Margin Setting • Bottom Feed •
 Optional Easy Handling 7-Color Printing Kit**

Print Method

Impact Dot Matrix

Print Speed

Draft- 300 CPS NLQ- 50 CPS

Character Sets

185 Characters Kinds, 8 International
 Fonts, 256 Download Characters

Dimensions

18.5 (W) x 14.1 (D) x 5.5 (H) inch

Weight

Approx. 19 lbs

Printing Direction

Bi-directional

Ribbon (Life exp.)

Black: cassette (8 million characters)

Line Spacing

7/72", 1/8", 1/6", n/216", n/144", n/72"

Paper Feed

Adjustable tractor and friction feed

Replacement Ribbons

Black Sale \$14.95

4-Color Sale \$19.95

15 Day Home Trial • 90 Day Immediate Replacement Policy

COMPUTER DIRECT

22292 N. Pepper Rd, Barrington, IL. 60010

Call (312) 382-5050 To Order!

* Illinois residents add 6 1/4% sales tax. All orders must be in U.S. Dollars. We ship to all points in the U.S., CANADA, PUERTO RICO, & APO-FPO. Please call for charges outside continental U.S. or C.O.D. MAIL ORDERS enclose cashier check, money order, or personal check. Allow 14 days delivery, 2 to 7 days for phone orders and 1 day express mail. Prices and availability subject to change without notice. Shipping and handling charges are not refundable. (Monitors only shipped in continental U.S.) COMPUTER DIRECT will match any valid nationally advertised delivered price on the exact same product with a comparable payment method (excluding any applicable sales taxes). A physical copy order of the current valid lower priced ad must be supplied with the order, or within 15 days of date of purchase. **VISA — MASTERCARD — C.O.D.**

CO
22292
Call

COMPUTER DIRECT
Will Not Be UNDERSOLD!
AND WE MEAN IT!* Prices Expire 3-31-88

• Famous IBM® Brand •

Genuine IBM® Printer

8 1/2" Letter Size

Super Sale
\$49⁹⁵


List \$199

(Add \$7.50 shipping.)*



Limited Quantities.
1st Come, 1st Serve Basis.

***No One Sells This
Printer For Less!***



- 80 Column
- Enlarged
- Underline
- Graphics*
- Unbelievable Low Price!
- Advanced Dot Matrix - Heat Transfer
- Upper & Lower Case (with True Lower Descenders)
- Low Cost Adapters Available For IBM • Apple • Laser • Commodore • Atari

(* Graphics available with Commodore, Atari And Apple Interfaces.)

This printer was made by Canon® for IBM®. It comes ready to hook up to the serial port of the IBM® PC jr. Plus with low cost adapter cables you can connect the printer to the IBM® PC, XT, AT, & Compatibles, the Apple® II, IIe, & IIc, the Laser® 128, Commodore® 64, 128, SX-64, Vic 20, & Plus 4, in addition to Atari®, the Tandy 1000 and many more. (See Accessories Page.)

IBM, Apple, Canon, Commodore, Atari & Laser are registered trademarks of International Business Machines, Apple Computer, Canon Inc, Commodore Business Machines, Atari Inc. & Video Technologies Respectively.

15 Day Home Trial • 90 Day Immediate Replacement Policy

COMPUTER DIRECT
22292 N. Pepper Rd, Barrington, IL. 60010
Call (312) 382-5050 To Order!

* Illinois residents add 6 1/2% sales tax. All orders must be in U.S. Dollars. We ship to all points in the U.S., CANADA, PUERTO RICO, & APO-FPO. Please call for charges outside continental U.S. or C.O.D. MAIL ORDERS enclose cashier check, money order, or personal check. Allow 14 days delivery, 2 to 7 days for phone orders and 1 day express mail. Prices and availability subject to change without notice. Shipping and handling charges are not refundable. (Monitors only shipped in continental U.S.) COMPUTER DIRECT will match any valid nationally advertised delivered price on the exact same product with a comparable payment method (excluding any applicable sales taxes). A physical copy order of the current valid lower priced ad must be supplied with the order, or within 15 days of date of purchase. **VISA — MASTERCARD — C.O.D.**


COMPUTER DIRECT
Will Not Be UNDERSOLD!
AND WE MEAN IT!* Prices Expire 3-31-88

Complete Commodore C64c System Sale

Computer, Disk Drive, Monitor, Printer & Software



*No One Sells This
System For Less!*



Sale \$395⁹⁵

(Add \$35.00 shipping.)*

List \$1049

The Complete System for \$395⁹⁵ Includes:

- Commodore 64c Computer
- Excelerator Plus Disk Drive
- 12" Monochrome Monitor With Connecting Cable
- Genuine IBM® Printer With Commodore Interface And 1 Roll Of Paper
- GEOS Program: Word Processor And Drawing Program

15 Day Home Trial • 90 Day Immediate Replacement Policy

COMPUTER DIRECT
22292 N. Pepper Rd, Barrington, IL. 60010
Call (312) 382-5050 To Order!


* Illinois residents add 6 1/2% sales tax. All orders must be in U.S. Dollars. We ship to all points in the U.S., CANADA, PUERTO RICO, & APO-FPO. Please call for charges outside continental U.S. or C.O.D. MAIL ORDERS enclose cashier check, money order, or personal check. Allow 14 days delivery, 2 to 7 days for phone orders and 1 day express mail. Prices and availability subject to change without notice. Shipping and handling charges are not refundable. (Monitors only shipped in continental U.S.) COMPUTER DIRECT will match any valid nationally advertised delivered price on the exact same product with a comparable payment method (excluding any applicable sales taxes). A physical copy order of the current valid lower priced ad must be supplied with the order, or within 15 days of date of purchase. VISA — MASTERCARD — C.O.D.

COMPUTER DIRECT
Is 1st In PRICE, SUPPORT, & GUARANTEE!
WE LOVE OUR CUSTOMERS! Prices Expire 3-31-88

Famous Star Micronics National Brand

Super Hi-Speed 200 CPS Printer

Star Micronics LV-2010 10" Printer with Near Letter Quality



(Add \$10.00 shipping. *)

SALE

Save

- High Speed 200 CPS Draft
- Near Letter Quality
- Standard Pull Tractor and Automatic Single Sheet Loading
- Standard Parallel and Serial Interface Ports
- Continuous Underline
- IBM Compatible
- Ultra Hi-Resolution Bit Image Graphics

**No One Sells This
Printer For Less!**

Sale \$199⁹⁵

List \$499

SPECIFICATIONS

Printing Method
Serial Impact Dot Matrix

Printing Speed
200 Characters Per Second Draft
45 Characters Per Second NLQ

Print Buffer
16K Bytes

Paper Feed
Sprocket or Friction Feed

Dimensions
4½" (H) x 13½" (D) x 16¼" (W)

Character Sets
96 Std. ASCII; 96 NLQ ASCII -83 Special &
50 Block Graphic Characters

Printing Direction
Bidirectional, logic seeking;
Unidirectional in bit image and NLQ modes

Ports
Centronics Parallel and Serial

Line Spacing
1/6", 1/8" or 7/72" Standard
n/72" or n/216" Programmable

15 Day Home Trial • 90 Day Immediate Replacement Policy

(312) 382-5050
We Love Our Customers!



COMPUTER DIRECT
22292 N. Pepper Road
Barrington, IL. 60010



Call


APPO-FPO.
delivery, 2
refundable.
product with
C.O.D.

COMPUTER DIRECT
Will Not Be UNDERSOLD!
AND WE MEAN IT!*

Prices Expire 3-31-88

5 1/4" Double-Sided, Double Density Floppy Disks

New Lower Price! **22¢** each
 (Add \$3.00 shipping.)*



**Each Disk 100% Certificatied • Automatic Dust Remover
 Free Lifetime Replacement Warranty**

1 Box of 50 \$13.50 (27¢ each)
 (with sleeves)

1 Box of 100..... \$22.00 (22¢ each)
 (without sleeves)

Paper Economy Sleeves ... \$5.00 per quantity of 100
 Disk Labels \$3.95 per quantity of 100

3 1/2" Double-Sided, Double Density Micro Disks

On Sale For Only **99¢** each
 (Add \$3.00 shipping.)*



For use with all 3 1/2" Disk Drives.


- Compact and easy to handle
- Same tough and reliable qualities of 5 1/4" floppies other disks in a compact, cassette-like format
- Hard-plastic shell provides maximum media protection and safe handling.

Holds more data than a conventional 5 1/4" floppy disks

Quantity of 50..... \$49.50 (99¢ each)

Full Size Piano/Organ Musical Keyboard **\$49.95****
 List \$159

(Add \$5.00 shipping.)*



**** Conductor Software Required**

Keyboard — 40 Keys (A-C) guage spring loaded to give the feel and response of a professional polyphonic keyboard instrument. Plugs right into the joystick port of the Commodore 64 or 128. This sturdy instrument comes with carrying handle, protective key cover and built-in music stand. Size: 29" x 9 1/2" x 4" Weight: 9 lbs.

Registers (with the Conductor Software) — Organ • Trumpet • Flute • Harpsicord • Violin • Cello • Bass • Banjo • Mandolin • Calliope • Concertino • Bagpipe • Synthesizer 1 & 2 • Clavier 1 & 2 • Can be played over a 7 octave range • Programmable sounds

Recording (with the Conductor Software) — Three track sequencer plus over-dubbing with multiple instruments playing at the same time.

The Music Teacher

List \$39.95 Sale \$24.95

Teaches how to read music and play in rhythm on the keyboard. Features trumpet, organ, violin, synthesizer instrument sounds, built-in metronome, pause-play control and set-up menu for customizing. (Disk)

The Conductor Software

List \$29.95 Sale \$19.95

The Conductor Software teaches how a composition is put together, note by note, instrument by instrument. You will learn to play 35 songs from Bach to Rock. Then you will be ready to compose your own songs! (Disk)

Teaches — Scales • Bass lines • Popular songs "Bolero" to "Thriller".

Features — Control with attack, delay, sustain and release times •

Playback tracks while you record • Stores songs on disk • Much more

Requires — Above Keyboard • Commodore 64 or 128 with disk drive

The Printed Song

List \$29.95 Sale \$19.95

Print out your composition for others to read or play. Requires The Conductor Program and printer compatible with the Commodore graphics mode such as most dot matrix printers with a graphics interface. (Disk)

15 Day Home Trial • 90 Day Immediate Replacement Policy

COMPUTER DIRECT

22292 N. Pepper Rd, Barrington, IL. 60010

Call (312) 382-5050 To Order!


* Illinois residents add 6 1/2% sales tax. All orders must be in U.S. Dollars. We ship to all points in the U.S., CANADA, PUERTO RICO, & APO-FPO. Please call for charges outside continental U.S. or C.O.D. MAIL ORDERS enclose cashier check, money order, or personal check. Allow 14 days delivery, 2 to 7 days for phone orders and 1 day express mail. Prices and availability subject to change without notice. Shipping and handling charges are not refundable. (Monitors only shipped in continental U.S.) COMPUTER DIRECT will match any valid nationally advertised delivered price on the exact same product with a comparable payment method (excluding any applicable sales taxes). A physical copy order of the current valid lower priced ad must be supplied with the order, or within 15 days of date of purchase. **VISA — MASTERCARD — C.O.D.**

COMPUTER DIRECT
Is 1st In PRICE, SUPPORT, & GUARANTEE!
WE LOVE OUR CUSTOMERS! Prices Expire 3-31-88

Printer Super Sale

22 CPS Daisy Wheel Printer

13" Daisywheel Printer With True Letter Quality



**No One Sells This
Printer For Less!**

Low, Low Price!

\$99⁹⁵

List \$499

Below Wholesale!



Compatible With
Diablo™ & Qume®
Wheels & Ribbons

(Add \$10.00 shipping & handling. *)

Printing Method

- Daisy Wheel

Print Speed

- 18 CPS, Shannon Text
- 22 CPS, AAA Text

Accessories

- Daisy Print Wheel - Courier 10, 96-character
- Ribbon Cartridge - easy-change cartridge
- Both are compatible with Diablo™ and Qume®

Spacing and Density

- Character Spacing: 1/120" increments
- Line Spacing: 1/48" increments
- Print Pitch: 10, 12, or 15 CPI and Proportional Spacing
- Characters per Line:
 - 110 characters at 10 CPI
 - 132 characters at 12 CPI
 - 165 characters at 15 CPI

Operator Control

- Power On LED
- Impact Adjustment
- Reset Button
- Pause Button
- Paper Feed Button
- Self Test
- Out of Ribbon LED
- Horizontal Spacing Adjustment
- Pitch Adjustment (10, 12, or 15 CPI)

Low Cost Adapters Available

- For IBM, Apple, Laser 128 & Commodore

Paper Information

- Fan-fold, Single Sheet, or Carbon Copies
- Friction Feed
- Form Width: up to 13"
- Copy Capacity: Original plus 3 Copies

Size and Weight

H-5.5" W-18.9" D-11.6"
Weight 21 lbs.

Registered Trademarks: Apple - Apple Computer Inc. IBM - International Business Machines Inc. Diablo - Xerox Inc. Qume - Qume Corporation.

Daisy Wheels

Available In **Courier 72**, **Prestige Pica**, **Prestige Elite**, and **Script 12** for **\$9.95 each**.

15 Day Home Trial • 90 Day Immediate Replacement Policy



Call

(312) 382-5050

We Love Our Customers!



Mail

COMPUTER DIRECT
22292 N. Pepper Road
Barrington, IL. 60010

POWER TO THE COMPUTERS— SURGE SUPPRESSION

Continued from page 16

tive level is applied to a MOV, it becomes an effective short circuit. This has the effect of clamping the incoming surge voltage to the protective level and preventing it from reaching the protected equipment.

Radio Shack stocks what appears to be a suitable MOV as their stock number 276-568B priced at \$1.99. Three of these units are required for complete protection. A close examination of the ratings on the Radio Shack device may be useful as a basis of comparison to other devices. First, take note of the maximum operating voltages, which are 130 volts AC or 170 volts DC. The power line circuit to which the device is applied should have an operating voltage less than this.

The next figure (70 joules) indicates the amount of surge energy the MOV can dissipate before it is destroyed and loses its effectiveness. In general, the larger this figure, the more protection the MOV will provide. The maximum and minimum values for varistor voltage for this device are 185 volts and 225 volts. These represent the range of voltages to which this MOV is expected to clamp an incoming surge. Note that the clamp voltages are substantially higher than the operating voltage. Surge protectors, such as MOV's, are not designed to protect against long term power line over-voltages. For example, long term operation of a nominal 117 volt circuit at 140 volts is likely to destroy the MOV and damage your equipment.

The data sheet also indicates that the peak device current is specified at 6500 amperes delivered as a series of eight rectangular pulses each of which has a duration of 20 microseconds for each pulse. These figures actually signify the electrical test sequence which this MOV is expected to pass. There is no guarantee that nature will be so accommodating as to deliver an electrical surge with precisely these characteristics.

A convenient place to install the three MOV's is in the outlet box which supplies the computer and its peripherals. The latest electrical codes require that all outlets be equipped with three prong jacks. One of these prongs carries the line voltage, another is the neutral wire, and the last is the safety ground. Simply connect a MOV across each pair of terminals. The standard color code requires that the line be a black or red wire. The neutral wire should be white. The safety ground may be green or bare copper or aluminum, or it may simply be the metal junction box. If your outlet is equipped with a two prong jack, this may be a good time to replace it with a three prong unit.

We would like to mention an electrical transient problem we have encountered with the C-64 which has concerned us for some time. We have found that our C-64 would reset itself to the power on state at random intervals. Needless to say, this sort of behavior could be quite frustrating. We were puzzled by the phenomenon till we noticed that it could be induced by switching on the fluorescent light over our desk. Further experimentation identified the disk drive and printer as possible culprits. In particular we found that any appliance with startup current surge could induce


the problem.

We also found that electrical proximity of the offending appliance was important. All the devices mentioned above were powered from the same power strip. By reconnecting the devices to an outlet down the wall, we were able to reduce or eliminate the problem.

To verify our suspicions we were able to duplicate these results on two C-64's using four different power supplies. We were pleased to discover that our C-128, SX-64, and Amiga 1000 seemed to be immune to this problem.

Based upon our research we have come up with the following explanation for these events. A cold reset on the C-64 is triggered by momentarily pulling the microprocessor's reset line from 5 volts to ground and then releasing it. When many electrical devices are first turned on they tend to draw a very large pulse of current for a very short interval. This results in a momentary dip in the primary supply voltage. This voltage dip may be observed as a momentary dimming of the lights when a major appliance, such as a refrigerator or washing machine, starts up.

Interestingly enough, the rather severe and long voltage dips caused by these major appliances do not seem to trouble the C-64. It is the much shorter voltage dips, caused by the smaller devices, which are transmitted by the power supply and trigger a reset. Since these are voltage dips which we are dealing with, a transient surge suppressor is of no help. These devices are designed to limit overvoltages and have no effect on voltage dips. The only solution is to power the C-64 from its own outlet. Although this did improve the situation, it did not eliminate the problem. Apparently the short duration voltage dips are able to propagate over the building wiring from other locations.



Plug end view of the C-64's power supply

We have taken the time to present this problem in detail because we feel that many users have encountered it without recognizing the cause. If this information helps you identify the problem, or if you have experienced unexplained resets while running commercial software, please let us know.

We cannot guarantee that surge protection will be the cure-all for power line problems. However, we do feel that a little bit of low cost surge protection can go a long way towards providing peace of mind.

Continued on page 60



S & S Wholesalers, Inc.

226 Lincoln Road • Miami Beach, Florida 33139

1-800-331-7054 • 1-800-233-6345 • In Florida (305) 538-1364

DESKTOP PUBLISHING SYSTEM



Commodor 64 Computer
Compatible Disk Drive
80 Col Graphics Printer
Hi-Res Monochrome Monitor
G.E.O.S. Operating System
Geopublish Software


LASER 128

Apple Compatible

299⁹⁹*

*WITH PURCHASE OF STARTER PACK

COLOR MONITOR



COMMODORE

16

39⁹⁰

139⁹⁰

1200 BAUD MODEM

HAYES
COMPATIBLE

69⁹⁰*

*WITH CABLE PURCHASE

AMIGA 500 STARTER SYSTEM

AMIGA 500
AMIGA COLOR MONITOR
COLOR PRINTER

CALL

5.25" DISKS

D5DD

20¢ IN 1000 LOTS
WITH PURCHASE
OF DISK FILE



100 DISKS **\$22⁰⁰**
50 DISKS **\$29⁰⁰**
10 DISKS **\$32⁰⁰**

SLEEVES
\$4.00 PER 100

HOME OFFICE

TELE-FAX

499⁹⁰

ELECTRIC TYPEWRITER

99⁹⁰

MINI-CASSETTE RECORDER

29⁹⁰

VHS VIDEO RECORDER

199⁰⁰

TDK D60 CASSETTES

99¢ MIN. 10 PCS.


TIZO VIDEO CASSETTES 2⁹⁹ MINIMUM

- FREE SHIPPING
- FEDERAL EXPRESS Service Available
- OPEN 7 DAYS

- #1 in QUALITY
- #1 in SERVICE
- #1 in PRICE


STAR- MICRONICS

80 COL GRAPHICS
PRINTER



99⁹⁰

SYNTHESIZING WAVEFORMS



Further Studies of Sound and Waves

In our continuing investigation of sound and wave phenomena, this month we'll talk briefly about the BASIC 7.0 ENVELOPE command and explore two interesting aspects of wave phenomena, beats and Fourier synthesis. These concepts are used in applications from piano tuning to radio communication.

We will graphically combine simple waves to create the standard waveforms generated by the Commodore computers. That is the process of Fourier synthesis. The related process of Fourier analysis gives us an entirely new way of viewing wave phenomena. In our investigation of beats, we will combine sounds of two different frequencies to see (hear, actually) how waves can interfere with each other and cancel each other out. The cancellations produce another frequency known as the beat frequency.

SOME FUNDAMENTALS

Two of the primary characteristics of a sound are its volume and its pitch. The volume is the loudness or intensity of the sound. The pitch is determined by the frequency or repetition rate of the sound wave. More rapid vibrations have higher pitch and sound shriller. Bass tones have a lower frequency or pitch.

Last month we discussed ways to specify the loudness of sounds with the VOL and PLAY commands. We also talked about frequencies of sound as generated by the PLAY and SOUND commands. The difference in sound between a trombone and a saxophone depends upon more than just the volume and pitch of the notes they play. The quality of an instrument's sound, called the timbre, results from the combination of frequencies produced as each note is played.

Middle-C is a note near the middle of the piano's keyboard. Its basic or fundamental frequency is roughly 262 cycles per second or 262 Hertz, written 262 Hz. In addition to the fundamental frequency, sound waves of many other frequencies are produced when middle-C is struck. These other frequencies are called "harmonics."

Generally the volume of each harmonic is less than the volume of the fundamental frequency, but the harmonics are still loud enough to affect the overall sound we hear. If we could watch in slow motion the vibrations of a loudspeaker playing a single note of piano music, we would see a very complicated movement of the speaker cone.

It would be possible to synthesize the sound of middle-C played by a piano by combining many sine waves of the proper frequencies and amplitudes. It would be a difficult task, since the different frequencies do not necessarily all begin vibrating at the same time. (In technical jargon, there are phase differences between them. The various waves are not in phase.)

The way we choose the harmonic content of sounds on the Commodore computers is by specifying one of three standard musical waveforms discussed last month, the triangle wave, the sawtooth wave, and the square wave or pulse. The triangle wave has a harmonic content similar to that of a flute. A plucked instrument such as a guitar produces harmonics which are approximated by a square wave pulse.


By Dale Rupert

SUPERIOR TECHNOLOGY LOOKS LIKE

NEW!! V3.0

THIS

STILL ONLY \$54.95



SUPER SNAPSHOT V3.0

The best just got better!

"All in all, I think this is the best of the bunch"
- Tim Sickbert, INFO, Jan. '88

"It's memory dumper function is probably the most advanced on the market at this time...overall we were very pleased."
- Morton Kevelson, AHOY!, Nov. '87

★★★★... Read SUPER SNAPSHOT's 4 STAR review in INFO magazine (Jan. '88) "B+"... RUN, Dec. '87

To offer the most powerful utilities you must first have state of the art hardware. This is a fact that our competitor doesn't understand, which explains why they are offering their latest 'final' version based on the old style, ROM only, hardware. SUPER SNAPSHOT is the ONLY utility cartridge that incorporates a RAM chip AS WELL AS a large ROM. This is just one of the reasons why RUN magazine gave SUPER SNAPSHOT a "B+" rating (Dec. '87) while our competitor received only a "B" (Sept. '87). And INFO magazine gave SUPER SNAPSHOT a ★★★★★ rating while our competitor received only ★★+ (Jan. '88).

Compare these features found on SUPER SNAPSHOT V3.0 to those found on rival products: • TURBO DOS (actually three systems in one) fast LOAD and SAVE to the 1541, 1571 (in 1541 OR 1571 mode) or 1581 • Full-featured DOS wedge (supports multiple drives) • Pre-programmed function keys • The most advanced machine language monitor available for the 64. Includes all standard commands plus scrolling, bankswitching, IO modify, ability to interrupt a running program, examine it and then SUCCESSFULLY resume.

- Screen dumper that dumps ALL screens, three different size options, to PRINTER OR to DISK (in KOALA or DOODLE! format) • Fast format
- Fast file copier, 1 or 2 drive, supports the 1541, 1571 and 1581 ... any combination • Fast disk copier, 1 or 2 drive, supports the 1541, 1571 and 1581 • GAME MASTER SCREEN - built in sprite killer and EXTENDED LIFE mode (one of the benefits of having a RAM)
- TURBO*25 - loads any program saved with TURBO*25 at blinding speed (50 K in 5 seconds). Works with any drive. Simple to use... no user intervention required
- Completely WINDOW driven with easy to read screen windows that are available any time, NOT just at power-up • FREE Kracker Jax parameter disk which contains a nibbler and 80 parameters for backing up those programs that can't be done with ANY cartridge. ALL this and more!

SUPER SNAPSHOT's unique design allows updating to new versions when they become available with simple, affordable, plug-in ROMs. No need to ever buy another complete cartridge. And SUPER SNAPSHOT is \$15-\$20 less in price to begin with.

Super Snapshot Slideshow Creator

This is HOT! You know that Super Snapshot can capture a multicolor or hi res display on your screen and save it to disk as a "file." Our new Slideshow Creator lets you display a series of these images, with dynamic options such as fade in and out, shutter on or off and pop on and off, and your choice of 10 different fonts for creating your own custom scrolling captions! We've even included programming to allow you to easily integrate hi res or multicolor screens into your own M/L or BASIC programs with full control! Only \$14.95 U.S., \$19.95 CDN.

ORDER IT WITH SUPER SNAPSHOT V3.0 AND RECEIVE \$5 OFF

RIVAL CLAIMS... FLASHY ADS... WHO'S KIDDING WHO? YOU DECIDE! Both we and our competitor offer a 10 DAY, MONEY-BACK GUARANTEE. So buy them both, try them out and send back the one you don't want. YOU decide who is offering gimmicks and who is offering solid, well designed utilities. But act quickly - we expect our competitor will retract their offer when they see this ad.

SOFTWARE
Support
INTERNATIONAL

FORMERLY COMPUTER MART

DEALER
INQUIRIES
WELCOME



CHECKS, MONEY ORDERS OR VISA/MASTERCARD/DISCOVER: Mail orders to:
Software Support International, 2700 NE Andresen Road, Vancouver, WA 98661

Phone orders welcome: (206) 695-1393 • Same day shipping. No C.O.D. orders outside U.S.

PLEASE NOTE: Free shipping & handling on all orders. • C.O.D. ADD \$4.00 to total order. • All orders must be paid in U.S. funds.

Washington residents add 7.30% sales tax to order. Orders outside of North America add \$7.50 for shipping.

In Canada, order from: Marshview Software, PO Box 1212, Sackville NB E0A-3C0. Only \$69.95 CDN.

THE ENVELOPE PLEASE

Besides harmonic content, another aspect of timbre is the relative amplitude (volume) of the overall sound as a note is played. Middle-C played by a trombone takes some time to reach its full volume (roughly a tenth of a second). The ping of a triangle or other percussion instrument reaches its full volume almost instantly. The rate at which the full volume is reached affects the smoothness or sharpness of a sound.

The ENVELOPE command in BASIC 7.0 provides a convenient way to control the volume of each note being generated, as well as to specify the fundamental waveform. The four volume-affecting parameters of the ENVELOPE command are the Attack, Decay, Sustain, and Release values, known as ADSR.

Attack, Decay, and Release correspond to quantities of time, while Sustain is a measure of volume. The ADSR values may be represented with a graph like the one shown in Figure 1. Keep in mind that this is *not* a frequency or waveform graph as discussed last month. This graph represents the amplitude or volume of a single note as it is played.

Depending upon the time values of A, D, and R, and the fundamental frequency of the wave, the wave may oscillate many times during each portion of the graph. On the other hand, the entire ADSR sequence may be completed before one oscillation of the wave is finished.

Consider middle-C with a frequency of 262 Hz. The amount of time for one cycle of 262 Hz is just the reciprocal of 262 or roughly 0.004 seconds (4 milliseconds). A graph of middle-C played with an Attack value of 24 milliseconds, Decay and Release values of 16 milliseconds, and a Sustain value of 50 percent of peak volume is shown in Figure 2. The length of time spent in the Sustain phase of the graph depends upon the duration of the note. For example, a quarter note played with a TEMPO value of 4.8 lasts for roughly one second. The A, D, and R segments shown in Figure 2 total only 56 milliseconds, so the Sustain phase would last for 944 milliseconds (1000 ms - 56 ms = 944 ms). Only a portion of the Sustain phase is shown in Figure 2.

The VOL command determines the maximum volume reached by the Attack phase of the sound. During the Decay phase, the volume of the sound decreases to the relative value given by Sustain. Clearly the Sustain value can have a more significant effect on the overall volume of a sound than VOL can if the A and D times are much shorter than the total duration of the note. The Sustain value is useful for making one voice louder or softer than another. The VOL command affects all three voices.

Decay and Release times can be as long as 24 seconds. Attack times may be as long as 8 seconds. Several notes may be played during one "Attack cycle" if their duration is short compared with the Attack time. Using long A, D, and R values requires some careful consideration of TEMPO and note duration to get predictable results. A short program discussed later demonstrates this situation.

A chart on page 362 of the *C-128 Programmer's Reference Guide* lists the A, D, and R values and their corresponding times. The values range from 0 to 15. The times for A are from 2 ms (0) to 8 seconds (15). The times for

D and R are three times the values for A.

Although there is not an exact formula relating times to A, D, and R values, these formulas give good results:

$$\text{Attack value} = 1.8 * \text{LOG}(\text{time}) + 11.2$$

$$\text{D or R value} = 1.8 * \text{LOG}(\text{time}/3) + 11.2$$


LOG is the BASIC natural logarithm, and time is in seconds. For example, an Attack time of 400 milliseconds (0.4 seconds) is approximated by using an Attack value of 9 or 10:

$$A = 1.8 * \text{LOG}(0.400) + 11.2 = 9.6$$

If you put 9.6 in the BASIC ENVELOPE statement, it will be truncated to 9.

BASIC 7.0 allows ten different envelopes to be defined. The ten envelopes have predefined default values, although you may change any of their parameters with the ENVELOPE command. Each envelope is identified by number (0 through 9). Refer to the *C-128 System Guide* or the *Programmer's Reference Guide* for the default parameters.

Once you have given A, D, S, R, and waveform values



for a particular envelope, say number 1, you may use that envelope by putting a "T1" parameter into the PLAY command. The notes following the T1 will be played with the characteristics given by envelope number 1.

This program defines envelope 1 to have an Attack time of 8 seconds (A=15), decay time of 48 ms (D=2), sustain level of 3/15 of the maximum volume (S=3), and a release time of 114 ms (R=4). The envelope also specifies waveform 0 which is a triangle wave.

```
10 ENVELOPE 1,15,2,3,4,0
20 PLAY "V1 T1 CDEFGAB"
30 GOTO 20
```

This program repeatedly plays the notes C through B. You will notice that the volume gradually increases for several seconds before dropping back to the initial low volume. In this case, numerous notes are being played during the 8-second attack cycle.

FOURIER SYNTHESIS

We have previously discussed the concept that a sine wave is the simplest, most fundamental type of wave motion. We


also pointed out that all other waveforms can be created by combining sine waves of various frequencies and amplitudes. This process of synthesizing complex waveforms from sine waves is called Fourier Synthesis (pronounced "for-ee-yay").

The reverse process, called Fourier analysis, takes a complex waveform and calculates the sine-wave frequencies of which it is composed. The three basic musical waveforms produced by the Commodore computer are the triangle, sawtooth, and square wave, as we saw last month. Fourier analysis of these waveforms tells us precisely how to create them with simple sine waves.

Fourier analysis of a square wave shows that it consists of a fundamental frequency and all the odd harmonics of that fundamental. For example, a 100 Hz square wave can be created by combining a 100 Hz sine wave along with sine waves of 300 Hz, 500 Hz, 700 Hz, and so forth.

Fourier analysis of the square wave also tells us that the amplitudes of the harmonics decrease as the reciprocal of the harmonic number. If the fundamental 100 Hz sine wave has an amplitude of 1, then the amplitudes of the third, fifth, and seventh harmonics are 1/3, 1/5, and 1/7 respectively.

Thus we could create one cycle of a square wave by add-



ing together these sine waves for values of x from 0 to 2π :

$$\sin(x) + (1/3)*\sin(3*x) + (1/5)*\sin(5*x) + \dots$$

Unfortunately we never get a perfect square wave, since we would have to add infinitely many of these terms. Fortunately the higher harmonics have smaller amplitudes and therefore are not as significant for the overall waveform as the lower harmonics are.

We must add these sine waves point by point. For example, when x is 1.57 ($\pi/2 = 3.14/2 = 1.57$), your computer tells you that $\sin(x)$ is 1. Try it. `PRINT SIN(1.57)` gives a result very close to 1. The third harmonic term for that same value of x is -0.3 (try `PRINT SIN(1.57*3)/3`). The fifth harmonic gives a value of 0.2 (`PRINT SIN(1.57*5)/5`). So each higher harmonic has a smaller absolute value than the previous one.

To see that the higher harmonics contribute even less to the sum, calculate the eleventh harmonic term: `PRINT SIN`

$(1.57*11)/11$. The sine function is never greater than one, so one-eleventh of that must always be less than 0.1.

THEY ALL ADD UP

Adding these sine waves together point by point is clearly a job suited to the computer. Have a look at the program *Waveform Synthesis* on page 76 to see how it can be done. After you specify which type of waveform to synthesize, this program plots a graph of the fundamental frequency sine wave. It then adds the next harmonic term and plots their sum while erasing each of the previously plotted points. It continues this way, plotting the result of adding each harmonic term.

Before your very eyes you can see a sine wave gradually transformed into a "suarish-looking" wave. We can't add infinitely many waves together, and we don't have infinite mathematical precision for the terms we add, but we do end up with a reasonable approximation to a square wave. Graphing of each waveform continues until you press any key, returning you to the main menu.

If we let F_n stand for a sine wave with a frequency which is n times the fundamental frequency (F_1 is the fundamental, F_2 is twice that frequency, and so forth), the Fourier representation of the triangle, sawtooth, and square waves are as follows:

Triangle: $F_1 - F_3/9 + F_5/25 - F_7/49 + F_9/81 \dots$

Sawtooth: $F_1 + F_2/2 + F_3/3 + F_4/4 + F_5/5 \dots$

Square: $F_1 + F_3/3 + F_5/5 + F_7/7 + F_9/9 \dots$

Notice that the triangle and square waves have only odd-numbered harmonics, whereas the sawtooth includes all harmonics. The amplitudes of the triangle wave terms are inversely related to the square of the term number, and the terms are alternately positive and negative. The amplitudes of the sawtooth and square waves are inversely related to the term number, and are all positive.

THE PROGRAM

The program *Waveform Synthesis* consists of four main routines as shown in lines 20 through 50. The program remains in the Draw Graphs routine at line 200 until the user presses a key to return to the Menu routine. Here is a brief summary of the highlights of the program.

You may change the graph step size in line 10. A smaller value (such as $SS = 0.01$) may give a higher resolution graph but it takes longer to run. The initialization routine at line 400 predefines the most-frequently used variables. This gives the program some speed advantage. (The first variables defined are found most quickly when the program is executed.)

Line 430 saves the current screen mode so that it can be restored when the program is exited. Line 450 selects the high resolution graphics mode (320 by 200 points).

The graph constants in lines 460 through 520 establish the size of the graphing window on the screen. VL, VR, VT, and VB are the left, right, top, and bottom values of the graphing window. The world coordinates tell the range of values of the functions we are graphing. Our graph will go from 0 to 2π horizontally, and range from -1.6 to $+1.6$ vertically. Lines 510 and 520 calculate scaling factors to fit



MONTGOMERY GRANT

115 Nassau St. NY, NY, 10038
 Bet. Beekman & Ann Sts. (212) 732-4500
 Open Mon-Fri, 8:30-6:30/
 Sun, 9:30-5:30 Sat Closed

FOR ORDERS AND
 INFORMATION CALL
 TOLL FREE

OPEN 7 DAYS EVERY WEEK
 FOR ORDERS

1 (800) 345-7058

FAX NO. 212-564-1497

TELEX 422-132

Penn. Station, Amtrack Level Beneath
 Madison Sq. Garden, NY, NY, 10001
 (212) 594-7140 Open Mon-Wed, 8:30-8/Thurs
 & Fri, 8:30-9/Sat & Sun, 10-7

IN NEW YORK STATE CALL

(212) 732-4500

FOR CUSTOMER SERVICE CALL

(718) 965-8686

MON-FRI 9AM-4PM

AMIGA PERIPHERALS

A-501 512K EXPANSION
 A-1010 3.5" FLOPPY DRIVE
 A-1020T 5.25" DISK DRIVE
 with TRANSFORMER
 A-1084 RGB COLOR MONITOR
 A-1300 GENLOCK
 1680 MODEM
 A-2088 BRIDGE CARD
 RF MODULATOR

GO 64 FOR AMIGA 500, 1000, 2000
 USE YOUR 64 & 128 SOFTWARE
 ON YOUR AMIGA \$69.95

THESE & OTHER PERIPHERALS
 IN STOCK

WE WILL BEAT ANY PRICE!

commodore

C-64C
 With Geos Program!

\$149.95

commodore

C-128C

\$219.95

NEW C-128/D With
 Built-in Disk Drive **\$439**

commodore

C-1541/C DISK DRIVE

\$149.95

C-1571 DISK DRIVE

\$209.95

C-1581 DISK DRIVE

\$189.95

Commodore

AMIGA

500

• 68000 Processor
 • 512K Ram Expandable to 9MB
 • Graphics Processor


IN STOCK!

AMIGA 500 w/1084 **\$769**

AMIGA 500 w/1084/1010 **\$979**

AMIGA 2000 IN STOCK! CALL

commodore



C-64C COLOR
 PACKAGE

COMMODORE C-64C COMPUTER
 COMMODORE 1541/C DISK DRIVE
 COMMODORE COLOR PRINTER
 COLOR MONITOR
 GEOS SOFTWARE PROGRAM

\$499

commodore



C-64C COMPLETE
 PACKAGE

COMMODORE C-64/C COMPUTER
 COMMODORE 1541 DISK DRIVE
 COMMODORE COLOR PRINTER
 12" MONITOR
 GEOS SOFTWARE PROGRAM

\$369

COLOR MONITOR
 ADD \$110

commodore



C-128C COMPLETE
 PACKAGE

COMMODORE 128 COMPUTER
 COMMODORE 1541 DISK DRIVE
 12" MONITOR
 COMMODORE COLOR PRINTER

\$469

TO SUBSTITUTE 1571 FOR
 1541 - ADD \$60

commodore



C-128C DELUXE
 PACKAGE

COMMODORE 128 COMPUTER
 COMMODORE 1571 DISK DRIVE
 COMMODORE 1902 COLOR MONITOR
 COMMODORE 1515 80 COLUMN PRINTER

\$699

LEADING EDGE MODEL D PACKAGE IBM PC/XT COMPATIBLE



• 512K RAM Computer • Keyboard
 • 360K Floppy Drive • 4.7-7.16 MHz.
 • 12" Monitor • 8088-2 Processor

\$799

Same Package with
 20MB Hard Drive **\$1049**



APPLE MAC+ PACKAGE

Mac + Computer •
 Built-in 800K Disk
 Drive • 1 MB RAM
 • Apple Software • Apple
 Mouse • Apple Monitor • Key Board • Box
 of 10 Diskettes

\$1579

MAC SE w/Apple 20MB
 Hard Drive **\$2599**

APPLE IIGS

RGB COLOR MONITOR PKG
 Apple IIGS Keyboard • 3.5" Disk Drive
 Apple RGB Color Monitor • 10 Disk-
 ettes • Apple Software • AC Adaptors
 • All Hook-up Cables • Apple Mouse

\$1379



PACKAGES

IMAGewriter II PRINTER

\$459



• Apple IIC or IIE Computer • 5.25" Drive • 12"
 Monitor • All Hook-up Cables and Adaptors
 • Package of 10 Diskettes

APPLE IIC PACKAGE

\$579

MAC SE.....\$1949

MAC SE W/20 MB APPLE HARD
 DRIVE.....\$2499

APPLEWORKS.....\$89.95

APPLE IIE PACKAGE

\$799

MAC SE.....\$1949

MAC SE W/20 MB APPLE HARD
 DRIVE.....\$2499

APPLEWORKS.....\$89.95

commodore PC10-1

IBM PC/XT COMPATIBLE PACKAGE

• PC10-1 Computer
 • 521K Expandable
 to 640K
 • 360K Disk Drive
 • Enhanced
 Keyboard
 • Serial &
 Parallel Ports
 • 12" Monitor
 • All Hook-up Cables & Adaptors
 • Package of 10 Diskettes

\$519

Same Package with
 20MB Hard Drive **\$769**

COMMODORE PC-10/2 640K
 COMPUTER W/2 360K DRIVES
 & ABOVE PACKAGE **\$619**

COMPUTER PRINTERS

commodore

MPS-803C PRINTER

\$119

MPS-1200 PRINTER

\$209

MPS-1250 PRINTER

\$239

DPS 1101 DAISY WHEEL PRINTER

\$159

EPSON

FX-86E.....\$309.95
 FX-286E.....\$449.95
 LQ-800.....\$399.95
 LQ-1000.....\$499.95
 EX-1000.....\$459.95
 EX-850.....\$429.95
 LQ-850.....\$489.95
 LQ-1050.....\$659.95



NX-1000.....\$169.95
 NX-15.....\$289.95
 NB-2410.....\$399.95
 NB-2415.....\$539.95

OKIDATA

OKIDATA-120.....\$199.95
 OKIMATE-20w/PLUG'N'PRINT.....\$189.95
 OKIDATA-180.....\$219.95

commodore

C-1902 RGB COLOR MONITOR

\$214.95

C-1802 COLOR MONITOR

\$169.95

C-2002 COLOR MONITOR

\$229.95

THOMPSON RGB
 COLOR MONITOR **\$289.95**

#1700 128K
 EXPANSION MODULE.....\$99.95

#1750 512K
 EXPANSION MODULE.....\$169.95

#1764
 EXPANSION MODULE.....\$119.95

#1670 AUTOMODEM.....\$129.95

XETEC JR. INTERFACE.....\$34.95

XETEC SR. INTERFACE.....\$54.95

C-128 POWER SUPPLY.....\$39.95

C64/C64-C

POWER SUPPLY.....\$29.95



1351 MOUSE **\$39.95**

20MB HARD DRIVES FOR
 C-64/C.....\$769 C-128.....\$849



NO SURCHARGE FOR CREDIT CARD ORDERS

Certified check, Bank check, Mastercard, Visa, Am-Ex, Diner's Club, Carte-Blanche, Discover Card and C.O.D.s accepted. No additional surcharge for credit card orders. Non-certified checks must wait 1-2 weeks clearance. Money orders are non-certified checks. N.Y. residents add applicable sales tax. Prices and availability subject to change without notice. Not responsible for typographic errors. Return of defective merchandise must have prior return authorization number, or returns will not be accepted. IBM PC/XT are registered trademarks of International Business Machine Corp. All orders can be shipped Air Express-call for details.

WE INVITE CORPORATE & EDUCATIONAL CUSTOMERS



Bring your Commodore® to life with a **FREE** modem and software!

Now you can plug your Commodore into an exclusive network that's useful, easy, fun and inexpensive. Join Q-Link now and we'll give you a free modem and software to get you started.

Enjoy **unlimited access** to a wide range of Q-Link "Basic" services for a set fee of only \$9.95 a month. Get help from Commodore experts — use the Hotline to ask Commodore questions, or search the database of information from Commodore to answer your questions on the spot. Access Grolier's Academic American Encyclopedia™, the latest news and entertainment updates.

Special Q-Link "Plus" services let you expand your software library with **more than 10,000 public domain programs** — games, graphics, business and educational software and much more! Also, you can preview new copyrighted software before you buy. Get answers to your software questions from Berkeley Softworks, Electronic Arts and Activision, to name a few. Participate in full-color, multi-player games like Casino (includes Blackjack, Poker, Bingo and the Slots), Chess and Bridge. "Plus" services cost only an extra 8 cents per minute — **and your first hour of "Plus" service usage each month is free!**

Offer valid in the continental U.S. and Canada for new members only. Expires 6/30/88. Prices subject to change without notice. There is a communications surcharge for connection to Q-Link from Canada: 6 cents (U.S.) per minute from Montreal, Vancouver, Ottawa, Toronto, Quebec, Windsor, Kitchener and Calgary using the Tymnet network, and 15 cents (U.S.) per minute from over 85 other locations using the DATAPAC network. Quantum reserves the right to substitute a modem comparable to the Commodore 1660.

Commodore is a registered trademark of Commodore Electronics, Ltd. Q-Link is a servicemark of Quantum Computer Services, Inc. Grolier's Academic American Encyclopedia is a trademark of Grolier Electronic Publishing.

With Q-Link, you can sharpen your computer skills...connect with people...discover new ways to get smart...save money every day...plus have a lot of fun!

No-risk guarantee. Try Q-Link without risk. If, at any time, for any reason, you are not completely satisfied, you may cancel your membership.

Order your Q-Link software and modem today by mailing this coupon to Q-Link, 8619 Westwood Center Drive, Vienna, VA 22180 or for faster service call toll-free: **1-800-782-2278 Ext. 1256.**

Q-LINK RESERVATION FORM

Choose one:

☐ **I need a modem.** Start my Q-Link membership by charging me now for my first 4 months at \$39.80, and send me the FREE Q-Link software and a FREE Commodore 300 baud auto-dial modem (model 1660—retail value \$69.95).

☐ **I already have a modem.** Send me my FREE Q-Link software and start my Q-Link membership by charging me now for my first month of membership at \$9.95.

Full name _____

Address _____

City _____ State _____ Zip _____

Home phone _____

Choose your method of payment:

☐ Please charge my credit card. ☐ Check enclosed.

☐ Master Card ☐ Visa

Acct# _____ Exp. _____

Signature _____

Call toll-free 1-800-782-2278 Ext. 1256 or mail this coupon to:

Q-Link, 8619 Westwood Center Drive,
Vienna, VA 22180



The Commodore® Connection.

the world coordinates of the graph into the screen viewport.

Three arrays are created in line 540. `XO()` and `YO()` store the sums of scaled coordinates for each point plotted. On each pass through the graph, all these values are updated. `Y()` stores the actual waveform values before they are scaled for the graph.

The menu routine displays the choices. It uses the `WINDOW` and `PRINT` commands to position text on the screen. Putting the final prompt "Select a number" in its own window in line 880 eliminates any concern about the menu scrolling off the screen. The value entered by the user is converted to a waveform number in line 930. An illegal entry by the user is beeped in line 910.

The Draw Axis routine puts the viewport on the screen in line 620. It then draws the horizontal axis which has a Y value of 0 from VL to VR. Line 640 shows how each X,Y value must be scaled before plotting. The corresponding pixels to be drawn are XS and YS. The graph is drawn with larger values of Y at the top of the screen. That is the reason for subtracting from 200 in line 640.

The main part of the program is the DO loop starting at line 230. Harmonic step size HS is given a value of 1 or 2 depending on the type of waveform being synthesized. The sawtooth uses all harmonics, so HS is 1. For the others, HS is 2, giving the odd harmonics. Line 240 calculates K1, the amplitude value to be multiplied by each sine term. It is complicated for the triangle wave as we saw earlier, but simple for the other two. K2 stores the current harmonic value being plotted. It is initially 1.

For FOR-NEXT loop between lines 270 and 350 steps through each horizontal point on the graph. It calculates and adds each harmonic value to the preceding sum at that point. Line 280 clears each value of the `Y()` array when the fundamental frequency is plotted. For all other harmonics, line 280 erases each point on the graph before the new point is plotted. Line 290 calculates the new point by adding the previous value to the next harmonic's value. That sum is saved in `Y()`.

Line 310 converts the point into graph coordinates. Line 320 saves those values (so the point can be erased for the next harmonic in line 280). N is an index into the three arrays. It is incremented in line 330. The keyboard is checked. If no keys have been pressed, the FOR-NEXT loop is repeated with the next horizontal value. When the FOR-NEXT loop is completed, line 360 gets the value of the next harmonic to be added, and the process is repeated.

If any key is pressed, line 340 brings the user back to the menu. If the user selects item 4 in the menu to quit, line 920 of the menu routine eliminates the windows on the 40-column text screen and returns to the original screen mode.

If you would like to see the individual harmonics along with their sum on the graph, omit the REM statement from lines 282 through 284. The harmonics are the low-amplitude sine waves along the horizontal axis.

Keep in mind that any waveform can be represented as a collection of simple sine waves. The harmonic content of a waveform refers to the single-frequency sine waves into which it may be separated.

Consider a process just the opposite of what we have done. What if we started with a square wave and began subtract-

ing harmonics from it? By subtracting the right amounts of the proper harmonics, we would end up with a pure sine wave of the fundamental frequency. You could modify *Waveform Synthesis* to do that if you'd like.

This process of subtracting various frequency components from a wave is called "filtering." By filtering the high frequency components from a square wave, we end up with a smooth sounding signal which is characteristic of a sine wave.

Although you generally think of filtering for removing or damping notes beyond a certain frequency range, filtering also affects the harmonic content of every note. The FILTER command in BASIC 7.0 lets you specify the type of filter as well as the range of frequencies which it affects.

GET THE BEAT

We will wrap it up this month with a short program which demonstrates a wave phenomenon called "beats." When two notes of nearly the same frequency are played together, they sound like they are "fighting" each other. The intensity of the sound varies from loud to totally quiet. The rate at which these loud and soft sounds occur is called the "beat frequency." The beat frequency is calculated by taking the difference between the frequencies of the two tones.

For example, if notes of 100 Hz and 103 Hz are played, the beat frequency is 3 Hz. Consequently, three times a second the amplitude of the resulting sound will go from minimum to maximum and back again.

Run the C-128 program *Hear the Beats* on page 76 to experience this phenomenon. The program starts with tones of 290 cycles per second (Hz) and 300 Hz. Initially you will hear 10 beats per second. With each key press, the lower frequency note is raised by 1 Hz. After nine key presses, the difference in frequencies is 1 Hz. At that point, the lower frequency is increased by fractions of 1 Hz. Now you will hear beats less often than one per second.

The "beating" is easiest to discern at beat frequencies below 5 Hz. If you don't recognize the beats at first, press any key a few times to reach a frequency difference of 4 cycles per second. You will definitely hear a 4 cycle per second wavering. Those are the beats.

Line 150 of the program increments the lower frequency by either 1 Hz or a fraction of a cycle per second. The only unusual parts of the program are the POKE statements in lines 190 and 240 through 270. The SOUND commands in lines 80 and 140 start the two notes and give them a duration of 32,000 jiffies (2000 seconds). Whenever a key is pressed, the frequency F2 must be changed. Unfortunately the SOUND command won't accept a new frequency for voice 2 until the current sound is finished, and that may not come for nearly 2000 seconds (over 30 minutes).

Experimenting with the BASIC sound command vectors listed on page 520 of the *Programmer's Reference Guide*, I found that the countdown timer for voice 2's duration is at locations 4739 and 4742. These locations each contain 255 when a sound has been played long enough. BASIC reads the timer values to know when it can start a new sound. Line 190 POKES 255's into these locations whenever a key is pressed so that the SOUND statement in line 140 can generate a new tone with a higher frequency.

So that you don't have to press RUN STOP/RESTORE

at the end of the program to turn off the sounds, lines 240 and 250 turn off the voice 1 and voice 2 timers. That in itself does not turn off the sound, however. The sound is squelched by putting a zero value into the SID registers for voice 1 and 2 volume control.

Why is it necessary to turn the sound timers off if the volume is already turned off? If you immediately rerun the program, you will find that the sound timers are still counting down from the previous execution of the program, and no new SOUND statements are accepted until the old ones are finished. It looks as though the computer is hung up. In fact it will sit and wait nearly 30 minutes before it can execute the first SOUND command. Pressing RUN STOP/RESTORE resets the timers.

You may make the following changes to the first program, *Waveform Synthesis*, in order to plot two sine waves of similar frequencies:

1. Delete these lines: 30, 180, 210-260, 280-300, 360-370, and 700-910.

2. Add these 3 lines:

```
265 F1=2*PI*20 : F2=2*PI*18
295 Y = SIN(F1*X) + SIN(F2*X)
375 GETKEY K$ : RETURN
```

3. Change these 4 lines:

```
10 SS = 0.001
60 V=4 : GOTO 920
320 DRAW 1,XS,YS
480 WL=0 : WR=1 : WT=2.1 : WB=-2.1
```

Admittedly this is a patch job, but it saves typing a whole new program. The program now displays a graph of a 20 Hz sine wave added point by point to an 18 Hz sine wave. The horizontal axis represents one second of time. The vertical axis is amplitude. You can clearly see the two periods of low amplitude corresponding to the two beats per second.

A piano tuner uses beats to tune a piano. A string is purposely detuned, then gradually tightened while the tuner compares its frequency to that of a tuning fork of known frequency. As the string approaches the proper frequency, fewer beats per second are heard. When the frequencies are identical, no beats are heard.

Beats are also used in tuning certain types of radio signals. A radio signal is generated by adding a low frequency voice signal (up to a few thousand cycles per second) to a high frequency "carrier" signal which can be up to several million cycles per second. The frequency of the carrier wave is changing slowly because of the voice signal that is imposed on it.

A radio receiver can "beat" its fixed, high-frequency oscillator with the incoming signal. The result, as we have seen, is just the difference in frequency between the two signals. That difference is simply the voice signal which was used to modify the transmitted signal. A modification of this process called "superheterodyning" is used in radio and television broadcasts today.

There are many other sound and wave phenomena which we can investigate. If you tire of making music with your computer, keep in mind that there is a lot of physics you can explore with it. □

SEE PROGRAM LISTING ON PAGE 76

U.S.S. PHOTO

OUT OF STATE CALL TOLL FREE FOR ORDERS ONLY

1-800-222-5590

FOR CUSTOMER SERVICE & INFO CALL (718) 646-3633

N.Y. & ALASKA RESIDENTS CALL TOLL FREE TO ORDER 1-800-289-2887
FOR CANADA CUSTOMER SERVICE AND INFO CALL (718) 646-3633

ASK ABOUT OUR SAME DAY SERVICE & OVERNIGHT SHIPPING

commodore C=128

- 128K Ram
- AC Adapter
- All Cables

Call for low price!

commodore C=64C

- 64K Ram • Geos
- Quantum Link
- All Cables

Call for low price!

commodore PC10-2

- 640K Ram
- 2 360K Floppy Drives
- MS DOS 3.2
- Parallel & Serial Port

\$649⁹⁵ PC 10-1...\$509.95

commodore C=64C Complete 25 Pc. Pkg.

- Commodore 64C
- Commodore 1541 Disk Drive
- 12" Monitor
- Printer • Geos
- Quantum Link

\$379⁹⁵

commodore C=64C 25 Pc. Color Pkg.

- Commodore 64C
- Commodore 1541 Disk Drive
- Color Monitor
- Printer for Commodore

\$499⁹⁵

commodore C=128 ED

\$449⁹⁵

C=128 25 Pc. Enhanced Pkg.

- C128K Computer
- C1571 Disk Drive
- C1902 Color Monitor
- 80 Column Printer

\$729⁹⁵

IBM PC/XT COMPATIBLE SYSTEM

- 640K Ram
- 2 360K Drives
- 4 7/10 MH Turbo
- Mono Card
- 12" Monitor
- Printer Card
- SEAGATE 20 MB HARD DRIVE...\$299

\$799 25 Pc. Pkg.

PRINTERS

COMMODORE	
MPS 803	\$109
MPS 1000	\$189.95
MPS 1200	\$229.95
EPSON & STAR	
NB2410	\$459.95
SG10C	\$169.95
NX10C	\$189.95
FX86E	\$329.95
FX286E	\$449.95
HP Laser Jet	\$1599

DISK DRIVES/MONITORS

1581 Disk Drive	\$199 ⁹⁵
1541 Disk Drive	\$149 ⁹⁵
1571 Disk Drive	\$219 ⁹⁵
1902 RGB Color Monitor	\$199 ⁹⁵
1802 Color Monitor	\$189 ⁹⁵
2002 Color Monitor	\$239 ⁰⁰

EPSON IBM PC/XT Compatible

- 256K Ram
- 1 360K Drive
- 12" Monitor
- Serial Parallel Port

\$589⁹⁵

BLUE CHIP IBM PCXT COMPATIBLE

- 512K • 6 Expansion Slots
- 12" Monitor

\$498

COME VISIT OUR RETAIL OVER-THE-COUNTER SHOWROOMS!

BROOKLYN, NY: 3126 AVE. U

QUEENS, NY: 136-17 38TH AVE.

Company Policy: All merchandise is brand new. Visa, Mastercard, AM-Ex, Diner's Club money orders, bank checks welcome. Allow 4 weeks clearance on personal checks. Please call for C.O.D. details. N.Y. residents add sales tax. Exchange or refund (less shipping) within 15 days only if returned in original carton, packing and unopened warranty card. Please call for authorization code prior to return. Quantities are limited and subject to availability. * = after mths. rebate. No credit card fee. This ad supersedes other ads. Not responsible for typographical errors. Call for shipping and handling charges. IBM is trademark of International Business Machines.


SEND MONEY ORDERS TO:

3126 AVENUE U

BROOKLYN, NY 11229

MON-FRI: 10:00 AM - 8:00 PM

SUNDAY: 10:00 AM - 8:00 PM



3-D GRAPHIC PROJECTOR

For the C-64

By Eric Fortier

One of the most interesting aspects of computer graphics concerns the three-dimensional images that the machines can produce; however, due to the relatively small amount of memory most computers have and the speed needed to calculate and plot such images, this is a largely neglected subject.

Great stuff can be accomplished on 8-bit machines in the field of graphics, if the programmer has access to the right software.

It's important that we introduce a few important concepts before I describe the inner workings of my program, in order for you to obtain the maximum benefit from the available commands.

The three most important factors in three-dimensional graphics are the three dimensions themselves, described as the X, Y, and Z coordinate scales. The X axis describes the dimensions of the object in a horizontal direction, the Y axis describes the size in the vertical plane, and the Z axis the "depth" of view.

These three factors can be subjected to a variety of mathematical computations to rotate our objects into many, many different points of reference. These rotations for the X and Y axis are called the Theta and Phi angles respectively. They represent rotations around a central origin point where the three axes meet (theoretically).

That's all the knowledge you need to create and display 3-D pictures with *3-D Graphic Projector*.

After you run the program, you will have to decide on a location for the data used by the system. The default is 16384, but you can make this any safe location in memory. 49152 will work just as well.

You will be greeted by the Main Menu, with several different options available to manipulate your images.

1. Make a picture.

Allows you to create a 3-D image by entering the starting and ending points of the lines of your drawing. You will enter data using sets of four numbers: X, Y, Z, C.

X, Y, and Z are the starting points for our lines. C is a flag that is passed to the program to inform it either to draw a line from the last plotted point (C=1), or to memorize a new starting point without plotting it on the screen (C=0). Always end your data list with a data set that has C=1. Each time you set up a new array of point values with this option in the menu, the previous one is lost.

2. Edit a picture.

You'll be asked if you'd like to see a list of your instruc-

tions, the set of points you entered in Option 1. If you want to see that list, press "Y" and the data will scroll by your screen in sets of 48 values at a time. After you view the data, or if you answered "N" to the prompt, you will be returned to the editing menu. Here you can: 1. continue to enter data, 2. continue from a specific number, 3. change a single set of data. All these commands assist you in altering your 3-D image until it looks the way you want it to.

Options 4 and 5 are quite understandable, allowing you to load and save sets of data to disk, so that your precious images won't perish when your computer is turned off.

Option 6 permits you to quit the current session and returns you to BASIC.

When you wish to view your image, the program requires the X and Y extension. With this, you can expand your image in both the X and Y directions at your whim. If you press RETURN here, the program will use default values, which merely represent your image exactly as you entered it when in the editing menu. Next, you must enter Rho, Theta, and Phi. Rho is the distance from which you view the image. The default is 180 degrees. A smaller number will increase the size, while a bigger number will shrink the picture. Theta and Phi are the X and Y viewing angles described earlier. They both default to zero if you hit RETURN.


There is a small ticking sound if all goes well, and the screen will blank. When the computer finishes its processing, it will draw the image on the hi-res screen very quickly.

If you'd like to see a cube for your first image, try entering the following set of data.

- | | |
|--------------------|---------------------|
| 1) -10, 10, -5, 0 | 9) -10, -10, 5, 1 |
| 2) 10, 10, -5, 1 | 10) -10, 10, 5, 1 |
| 3) 10, -10, -5, 1 | 11) 10, 10, -5, 0 |
| 4) -10, -10, -5, 1 | 12) 10, 10, 5, 1 |
| 5) -10, 10, -5, 1 | 13) 10, -10, 5, 0 |
| 6) -10, 10, 5, 1 | 14) 10, -10, -5, 1 |
| 7) 10, 10, 5, 1 | 15) -10, -10, 5, 0 |
| 8) 10, -10, 5, 1 | 16) -10, -10, -5, 1 |

Try rotating the Theta and Phi. Mess around with the Rho factor. The best way to learn about 3-D is through experimentation. Don't worry about crashing the program. It's almost impossible, and even if the program does crash, you can always just boot it up again. □

SEE PROGRAM LISTING ON PAGE 82





Art Gallery Disk Sale


Selected *Art Gallery* images are available on disk. Multi-color images are supplied in *Koala* format, while high-resolution images are in *DOODLE!* format. Included are a slide show for easy viewing, along with a bit map dump for your 1525 printer or properly interfaced equivalent. A sample *Art Gallery* disk with slide show and printer dumps is \$10; or send a stamped and self-addressed envelope (business size) for a listing of available *Art Gallery* collection disks. Prices shown are for US and Canada. All others add \$3 per disk. New York State residents please add appropriate sales taxes. Disks may be ordered from Morton Kevelson, P.O. Box 290260, Homecrest Station, Brooklyn, NY 11229-0005.

Contribute to Ahoy's Art Gallery


The *Ahoy! Art Gallery* offers the opportunity for fame and fortune to any and all aspiring Commodore artists. Simply send Morton (see address above) your work on disk indicating the drawing package or file format of the images. Inclusion of a self-addressed post card will guarantee an immediate response. All graphics produced on the C-64/C-128, Plus/4, and Amiga computers are eligible. If your image is published, you will receive a free one-year subscription to *Ahoy!* If you are already a subscriber, your subscription will be extended by one year.

Note that the *Art Gallery* is not a contest. Published pictures are selected in an arbitrary and capricious fashion by the *Ahoy!* Art Director based solely on the artistic merit of the individual images.





As is clearly shown by this issue's *Art Gallery* offerings, spaceships aren't the only vehicles that lend themselves to computer illustration. At extreme lower left: *Pirate Ship* by Daryl Maksymec (Regina, Saskatchewan). At immediate left, top to bottom: *Subway*, a token from Michael Montauck (Brooklyn, NY), and *Bug and Landing* by Tuyan Vu (Somerville, NJ). On this page, top: it would be tough to catch up to Leonard C. Heinz' (Browns Mills, NJ) *Runaway Train*; and bottom, Barbara Tiess (Middletown, NY) shines on *Moonbeam*. Barbara's image is a **DOODLE!**; for the rest of this month's artists, *Koala* remains the vehicle of choice.





Maniac Mansion lets the player cursor-select objects from the animation window or inventory and verbs from the menu. The program composes a sentence from these elements.

READER
SERVICE NO. 147

MANIAC MANSION
Lucasfilm Games (Activision)
Commodore 64
Disk; \$34.95

What do you do when the mysterious Dr. Fred kidnaps your high school sweetheart, Sandy? If you're Dave, the principal hero of this adorable action adventure, you round up a couple of friends and try to rescue her from the Maniac Mansion.

The player begins this joystick-operated game by selecting the kids who will accompany Dave. This is a crucial choice, because each boy and girl has different capabilities. The choice of team members affects both interaction with the mansion's peculiar denizens and the strategy for rescuing the captured cheerleader.

Available characters are Syd, a punk rock musician; Michael, an award-winning photographer for the school newspaper; Wendy, an aspiring novelist; Bernard, the president of the physics club; Razor, the redheaded lead singer of the punk band; and Jeff, who responds to the nickname "Surfer Dude." The player controls Dave when the trio of rescuers huddles just outside the house, but it is easy to switch to one of the others when the need arises.

The game-system, a distant cousin to the one employed in Lucasfilm's *Habitat*, eliminates all typing. The player uses the cursor to select objects from the animation window or inventory and verbs from the menu. The program composes a command sentence from these elements. Pressing the action button when the cursor is on the last word of the order causes the active kid to execute it.

Movement is even easier. After posi-

tioning the cursor on the desired destination, the player presses and holds the action button. The kid will walk to the desired destination.

The artwork does not scroll from screen to screen, so the player must move the cursor to the extreme edge of the display to go to the next location. If no obstacle prevents exiting in that direction, the screen darkens. A new picture appears in the animation window after a short delay.

The strength of *Maniac Mansion*, like in most Lucasfilm productions including "Star Wars," lies less in the tale than the telling. The scenario is a fairly standard kids' adventure story, not unlike a Hardy Boys mystery. Meticulous craftsmanship makes the difference. *Maniac Mansion's* characterizations and humor make most other computer adventures seem shallow and hackneyed by comparison.

The command control system is simple to use, but the illusion of depth occasionally falters. Although the artwork shows locations from a side perspective in pseudo 3-D, the characters can seldom move into the foreground or background without immediately entering another room. Generally, this doesn't hurt the game's enjoyability.

Non-interactive animations introduce additional plot elements and build dramatic intensity. These "cut scenes" are very entertaining, and provide clues which help the player penetrate the mystery which enshrouds Dr. Fred.

Maniac Mansion is the best game Lucasfilm has yet produced for the home computer. This is one house party no gamer will want to miss.

Activision, Drawer 7286, Mountain View, CA 94042 (phone: 415-960-0410).

—Arnie Katz

Featured This Month:

Maniac Mansion	44
Skate or Die	44
Rad Warrior	46
Echelon	46

SKATE OR DIE

Electronic Arts
Commodore 64
Disk; \$29.95

You probably never thought skateboarding would serve as the subject for the most exciting and skillfully programmed action game of the year. Take a few spins through *Skate or Die* and you'll be converted—not to mention astonished (and a little bruised).

Skate or Die lets the user experience the thrills and spills of skateboarding in several different, perfectly realized environments. The action begins when the user acquires a board at the Skate Shop from Rodney, its aging punk proprietor, and decides whether to practice or compete.

The main screen appears, a beautifully rendered, angled overview of the shop and environs. In practice mode, the player can skateboard down any of five streets, each representing a differ-



Skate or Die—and occasionally both.
READER SERVICE NO. 148

UTILITIES

SUPER 81 UTILITIES

NEW

Super 81 Utilities is a complete utilities package for the 1581 disk drive and C128 computer. Among the many Super 81 Utilities features are:

- Copy whole disks from 1541 or 1571 format to 1581 partitions
- Copy 1541 or 1571 files to 1581 disks
- Copy 1581 files to 1571 disks
- Backup 1581 disks or files with 1 or 2 1581's
- 1581 Disk Editor, Drive Monitor, RAM Writer
- Supplied on both 3 1/2" and 5 1/4" diskettes so that it will load on either the 1571 or 1581 drive
- Perform many CP/M and MS-DOS utility functions
- Perform numerous DOS functions such as rename a disk, rename a file, scratch or unscratch files, lock or unlock files, create auto-boot and much more!

Super 81 Utilities uses an option window to display all choices available at any given time. A full featured disk utilities system for the 1581 for only **\$39.95!**

SUPER DISK UTILITIES

The ultimate utilities disk for the 1571 disk drive and C128 computer. Copy whole disks (with 1 or 2 drives), change disk format (without affecting data), perform CBM, DOS, CP/M, and MS-DOS utility functions, contains disk editor, drive monitor, RAM Writer and more for only **\$39.95!**

"...excellent, efficient program that can help you save both money and downtime."

Compute!'s Gazette,
Dec., 1987

1541/1571 DRIVE ALIGNMENT

1541/1571 Drive Alignment reports the alignment condition of the disk drive as you perform adjustments. On screen help is available while the program is running. Includes features for speed adjustment and stop adjustment. Complete instruction manual on aligning both 1541 and 1571 drives. Even includes instructions on how to load alignment program when nothing else will load! Works on the C64, SX64, C128 in either 64 or 128 mode, 1541, 1571 in either 1541 or 1571 mode! Autoboots to all modes. Second drive fully supported. Program disk, calibration disk and instruction manual only **\$4.95!**

SUPER AIDE

NEW

All-purpose utility program for the C64 provides:

- Bi-directional scrolling
- Auto Line Deletion
- Trace function
- Disassembler
- Lo-Res Screen Dump
- Number conversion (10, hex, binary)
- Append files
- Perform FRE(0)
- Format — short new/complete new
- Menu-driven
- Change THIS TO THAT — search for all instances of specified string and replace with second specified string
- Auto Line Numbering
- Renumber
- ML Monitor
- List all variables to screen
- Hi-Res Screen Dump
- Restore newed Basic program
- Change Device number
- Packed Line Editor
- Determine file load address

Super Aide, the complete programmer's toolkit. Only **\$29.95!**

GAMES



SUPER BIKE

NEW

Action-packed, fun-filled motor cycle arcade game for the C64. Race the clock in Motocross, Enduro, Supercross or Trials. Fly through the air on spectacular jumps. Bounce over woop-de-dooos. Avoid logs,

trees, water holes, brick walls, other bikers, etc. as you vie for the gold cup.

Thrilling Super Bike action for only **\$19.95.**

FOUR TEXT ADVENTURES

NEW

Four text adventures for the C64 on one disk!

YUKON — You are forced to crash land your plane in the wilds of the Yukon. In your struggle against nature, you must acquire five valuable objects and deposit each one at the bank in Dawson.

SHIFTING SANDS — You are stranded in the Sahara desert. You must assemble four valuable objects and carry them to the observatory of Akhnaton. Entering the proper set of magic words wins the game.

STALAG 23 — Escape from the prisoner of war camp.

ON THE RUN — Sequel to Stalag 23. Find your way back to safety while avoiding your pursuers.

Four challenging adventure games for only **\$9.95!**

GALACTIC FRONTIER

Exciting space exploration game for the C64. Search for life forms among the 200 billion stars in our galaxy. Scientifically accurate. Awesome graphics! For the serious student of astronomy or the casual explorer who wants to boldly go where no man has gone before. Only **\$29.95!**



Torchbearer

NEW

Years ago, Talis Vaultheart, a powerful and evil wizard, stole the Torch of Truth and hid it somewhere within the many sanctuaries and dungeons of Pastoria. With the people thus blinded, Vaultheart began to take the land. The time has come to take it back!

The land of Pastoria is a large island with many smaller islands surrounding. You will explore many of them on your quest for the lost torch. Although you start as a common citizen, you are far from common. You possess the last of the mysterious luckstones! Study magic, increase your fighting strength and speak with the townspeople. All this will help you on your quest.

Torchbearer is a challenging, graphic adventure game for the C64. **\$29.95.**

Order with check, money order, VISA, MasterCard, COD. Free shipping & handling on US, Canadian, APO, FPO orders. COD & Foreign orders add \$4.00.

Order from:

Free Spirit Software, Inc.

905 W. Hillgrove, Suite 6
LaGrange, IL 60525
(312) 352-7323



Over 80 titles
to choose from.
Write or call for your
FREE
catalog today!

FREE SPIRIT SOFTWARE, INC.

ent event. In competition mode, there's an additional option: an all-event megatournament.

At the bottom of the main screen is the downhill area, which, in turn, branches into a straight race and a "Jam" track. The downhill race streaks through a conveniently deserted park, seen from a three-quarters overhead perspective. There are still obstacles—sewer gratings, pebbles, and a small lake—as well as a very inviting construction pipe and several nicely spaced saw horses for stunting.

The jam, on the other hand, takes place in an urban wasteland, creating an inner city event of unparalleled intensity. This time, the player surrogate is an outrageous-looking mohawked punk. The computer-controlled skater, Lester (son of Rodney, the shop owner), boasts similar looks, but his hair is silver rather than blonde.

As the skateboarding sociopaths zip through the back alleys and around the discarded bottles and soda cans that comprise this downhill jam, they can even kick and punch at one another for added spice!

Skate or Die's main screen also contains the access points for the Ramp and Pool. The ramp area is divided into Freestyle and Highjump competitions. The 100-foot long ramp, a U-shaped surface seen from an angled side perspective, is the same for both events. In the Freestyle, the user can try the more conventional ramp-style jumps and maneuvers, while the Highjump is strictly a daredevil affair.

In a game where no contest could be called prosaic, Jousting, the Pool event, is the most bizarre of all. Skateboarders stand at either side of an emptied pool, armed with a "boffing stick" (a shaft padded at both ends). As the instruction booklet puts it: "Two go in, one comes out." The combatants roll down one pool side and up the other, meeting and swatting at each other as they pass. The perspective is similar to that on the ramp events.

Two elements raise *Skate or Die* from the level of a good, exciting game to classic status: the visuals and the play action. The backgrounds and animation are stupendous. Each skater is vividly delineated, instantly recognizable down to the last detail. Every stumble and tumble is perfectly choreographed; each turn and flip graceful-

ly reproduced.

The skating surfaces, especially in the downhill events, are richly illustrated. When a skater does a header into the park lake in the downhill race, the resulting animation is a delight. So is the sequence on the jam when a skateboarder drops down an open manhole.

The play action, always crucial in a game of this type, is amazingly precise and responsive. A skilled user will be able to control the most subtle twists and maneuvers ever seen in a computer game.

Skate or Die is a certified winner. So head on down to Rodney's Skate Shop and prepare to skate—and, occasionally, die.

Electronic Arts, 1820 Gateway Dr., San Mateo, CA 94404 (phone: 415-571-7171).
—Bill Kunkel

RAD WARRIOR

Epyx

Commodore 64

Disk; \$24.95

This premier offering in Epyx's "Maxx Out" series of arcade action games boasts utterly superb graphics, terrific music, and sound effects that are well-conceived for the eerie post-nuclear world in which the game takes place. The science fiction setting of *Rad Warrior* is both believable and chillingly spooky, full of extremely detailed sprites and scenery.

With an opening like that, you'd probably expect a recommendation, and I wish I could give it. However, the game has certain crucial flaws that are unforgivable considering the quality of software we have come to expect for the 64.

The object of the game is to find and arm an ancient electronic suit of armor which the player then uses to wipe out the bad guys—a solid idea. It suffered somewhat in the translation.

The game's worst flaw concerns the creatures in the rooms through which the player wanders in search of the armored suit. You can kill them umpteen times in the game—but leave the room and come back, and you'll find them all mysteriously resurrected, like *Pac-Man* ghosts. This absence of logic interfered with my effort to suspend disbelief and become engrossed in the world that *Rad Warrior* was trying to create. If the information for each room

were updated when a monster was killed, or if a reason were offered for this spontaneous regeneration (e.g., a "monster creator"), both consistency and the player's sense of accomplishment would have been boosted.

A warning about playability: *Rad Warrior* was far too difficult for me, given the absence of a "save" feature. Merely powering up the suit of armor and taking off requires more patience and less real problem-solving than most veteran gamers will exert (though it must be remembered that the "Maxx Out" series is targeted toward the younger player). I found myself bored once the charm of the appearance and sound wore off. This is a perfect example of programmers failing to balance challenge correctly with rewards in order to addict the player to the game.

The documentation is sparse, misleading, and often irrelevant to actual gameplay. There is no excuse in the current-day software market for this sort of "last night before disk duplication" type of documentation that was common a few years ago. The map on the last page is the only part of the documentation likely to be of any use at all.

Rad Warrior demonstrated potential from the moment it booted up, but the negative aspects of the game are too significant to ignore. If you have patience enough to carry it through to completion, *Rad Warrior* may prove to be satisfying entertainment.

Epyx, Inc., 600 Galveston Drive, Redwood City, CA 94063 (phone: 415-366-0606). —Cleveland M. Blakemore

ECHOLON

Access Software

Commodore 64

Disk; \$44.95

Echelon is the most talked-about new game in the Commodore universe, a superb science fiction flight simulator with combat elements and a technical innovation that really works: Access's "LipStik." Designers Brent Erickson and Roger and Bruce Carver have created a viable sf experience that marries high concept with high tech.

Echelon is the code name for a top secret military facility located on the planet Isis. It was established by the International Space Federation to deal with the growing threat of space piracy on mining and shipping operations.

SUBSCRIBE TO AHoy!

- ☐ 12 issues of *Ahoy!* for \$23.00 (\$30.00 Canada and elsewhere)
- ☐ 24 issues of *Ahoy!* for \$44.00 (\$55.00 Canada and elsewhere)
- ☐ 4 issues of *Ahoy!'s AmigaUser* for \$8.00 (\$10.00 Canada and elsewhere)
- ☐ 8 issues of *Ahoy!'s AmigaUser* for \$15.00 (\$19.00 Canada and elsewhere)
- ☐ 8 issues of *Ahoy!* and 4 issues of *Ahoy!'s AmigaUser* for \$23.00 (\$30.00 Canada and elsewhere)
- ☐ 16 issues of *Ahoy!* and 8 issues of *Ahoy!'s AmigaUser* for \$44.00 (\$55.00 Canada and elsewhere)

Name _____
 Address _____
 City _____ State _____ Zip _____

Send coupon or facsimile to:
 ION INTERNATIONAL INC.
 45 West 34th Street—Suite 500, New York, NY 10001

Each issue of *Ahoy!* is a blue-ribbon package of the best programs, articles, and reviews available. And beginning with May 1988, every third issue will be dedicated to the Commodore Amiga.

You can now subscribe to *Ahoy!* magazine, *Ahoy!'s AmigaUser*, or both, at money-saving rates. Use the form at left, or the card between pages 66 and 67.

SUPERTAX™ Get Supertax now and relax on April 15th...

- FIFTH SUCCESSFUL YEAR! • MANY THOUSANDS ALREADY IN USE!
- Don't Try to Tackle the 1986 Tax Reform Act by Yourself!

Use SUPERTAX personal income tax programs to calculate your tax liability now and have plenty of time to make year-end investment decisions to improve your position. SUPERTAX was developed by a practicing CPA with a Master's degree in tax accounting. Highly acclaimed by tax pros, CPA's and tax preparers, SUPERTAX is easy to understand and a pleasure to work with. Available for Commodore 64 and Commodore 128.

- SUPERTAX is fully screen-prompted, menu-driven and easy to use. System includes a comprehensive, well-organized user's manual.
- SUPERTAX instantly recalculates your entire return when you change any item.
- SUPERTAX prints directly on IRS forms.
- SUPERTAX DATA can be stored on a diskette.
- SUPERTAX updates are available at 50% discount to registered SUPERTAX users.
- SUPERTAX is an essential addition to your personal software library — best of all it's tax deductible.

FOR TAX PLANNING

Using either screen or printer output, SUPERTAX generates clear and concise summaries of Page 1 and 2 and Schedule A of FORM 1040 allowing you to see at a glance and to quickly comprehend your tax situation. This program also prints an OVERALL SUMMARY of the return showing Adjusted Gross Income, Itemized Deductions, Taxable Income, Regular Tax, Capital Gains Tax and Alternative Minimum Tax — all of which are calculated by the program. SUPERTAX also calculates the moving expense deduction, allowable interest expense, "passive" loss limitations, child care credit, medical limitations, and much more. Input is fast and easy and changes can be made in seconds. This program actually makes tax planning a breeze.

FOR RETURN PREPARATION

SUPERTAX PRINTS THE INCOME TAX RETURN: SUPERTAX 64 — prints page 1, page 2 of the FORM 1040 and Schedules A, B, C, D, E and SE as well as FORM 2441, 3903 and 6251 on standard IRS government forms or on blank computer paper for use with transparent overlays. SUPERTAX 128 — supports all of the above forms plus Schedules F and R and FORMS 2106, 2119, 2210, 3800, 4136, 4255, 4562 and 4684. All other forms and schedules are considered in the calculation even though they are not printed. Any item of input can be changed in seconds and the entire return is quickly recalculated automatically.

FOR DEPRECIATION CALCULATION

SUPERTAX also includes a stand alone depreciation program which calculates and prints your complete depreciation schedules using both PRE 1981 rules and the new ACRS rules. Output from the depreciation program is designed to serve as a supplement to IRS FORM 4562.

Commodore 64 and Commodore 128 are TRADE-MARKS of Commodore Business Machines Corp.

Complete 1987 Edition: SUPERTAX 64 **\$149** SUPERTAX 128 **\$169**

TO ORDER Call 214/386-6320 or after 5:00 p.m. and weekends call 214/458-7009. MasterCard, VISA, Money Orders, Bank Checks and COD Orders Accepted (add 3% surcharge for credit card processing) (Texas residents add 8% sales tax) (add \$5.00 for COD) (\$3.00 Shipping).


Financial Services Marketing Corporation • 500 North Dallas Bank Tower • 12900 Preston Road • Dallas, Texas 75230

The user has qualified for assignment to this glory post and will fly the 21st century's most sophisticated combat spacecraft, the C-104 Light Cruiser, a.k.a. Tomahawk.

Three types of missions are available to the player: Scientific, Patrol, and Military. Scientific missions are for exploration and information gathering, military forays result in near-constant combat, and patrols integrate the two types into a more realistic operation.

Patrol Zones are 840 square kilometer regions of Isis comprising 36 sub-regions, called Areas. An Area is 140 km square and is, in turn, subdivided into 196 Sectors, each 10,000 meters square. The Tomahawk departs from a Base Station to explore this territory and must periodically return for fuel, repairs, and ammunition.

Echelon has the right stuff for a flight simulator: it is reasonably simple to learn (especially with the help of a keyboard overlay), yet offers enough sophistication to qualify the Tomahawk as a genuine "dream ship." The panel offers a range of super-weapons, flight aids, and data access, such as maps,



Echelon boasts vectorlike 3D graphics.
READER SERVICE NO. 149

tracking, and a link with Base Station. Combat is especially satisfying be-

cause of the game's superior graphics and the integration into the game of the LipStik, a voice-actuated secondary action button. Because so many game commands are assigned to the keyboard and joystick, it is very difficult to manually access the fire command key (space bar). Enter the LipStik. As the player logs on, he dons the LipStik—a padded, Walkman-style headmount with attached microphone—and conducts voice tests. Thereafter, in patrol or military modes, missiles and other weaponry can be launched by simply speaking the word "fire."

Echelon boasts excellent visuals rendered in a pseudo-vector graphic style, giving objects a three-dimensional, almost crystalline look. The lines are a little ragged in places, but this visual style makes up for it with its vividness and detail.

Echelon is an exciting, state-of-the-art entertainment for all fans of flight simulators, science fiction, and action combat games.

Access Software, 2561 South 1560 West, Woods Cross, UT 84087 (phone: 801-298-9077).
—Bill Kunkel




Retail price: \$39.95

Available for: Commodore 64/128, IBM PC, and APPLE II

PURE-STAT BASEBALL

PURE-STAT BASEBALL is a complete statistical baseball simulation for zero, one or two players, that also includes a built-in STAT COMPILER and a program to TRADE PLAYERS. GAME PLAY, MANAGER'S DECISIONS, GRAPHICS and a complete statistical library establish PURE-STAT BASEBALL as the ULTIMATE SPORTS SIMULATION program. PURE-STAT BASEBALL's underlying statistical framework simulates the realities of baseball like never before. Within this framework the program considers each PLAYER's BATTING STATISTICS AGAINST both LEFT and RIGHTHANDED PITCHERS, along with the graphics and attributes of every MAJOR LEAGUE STADIUM from the optional STADIUM DISK. Every PLAYER's FIELDING, BASE-RUNNING and THROWING ABILITIES are also considered. Optional TEAM DISKS are available.



FOOTBALL

FOOTBALL simulates all physical aspects of the game of football down to the finest detail, while you are controlling the movement of key players on the field. For one or two players FOOTBALL sets new standards in both REALISM and PLAYABILITY using an overhead 3D perspective of the football field giving full view of all 22 animated players. Every offensive receiver and running back has different individual physical attributes (SPEED, POWER, AND CATCHING ABILITY). Each player's performance characteristics help you determine how and when to use that player most effectively. Each quarterback has unique abilities for SHORT, LONG or FLAT PASSES, and linebackers have power ratings for tackling ability.

Retail price: \$29.95


Available for: Commodore 64/128, and IBM PC

PURE-STAT COLLEGE BASKETBALL

PURE-STAT COLLEGE BASKETBALL is a complete statistical basketball simulation for zero, one or two players, that also includes a STAT COMPILER. The game uses coaching strategy and player statistics to determine the outcome of each play, while graphically depicting the sequence with 10 animated players on a basketball court. The game comes with 20 all time great college teams from past and present, and with an optional CREATE TEAM DISK the statistics for any college team from any division can be entered.

Retail price: \$39.95

Available for: Commodore 64/128, IBM PC, and APPLE II



Software Simulations

959 MAIN ST. SUITE 204
STRATFORD, CT 06497
(203) 377-4339

TIPS AH-OY!

Compiled by Michael R. Davila

Contributors to *Tips Ahoy!* will be compensated at highly competitive industry rates. Send your best programming and hardware hints for the C-64, C-128, or Amiga to *Tips Ahoy!*, c/o Ion International Inc., 45 W. 34th St.—Suite 500, New York, NY 10001. Include a stamped and self-addressed envelope if you want your submissions returned.

GETTING BASIC 7.0 TO RUN IN C-64 MODE

When the need arises to run your programs written in C-128 native mode in the C-64 mode, or simply to make your programs 64/128 compatible, include the following to detect the operating mode and automatically provide for uninterrupted execution:

```
100 MO=PEEK(53533):REM MODE CONFIG REG
110 IF MO=55 THEN PRINT"RELEASE 40/80 KE
Y"
120 IF MO<55 THEN 200:REM C-64 MODE
130 REM ** LINES FOR BASIC 7.0 **
.
.
.
200 REM ** RESUME COMMON BASIC **
```

Alternatively, depending on construct desired, repeat lines 100 and 110 and change 120 and 130 to:

```
120 IF MO=183 THEN... do BASIC 7.0
130 REM ** RESUME COMMON BASIC **
```

—Edmund G. daSilva
Rio de Janeiro, Brazil

QUICK BYTE COUNT

This short machine language routine will give you a quick and accurate count of bytes in a program or sequential disk file—about 1500 bytes per second with a C-128 and a 1571 drive, 595 bps with the C-64 and a 1541. —Bert Halverson
Muldrow, OK

```
.5 PRINTCHR$(147)"BYTE COUNTER":PRINT
.10 GOSUB45
.15 POKE 2900,0:POKE 2901,0
.20 INPUT"FILE NAME";N$
.25 OPEN2,8,2,"0:"+N$:OPEN1,8,15:INPUT#1,
E:IF E=0 THEN 35
.30 CLOSE2:CLOSE1:PRINT"NOT FOUND":END
.35 SYS 2816
.40 PRINTPEEK(2900)+256*PEEK(2901)"BYTES"
:CLOSE2:CLOSE1:END
.45 FOR X= 2816 TO 2848
.50 READ A:POKE X,A:C=C+A
.55 NEXT:IF C=4707 THEN RETURN
```

```
.60 PRINT"ERROR IN DATA STATEMENTS":END
.65 DATA 32,204,255,162,2,32
.70 DATA 198,255,32,207,255,238
.75 DATA 84,11,208,3,238,85
.80 DATA 11,165,144,201,64,208
.85 DATA 239,32,204,255,96,32
.90 DATA 204,255,96
```

DISCOVER

Ever find yourself wanting to check the names and ID's of your disks? Maybe you finally decided to label that incredible mass of square frisbees. Or, if you can just find the right disk, you can continue working on that soon-to-be masterpiece. Well, you can spend the next decade loading each disk to check its name. But if you want to cut that time and effort down to mere minutes, try *Discover*. A quick SYS returns the name and ID of any disk in your drive. It works with the C-64 and C-128 using a 1541 or 1571 disk drive. It won't erase or disturb anything in memory.

Discover is fully relocatable by changing the variable S in line 1. It's currently set for location 700 on the C-64. If you're using a C-128 in C-128 mode, be sure to change S to 3072 or 4864 or some other compatible location.

—Buck Childress
Salem, OR

```
.1 S=700:REM *** CHANGE S TO RELOCATE
.2 PRINTCHR$(147)"LOADING";:FORJ=STOS+56
.3 READA:POKEJ,A:X=X+A:PRINT".":NEXTJ:PR
INT:PRINT
.4 IFX<>8392THENPRINT"ERROR IN DATA[3"."]
":END
.5 PRINT"DATA OK * SYS"S"TO ACTIVATE[3"."]
":END
.6 DATA169,36,133,251,169,5,162,8,160,0,3
2,186
.7 DATA255,169,1,162,251,160,0,32,189,255
,32,192
.8 DATA255,162,5,134,252,32,198,255,32,20
7,255,198
.9 DATA252,16,249,32,207,255,240,5,32,210
,255,208
.10 DATA246,32,204,255,169,5,76,195,255
```

C-128 ARCHES

This is one of those "picture is worth a thousand words" type programs, that is easier to type in and run than to explain. Basically, it will produce an almost unlimited number of fascinating hi-res screens composed of archlike structures. There isn't much more to say about it, except that it's a worthy candidate for the Maximum-effect-with-the-least-number-of-lines Award. Even if you're used to the versatility of BASIC 7.0, I think you'll be a little surprised by

LET'S FACE IT—MAIL ORDER HOUSES ARE *NOT* ALL THE SAME!

SOFTWARE SUPPORT INTERNATIONAL

CONVENIENCE—FAST SERVICE—RELIABILITY—SUPPORT

Hands On Software, Inc. is now distributing its own products. "What does that mean to me," you say! Well, for one thing, we have expanded our product line to include games and utilities from other publishers, accessories, Commodore authorized service, and even a selection of pre-owned titles. The technical staff here is second to none, and is well-known to thousands of Commodore users. We are committed to your satisfaction—and are prepared to prove it!

Commodore Authorized Service by Russell & Associates

Repairs:	Service:
C-64 Keyboard	C-128 Rom Upgrade
C-128 Keyboard	1571 Rom Upgrade
1541 Align	C-128 64K Ram Video
1541 Repair (w/align)	(great for Basic 8)
1571 Align	
1571 Repair (w/align)	
1702 Monitors	
1902 Monitors	
Commodore Printers	
Amiga—Call for Prices	

All C-64's & C-128's **must** have Power Supply included. Thirty-day warranty on all repairs. Buy a Power Supply from Software Support International and get a 60-day warranty. Please include a detailed description of your problem and try to isolate it if possible.

Russell and Associates reserves the right to refuse any repair. Repair jobs will be charged \$3.00 per piece for return shipping/handling.

5 1/4" Disk Drive Cleaner	5.95	10 Cnt. Disk Storage	1.95
3 1/2" Disk Drive Cleaner	6.95	50 Cnt. Disk Storage	8.95
1541/71/MSD Power Cord	4.95	100 Cnt./Lock Disk Storage	12.95
C-64 Color Monitor Cord	4.95	Disk Notcher	4.95
1541 6" Drive Cable	4.95	3 1/2" DS/DD Diskettes	1.29
6 Outlet Surge Protector	16.95	5 1/4" Black Diskettes DS/DD	4.95
C-64 Repairable Power Supply	39.95	5 1/4" Color Diskettes DS/DD	7.95
Aprospan 64	27.95	100 Cnt. Write Protects	1.00
12" Printer Stand (Wire)	8.95	96 Cnt. Labels	1.00
1351 Mouse	37.95	Tyvek Sleeves09
Mouse Mat	9.95	Slik Stick	6.95
41/71/64/128 Dust Cover	8.95	Quick Shot II	7.95
1581 Disk Drive	204.95	Tac 2	10.95
White Diskette Mailer	49	Tac 3	11.95

Abacus Software

Basic Compiler 64	26.88
Basic Compiler 128	39.84
Cad Pak 64	26.88
Cad Pak 128	39.84
Chart Pak 64	26.88
Chart Pak 128	26.88
Geos Tricks & Tips Book	10.68
Geos Tricks & Tips Book	11.98

ACCESS

Echelon	30.12
Mach 128	32.36
Tenth Frame	26.88
Triple Pak	13.92
World Class Leader Board	26.88
W/C Leader Board Famous Courses #1	13.92
W/C Leader Board Famous Courses #2	13.92
LB & Town I & Exec I	13.92

ACCOLADE

Ace of Aces	20.40
Apollo 18	20.40
Comics	20.40
Fourth & Inches	20.40
Hardball	20.40
Killed Until Dead	20.40
Miniputt	20.40
Test Drive	20.40

ACTIONSOF

Thunder Chopper	20.40
Up Periscope	20.40

ACTIVISION

Aliens	22.64
Gee Bee Air Rally	20.40
I Am C 64	20.40
I Am C 128	22.64
Labyrinth	20.40
Maniac Mansion	22.64
Might & Magic	26.88
Music Studio	22.64
Portal	26.88
Postcards	16.16
Shanghai	20.40
The Last Ninja	20.40

Softworks

Desk Pak I	22.64
Font Pak	20.40
Geos 64	39.95
Geos 128	45.95

Softworks

Geocalc	32.95
Geodex	26.88
Geofile	32.95
Geopublish 64	39.95
Geopublish 128	45.95
Geospell	20.40
Writer's Workshop 64	32.95
Writer's Workshop 128	45.95

Broderbund Software

Carmen Sandiego USA	26.88
Carmen Sandiego World	22.64
Cauldron 1 & 2	20.40
Print Shop	29.95
Print Shop Companion	22.95
P/S Graphics Library 1 or 2 or 3	15.95
P/S Holiday Graphics	16.16
Super Bike Challenge	13.92

CAPCOM

Ghost 'N Goblins	20.40
Side Arms	20.40
1942	20.40



Breakthru	20.40
Commando	13.92
Ikari Warriors	Call
Kid Niki	Call
Speed Buggy	20.40
Tag Team Wrestling	22.64

DATA SOFT

Alternate Reality: City	22.06
Alternate Reality: Dungeon	28.81
Force 7	14.97
Tomahawk	22.06
Video Title Shop	22.06



Digital Super Pak	64.95
Pocket Filer 2	39.95
Pocket Planner 2	39.95
Pocket Writer 2	39.95



Amnesia	28.81
Artic Fox	24.22
Bard's Tale 1 or 2	28.81
Chessmaster 2000	28.81
Chuck Yeager's AFS	25.30
Dan Dare	14.77



ELECTRONIC ARTS

Delta Patrol	14.97
Demon Stalker	22.06
Dragon's Lair	18.82
Earth Orbit Station	22.06
Instant Music	25.30
Legacy of Ancients	22.06
Marble Madness	22.06
Outrageous Pages	35.56
Paperclip 3	35.56
Pegasus	22.06
Sanxion	14.97
Skate or Die	22.06
World Tour Golf	22.06



Apshai Trilogy	13.92
California Games	26.88
Champ. Wrestling	26.88
Coil Cop	17.16
Create a Calendar	20.40
Destroyer	26.88
Graphics Scrapbook 1 or 2 or 3	10.68
Rad Warrior	16.16
Spiderbot	17.16
Spy vs. Spy 3	17.16
Street Sports: Baseball	26.88
Street Sports: Basketball	26.88
Sub Battle Simulator	26.88
Summer Games I	13.92
Summer Games II	26.88
Super Cycle	13.92
Winter Games	26.88
World Games	26.88



Elite	22.56
Elite Hint Book	6.15
Guild of Thieves	26.88
Knight Orc	26.88
Revs I	Call
Star Glider	26.88
Talking Teacher	24.29
The Pawn	26.88
The Sentry	26.88
Tracker	26.88



Champ. Baseball	20.40
Champ. Basketball	22.64
GFL Football	22.64
Star Rank Boxing	20.40
Top Fuel Eliminator	20.40

MICROPROSE

Acro Jet	16.16
Airborne Ranger	22.64
F-15 Strike Eagle	22.64
Gunship	22.64
Pirates	26.88
Project Stealth Fighter	26.88
Silent Service	22.64
Top Gunner	16.16



Bop & Rumble	20.40
Bop & Wrestle	20.40
Crossword Magic	33.36
Defender of the Crown	22.64
Deja Vu	23.64
Gauntlet	22.64
Head Over Heals	13.92
High Roller	20.40
Indoor Sports	20.40
Infiltrator	20.40
Infiltrator II	22.64
Into Eagles Nest	20.40
Mutants	13.92
Paperboy	22.64
Super Star Ice Hockey	22.64
Super Star Soccer	23.64
Wizball	13.92
Xevious	20.40

ORIGIN

Autoduel	13.36
Moebius	26.88
Ogre	20.40
Ultima 1	26.88
Ultima 3	26.88
Ultima 4	39.84
Ultima 5	Call

Professional Software Inc.

Fleet Filer	26.88
Fleet System 2+	39.84
Fleet System 3	46.32
Fleet System 4	52.80

SPRINGBOARD

Certificate Maker	26.88
Certificate Maker Library I	20.40
Newsroom	32.95
N/R Clip Art 1	20.40
N/R Clip Art 2	26.88
N/R Clip Art 3	26.88
P/S Graphic Expander	22.64

subLOGIC

Flight Simulator II	35.56
Flight Simulator Scenery Disks 1-6	14.77 ea.
Flight Simulator Scenery Disk 7	18.01
Jet	27.96

TIMEWORKS

Data Manager 2	16.16
Data Manager 128	33.36
Desktop Publisher	Call
General Ledger	33.36
Partner 64	33.36
Partner 128	39.84
Swiftcalc/Sideways 64	16.16
Swiftcalc/Sideways 128	33.36
Sylvia Porter's Finc. Planner 64	33.36
Sylvia Porter's Finc. Planner 128	46.32
Word Writer 3	33.36
Word Writer 128	33.36

UNION WORLD INCORPORATED

Art Gallery 1 or 2	16.16
Art Gallery Fantasy	16.16
Printmaster Plus	22.95

MISCELLANEOUS

Basic 8	29.95
Basic 8 Guide for Beginners	19.95
Bob's Pro Term 64	33.36
Bob's Pro Term 128	39.84
B/W Business Form Shop	26.88
CSM 1541 Drive Alignment Kit 30.12	30.12
CSM Software Protection Manual I	22.55
CSM Software Protection Manual II	26.15
Doodle	26.88
Font Master II	32.95
Font Master 128	39.95
JK Lasser Money Manager	46.32
Ms. Pac Man	6.79
Hes Mon 64 (Cart.)	9.95
Strider's Music Disks 1-10	6.95 ea.
Strip Poker	20.40
Strip Poker Data Disk 1 or 2 or 3	13.92
Superbase 64	39.84
Superbase 128	46.32
Super Sunday	23.64
Superscript 64	33.36
Superscript 128	39.84

MANY OTHER TITLES AVAILABLE—CALL FOR PRICES!

Here they are! The products that have made us one of the most respected companies in the mail order business. Our utilities have become a staple in the libraries of thousands upon thousands of Commodore users worldwide. Original ideas and workmanship throughout. (a rarity nowadays!) our products are guaranteed to please. If you enjoy dealing with people who genuinely have your best interest at heart, look no further. Our products are created with you in mind. We offer programs that are protection free and most can be transferred to the 1581 disk drive. Also, we offer the best technical support in the business. Les and Dan are available five days a week to help with problems. If you see a program that interests you on this page, and you need more detailed information to make an educated decision, just write or call for our free catalog. Remember: Our Business is SOFTWARE SUPPORT!

C-128 Helper

Helper is an exciting new type of Software for the C-128 Computer.

- Screen Based Databasing
- User Definable
- Editor allows modifications
- Demo included that serves as a Basic 7.0 Electronic reference manual
- Screen dumps to printer
- 1581 version available

ONLY \$24.95

Graphic Art Disks

Top quality graphics are hard to find. These will definitely please you.

- 8 Volumes available
- Themes followed in most
- Printmaster™/Printshop™ sda compatible
- Easily transferred to 1581

ONLY \$14.95 per Volume

Elite V3.0

Elite V3 copies the "impossible."

- Copies V2.0 of a popular 64/128 planner, filer (64 only), writer.
- Leaves the Backup protection free.
- Why pay for Backups of titles you already own?

ONLY \$6.95

Elite V4.0

Our Elite Series is second to none for its copying capabilities.

- Elite 4 created to copy titles protected to the MAX!
- Special MAX Copier included
- Update policy included
- Free Bonus—The Shotgun I

ONLY \$14.95

Super Cat

The greatest disk library cataloger ever produced for the Commodore 64.

- Catalogs up to 640 Disks w/5000 titles per catalog
- Twice as many with 2 drives
- Load, save, edit, change any entry
- Prints a variety of reports and even labels
- Lightning fast and easy to use!

ONLY \$24.95

Graphic Label Wizard

This is the ultimate label utility.

- Databasing with graphics included
- Supports Commodore as well as Epson compatible printers
- Printmaster™ Printshop™ Software Solutions™ compatible
- 1581 transferable
- Satisfaction guaranteed!

ONLY \$24.95

Hacker's Utility Kit

State of the art tools for the computerist ready to take control of his software library!

- Whole disk scanners
- GCR Editor
- Fast Data/Nibble copiers
- File tracer
- Byte Pattern Finder

Much, Much More—\$19.95

C-128 Cannon

The total copy/utilities package created just for C128 owners.

- Nibblers
- Fast Copiers
- File Copiers
- Scanners
- 1581 Utilities
- Directory editing
- 100 Free Kracker Jax Parmes
- 1541/71/81 Drives Supported—Single or Dual

ONLY \$34.95

Shotgun II

Without a doubt—the most powerful nibbler on today's market:

- 1541/17 compatible
- One or two Drive modes
- Copies to track 40
- On screen GCR display
- Auto Density Detection
- Copies Rapidlok™ automatically!
- Available in loaded form with 32 of our most popular parmes

Shotgun II ONLY \$14.95

Loaded Shotgun II ONLY \$19.95

Kracker Jax

THE REVOLUTIONARY ARCHIVAL SYSTEM!

Kracker Jax is the powerful parameter-based copying system that has taken the country by storm! What is a parameter? It's a custom program that allows your 1541 or 1571 disk drive to strip ALL copy protection from your expensive software, leaving you with UNPROTECTED, TOTALLY BROKEN BACKUPS that can even be copied with a simple fast copier!

We declare Kracker Jax to be the best system of its kind on the market today! A bold claim? Maybe.

But don't take our word for it—if you want the REAL story on how good Kracker Jax is, just ask one of our customers. Don't worry. You won't have any problem finding one.

- Easy to use—no special knowledge is required! ■ Powerful—will easily back up titles that nibblers can't! ■ Superfast—strips protection in a matter of seconds! ■ Great value—each volume has approx. 100 parameters! ■ Current—We lead the copy market.

We've finally done it!
You asked us to discount our earlier
volumes, and we have!

Vols 1-2-3-4 **Only \$9.95 ea.**
Vols 5-6-7 **Still Only \$19.95 ea.**

Kracker Jax Revealed I & II

Our knowledge of protection schemes has made us famous. Now find out how we do what we do best. Our books are your key to REAL knowledge. OTHERS ONLY GIVE SURFACE INFO—we dig deep—much deeper. We can show you exactly how today's copy protection prevents you from backing up your software.

**Revealed Book I with Reset Button
\$23.50**

**Revealed II with Hesmon Cartridge
\$23.50**

The Bull's Eye

Considered by many to be our greatest achievement.

- Rapidlok™ copying capabilities.
- Timeworks™ all purpose copier parameter
- Our famous current Geosbusters
- Other parmes included to copy some of the toughest on the market.

ONLY \$19.95

Geosbusters V3.0

This is our famous system created to defeat the copy/ID protection on your favorite utilities.

- Runs from your desktop
- Simple to operate
- Icon Driven

ONLY \$6.95

Sysres™ Enhanced

The best—and we mean Best Basic enhancement system for the C-64.

- Adds over 25 major commands to Basic
- Extended Super DOS-Wedge
- Scrolling through Basic
- Renummer, Trace, Search, and many other features too numerous to mention
- 1541/71 fast loader included
- M/L monitor from Basic
- Transferable to 1581 Disk

ONLY \$39.95

**The best money you'll ever
spend on your Commodore!**

SOFTWARE

SUPPORT
INTERNATIONAL

ORDERING is simple: we accept money orders, certified checks, personal checks only on prior approval, VISA, MC, Discover and COD. Please add \$3.00 shipping and handling per order. \$2.00 additional for COD orders. Orders outside of North America please call for shipping charges. Defective items will be replaced at no charge. In stock orders are processed within 24 hrs. Returns are not accepted without authorization #. Washington Residents please add 7.3% sales tax.

Mail your order to: Software Support Int.-D13
2700 NE Andresen Road/Vancouver, WA 98661
Phone orders welcome 9 a.m.-5 p.m. Pacific time
(206) 695-1393

Program Submissions Invited
Need more info? Call or write for our free catalog.

DEALERS—WE HAVE THE SUPPORT YOU'RE LOOKING FOR!



the product of these three simple lines.

```

•10 I=RND(-TI):COLOR1,1:COLOR2,2:COLOR0,1
  2:COLOR4,12:GRAPHIC3,1:BOX2,0,0,6,8,0,1:
  BOX1,0,0,6,8:SSHAPEB$,0,0,6,8
•20 DO:C=.:GRAPHIC3,1:X=INT(RND(1)*7+1.5)
  :Y=INT(RND(1)*9+1.5):X=X-2*(X=1):Y=Y-2*(
  Y=1):X=X-(X=Y)
•30 C=C+1:X1=77+61.5*SIN(X*I):Y1=96+77*CO
  S(Y*I):I=I+.01:GSHAPE B$,X1,Y1:IFC<700TH
  EN30:ELSESLEEP2:LOOP

```

Should you start to get bored with this (it will take a while), try altering the COLOR values in line 10 to achieve different results.

Now aren't you glad you bought a 128?—Jon Mattson
Castlegar, BC

GETTING COLORS

GETting Colors is a short machine language program for the C-64 and C-128 that enhances your BASIC programs. This program sets up an interrupt that redirects the computer's execution to this routine whenever GET or GETKEY are used. When either statement is encountered in your program, the border will change colors to signify that the computer is waiting for a response from the keyboard. To relocate the routine, simply change the value for variable S in line 20 to any area of free memory. —Michael Jaecks
Alamogordo, NM

```

•10 REM GETTING COLORS
•20 S=4864
•30 FORI=0TO47:READA:POKES+I,A:B=B+A:NEXT
  I
•40 IFB<>4710THENPRINT"ERROR IN ML DATA!"
  :END
•50 DEFFNHI(X)=INT(X/256):DEFFNLO(X)=X-FN
  HI(X)*256
•60 FORI=1TO4:READA,B,C:POKES+A,FNLO(S+B)
  :A=A+C:POKES+A,FNHI(S+B):NEXTI
•70 PRINT:PRINT"SYS"S"TO ACTIVATE"
•80 PRINT:PRINT"HIT RUN/STOP AND RESTORE
  TO DISABLE"
•100 REM ML DATA
•110 DATA 169,0,133,254,173,47,19,208,12
•120 DATA 173,42,3,141,46,19,173,43,3
•130 DATA 141,47,19,120,169,34,141,42,3
•140 DATA 169,19,141,43,3,88,96,198,254
•150 DATA 208,7,238,32,208,169,0,133,254
•160 DATA 76,0,0
•170 REM MODIFICATION DATA
•180 DATA 5,47,1,13,46,1,19,47,1,23,34,5

```

FUNCTION KEY CURSORS

C-64 owners have long begrudged C-128 owners their four independent cursor keys. On the 64 you must depress the SHIFT key to make the cursor go up or left. This arrangement is cumbersome to say the least.

The following routine solves the problem by causing the

normally unused function keys (f1, etc.) to become four cursor keys. f1, f3, f5, and f7 act as CURSOR UP, CURSOR DOWN, CURSOR LEFT, and CURSOR RIGHT respectively. Some programs may have other uses for the function keys, though. In that case, you can disable the routine by holding down on the RUN STOP key and tapping the RESTORE key. Please also note that this routine will not work well with the Epyx *Fastload* cartridge and other such enhancer utilities.

—Jim Partin
Cincinnati, OH

```

•10 REM CURSOR/FUNCTION KEYS FOR C-64 BY
  JIM PARTIN
•20 FORT=49152TO49198:READDT:POKET,DT:NEX
  TT
•30 SYS49152:POKE49153,0:POKE49154,224:PO
  KE49156,0:POKE49157,224
•40 POKE49162,255:POKE49192,255:SYS49152
•50 POKE60293,145:POKE60294,17:POKE60295,
  157:POKE60292,29
•60 POKE1,PEEK(1)AND253
•70 END
•80 DATA173,0,160,141,0,160,172,5,192,192
  ,191,240,23,238,1,192,238,4,192
•90 DATA173,4,192,240,3,76,0,192,238,2,19
  2,238,5,192,76,0,192,172,4,192,192
•100 DATA255,240,3,76,13,192,96

```

LLIST.BAS

LLIST.BAS is a short BASIC 7.0 extension for the C-128 which adds an LLIST command. The LLIST command uses the same format as the standard LIST command, but sends the listing to the printer instead of to the screen. Perforations will be skipped on Star and compatible printers. You should find this easier than all those OPEN/CMD/LIST and CLOSE statements normally used to get your listing to the printer.

—Bob Ossentjuk
Sierra Vista, AZ

```

•3900 PRINT"[CLEAR]LOADING LLIST.BAS";
•3915 FORX = 3960 TO 4095 :READA:CS=CS+A:
  BANK 15 :POKEX,A:PRINT".":NEXTX:PRINT
•3930 IFCS <> 14008 THENPRINTCHR$(7)"DATA
  ERROR!":STOP
•3945 SYS3960
•3960 DATA 169,15,141,13,3,141,15,
  3,141,17,3,169,147,141,12
•3975 DATA 3,169,177,141,14,3,169,
  196,141,16,3,96,133,2,160
•3990 DATA 171,169,15,32,226,67,14
  4,7,105,166,162,0,24,144,3
•4005 DATA 56,165,2,76,33,67,76,7
  6,73,83,212,0,224,0,208
•4020 DATA 12,201,40,176,8,160,171
  ,169,15,132,36,133,37,76,205
•4035 DATA 81,201,40,176,6,169,15,
  72,169,210,72,76,169,75,169
•4050 DATA 0,141,0,255,32,189,255,

```

Continued on page 90

AMIGA SECTION

DIGI-PAINT

NewTek

Amiga with 512K

Price: \$59.95

The first time we saw *Digi-Paint* in action was at the December '86 World of Commodore show in Toronto. At that time Tim Jennison, the proprietor of NewTek, was demonstrating an Alpha version of the program. (Alpha versions of programs come before Beta versions, Beta versions being what get sent out for testing before a program is released.) Although the program was far from completion, we were impressed with what we saw.

Digi-Paint is not just another general purpose bit map graphics drawing program for the Amiga. It is a drawing program which allows you to manipulate all of the Amiga's 4096 colors by

working in the hold and modify mode (HAM). As such *Digi-Paint* does take some getting used to. It is not that *Digi-Paint* is difficult to use; on the contrary, we found its user interface to be well-designed. However, compared to conventional drawing programs which most Amigans have previously encountered, *Digi-Paint* can generate very unexpected results.

Fortunately, the *Digi-Paint* manual makes the transition as painless as possible. A three part tutorial leads the user through many of *Digi-Paint's* features. We found ourselves thoroughly hooked after going through the first part, which is nothing more than the colorization of a black and white digitized face.




Operations in *Digi-Paint* are selected from the menu which initially appears

Featured This Month:

Digi-Paint	53
HAMming It Up on the Amiga.....	54
Roadwar 2000	55
Test Drive	55
CPS-500 Power Supply	56

across the bottom of the screen. Although the menu can be positioned anywhere on the display, moving it up simply covers the working screen. The menu is best removed by clicking on its close gadget and restored by simply clicking on the right mouse button. Many operations in *Digi-Paint* will automatically remove the menu while they are taking place. In this case the menu is restored when the operation is complete.

If you've worked with other paint



Top left and bottom right: results of shaded fills with *Digi-Paint*. Bottom left: the eyes have it as *Digi-Paint* lets you blend brushes into background. Top right: some well-rounded artwork.

READER SERVICE NO. 163

programs, you'll find many of the tools to be familiar. These include a collection of standard brushes, tools for geometric operations, a scissors tool for cutting custom brushes, and a magnify tool for detail work.

The color palette is by necessity somewhat elaborate. On the left is the current palette of 16 colors which can be placed anywhere on the image. The boxes to the right show the current color and all the possible derived colors. Refer to the description of HAM mode on the following page for a detailed dis-

cussion on how *Digi-Paint's* color palette works.

The PickColor tool on the main menu may serve to illustrate the unusual way color must be treated in HAM mode. Just activate the PickColor tool and move the pointer around the image while watching the color palette. The available colors dynamically change to follow the color which is under the pointer. In addition, the RGB values to the right of the palette are continuously updated.

The copy color tool is used to modi-

fy any of the 16 basic colors of the current palette. Changing one of these colors will instantaneously affect areas of the picture.

The Undo tool is used to cancel the most recent operation, including itself. The Again tool is used to repeat the last action, which is not as simple as it sounds. The repetition of many of *Digi-Paint's* operations produces cumulative results.

We found the RubThrough tool to be the most interesting of the lot. This tool brings the picture in the spare screen

HAMMING IT UP ON THE AMIGA

By Morton Kevelson



Shown are three views of *Digi-Paint's* color menu, used to illustrate the Amiga's 4096 color hold and modify display mode. At bottom left the base color is red, at top right it's green, and at bottom right we work with blue.

The Amiga's color graphics display has a working palette of 4096 colors of which, under the most common circumstances, up to 32 colors can be chosen for display at one time. It is possible, under less common circumstances, to display all 4096 colors at one time. The actual number of colors which may be used is dependent on the chosen horizontal resolution and the amount of memory allocated for the display.

The lowest resolution Amiga display mode has a screen which is 320 pixels wide by 200 pixels high and requires a minimum of 64,000 bits or 8000 bytes of the computer's memory. This collection of pixels or bits is referred to as a bit plane—that is, the bits are seen as a single layer organized as a grid with the above dimensions.

It may help to think of a bit plane as a layer of marbles on a colored surface. If some of the marbles are removed they become zeroes, while the remaining marbles are considered ones. Looking down at these marbles we can easily see two possible colors, that of a marble or the underlying surface. Thus a single bit plane can dis-

play only two colors at a time. A bit which is set to one may be considered as displaying the foreground color, while a value of zero displays the background color.

By some stretching of the imagination we can stack the marbles up to five layers deep. We now find that the colors we see depend upon the height of each stack. Of course this analogy is somewhat oversimplified, as the position of the marbles plays a part in the perceived color. We will not ask anyone to visualize the marbles floating above vacant positions as is required to complete the analogy. Our liability insurance does not allow for induced vertigo among our readers.

The Amiga's display chip has a total of 32 color registers, each of which contains 12 bits of color data. Of these 12 bits, four are assigned to each of the three primary colors, red, green, and blue. This allows for the mixing of 16 intensities of the primary colors or a total of 4096 possible shades. A single bit plane can utilize only two of the color registers. Additional color registers may be accessed by stacking bit planes. Thus a pair of bit planes can

access four of the color registers and a stack of five bit planes can access any of the 32 color registers. A five bit plane image, of course, will require 40,000 bytes of memory.

The vertical resolution of the display may be doubled to 400 pixels by using interlace mode. Of course the memory requirements will double as well. The horizontal resolution may also be doubled; however, in this case the bit planes may be stacked only four layers deep and the number of possible colors is reduced to 16. A quick calculation shows that the most memory-intensive of these display modes would be for a 640 by 400 pixel screen with four bit planes. This requires a total of 128,000 bytes of display RAM.

The hold and modify (HAM) mode is a special display mode which allows all 4096 colors to appear in a single display. The HAM mode requires six bit planes and functions only in the lo-res display of 320 horizontal pixels with interlace either on or off. Only 16 of the color registers are actually used by the HAM mode. Color register selection is thus done by only four of the bit planes. The first two bit planes per-

to the foreground in a variety of ways. The end result is dependent on the setting of the mode menu.

Additional commands and features are available from the menus, which are activated by the right mouse button. Many of these menus provide for mundane operations such as loading and saving of files, placing and retrieving images into and from the spare screen, loading and saving of brushes, and activating the built-in screen dump which follows the settings in Preferences. Incidentally, when *Digi-Paint* saves

form a special function which determines just how the color selected by the other four bit planes is displayed.

If the bit values of a pixel in the first two bit planes are both set to zero, the bit value of the last four bit planes selects the display color directly from the corresponding color register. If the first two bit planes contain a value of zero and one, the pixel takes its color from the previous pixel on the left. The difference is that the last four bit planes replace the red value of the color from that pixel. In a similar manner values of one and zero in the first two bit planes modify the green portion of the left hand pixel. Values of one and one will modify the blue value which was taken from the adjacent pixel.

The meaning of HAM should now be clear. HAM mode takes the color value of the left hand pixel and holds the value of two of the pixel's primary colors while it proceeds to modify the value of the third primary color. This obviously places a limitation on how fast the colors of adjacent pixels can change. In order to change all three of the primary colors, we have to do it in three steps. Each step moves us one pixel to the right. An abrupt change in color may be obtained by simply selecting a different one of the 16 color registers. Of course this drastically limits our choice of colors.

With the help of *Digi-Paint* we will illustrate the workings of HAM. The accompanying photographs are taken directly from *Digi-Paint's* color menu. Looking at the first photograph, the array of 16 small blocks on the left is the current palette. The large solid color block immediately to the right of the palette shows the selected color. In this case it is a solid red with RGS values of 15, 0, 0.

an image it creates an icon which is actually a miniature snapshot of the image (with limited colors, of course). When loading a file, *Digi-Paint* will automatically compress an oversize image to fit the current format; however, it will not expand a smaller image to fill the screen.

The Effect menu provides for doubling, halving, flipping, and switching the current image in just about every conceivable way. This menu will also soften the image by copying the screen in memory, shifting it one pixel, over-

Continuing to the right, the first multicolored block, marked with a red dot, shows all possible shades of color with the red value set to 15. In this block the top row of pixels holds the red and blue values to 15 while the green value starts at 15 and goes to 0 in 16 steps. The leftmost column holds the red and green values constant while the blue value varies from 15 at the top to 0 at the bottom.

The second multicolor block shows the 256 possible colors with the green value held to 0. In this block the blue value varies from 15 on the left to 0 on the right while the red value starts with 15 at the top to 0 at the bottom. The third multicolor block holds the blue value to 0. In this case red runs horizontally from 15 to 0, left to right, while blue starts from 15 at the top and goes to 0 at the bottom. Each of these three multicolored squares contains a total of 256 unique colors.

The second photograph repeats the process using green as the selected color. In this photograph, the first multicolor block holds red constant at 0 with green varying horizontally and blue varying vertically. The second multicolor block holds green constant at 15 with blue varying horizontally and red varying vertically. The third multicolor block holds blue constant at 0 with red varying horizontally and green varying vertically.

The third photograph is based on blue as the selected color. We will leave the determination of the color variations up to you. It should be apparent that each square in each group of three contains one point which is the selected color, two squares contain a black point, and one square contains a white point. Our set of three photographs contains a total of 1532 unique colors.

laying the original and the copy, and finally averaging the red, green, and blue values between the original and the shifted pixels.

The Mode menu is the most fascinating, as it is used to control how many of *Digi-Paint's* other operations will be performed. From this menu you choose between effects such as solid, shaded, or blended fills. Other possibilities are described by mathematical operators such as Add and Subtract, or by logical operators such as And and Or (how's that for a mouthful of double talk). The best way to find out about these effects is to try them out. The Shading feature deserves special mention. It comes equipped with controls for setting the amount of dithering and its direction, as well as the center of shading.

Although *Digi-Paint* may be used as a stand-alone graphics package, it will probably be used most frequently on existing images. It makes an excellent companion to *Digi-View*, NewTek's own video digitizer (March 1987).

NewTek, 115 W. Crane Street, Topeka, KS 66603 (phone: 800-843-8934).

—Morton Kevelson

ROADWAR 2000 Strategic Simulations Amiga (512K) Disk; \$39.95

The 21st century is not the best time to be an American. The United States has virtually collapsed as a result of an epidemic followed by civic disorder and foreign invasion.

Roving bands struggle for control of the ruined cities and scarred countryside. Although some clashes are melees between mobs on foot, the fiercest fights occur between squads of armed and armored vehicles. These "roadwars" give this involving strategy-adventure its name and provide most of the mental challenge and excitement.

The main display is a multiscreen map of the United States. When the player moves off one edge, the next section scrolls into view.

Urban enclaves, terrain, and the crucial highway network are clearly marked. Regions carefully suffering active disease outbreaks are flagged with the skull (poison) symbol for the benefit of gangs which have not accumulated enough medical supplies to with-

stand the onslaught of disease.

The player moves his gang, symbolized by an onscreen icon, either overland or along the roads. Each daily turn, the gang may explore the territory, fight a battle, hunt for vehicles or materials, parlay with another group of people, or add a specialist such as a Doctor or Politician to the entourage.

There are many types of potential enemies. Armed rabble has little more than force of numbers, but a renegade National Guard detachment or a division of invading troops is a tough nut for all but the biggest gangs to crack.

There are three types of vehicular combat. The game prompts the computerist to select one of the alternatives when a battle is imminent.

Abstract combat is fast, bloody, and simple. Most novice players like this method, which merely reports losses for each side on a turn by turn basis.

The only way to expand the gang's roster of vehicles, however, is to win a battle fought using one of the two more detailed combat systems.

Both methods utilize a second display screen which shows a close-up view of the disputed territory. Cars may be displayed as symbols or facing icons, depending on the preference of the player.

Detailed Combat is the ultimate. The player assigns gang members to crew each vehicle, positions the cars and trucks on the road in the most advantageous positions prior to the actual battle, and follows the prompts of onscreen menus to order vehicles to move and attack.

The Quick Combat system is similar, except that complications like boarding for hand-to-hand combat and capturing enemy vehicles are eliminated in the interests of brevity. Another handy aid is the automatic deployment option, available during either Tactical or Quick Combat, which instantly doles out gang members to each of the outfit's motorized mayhem machines.

Each road combat situation is practically a game in itself, and many users will be content simply to drive around the country and slug it out with an inexhaustible parade of foes.

Roadwar 2000 is more than a battle program. Proficient players start a campaign with a handful of flunkies and must pick up additional men and ma-

terial as the game progresses. The goal is to find the scientists and bring them together in time to save what remains of America while wrestling with other gangs, climate and terrain hazards, and the shortage of key supplies.

More imperialistic players can also try a slightly different type of campaign scenario. Since *Roadwar 2000* records the name of every city conquered by the player's gang, another possible goal is the conquest of the real estate formerly occupied by the U.S.A. This doesn't cure the disease, of course, but someone who achieves this herculean task can rightly claim to have restored civilian authority to the chaotic land.

The graphics are slightly better in the Amiga edition of *Roadwar 2000* than in the original, published for the Apple II by SSI in late 1986. Yet like most SSI products, the visuals are definitely secondary to the play-mechanics of the game. The Amiga graphics are serviceable rather than exciting.

Roadwar 2000 is a game which becomes more enjoyable the more often it is played. It promises many, many hours of stimulating fun.

Strategic Simulations, 1046 N. Rengstorff Ave., Mountain View, CA 94043 (phone: 415-964-1353). —**Arnie Katz**

TEST DRIVE

Accolade

Amiga with 512K

Disk; \$44.95

So many automobile games have appeared lately that squeamish computerists may have to pop a car sickness pill before they turn on the machine. In *Test Drive*, the creation of Distinctive Software, the player slips behind the wheel of one of five race cars and challenges a twisting mountain course called "The Rock."

The introductory screens radiate class. First comes the insistent technorock beat of the theme. Then the company's logo appears as a voice intones, "Accolade Presents." A sleek sports car fills the screen. The opaque window rolls down, and the driver favors the computerist with a comradely look. The driver guns the motor and drives off the left edge of the display.

Talk about setting a mood! If the rest of *Test Drive* upheld this high level of technical virtuosity and dramatic stag-

ing, it might be the greatest computer game ever designed.

It doesn't, and it isn't. The visible steering wheel and pop-up gearshift window enhance the realism of the simulation, but other aspects are surprisingly weak. The mountain scenery is bland, the crashes are perfunctory, and the course is rather short.

The five vehicles are among the royalty of competitive auto racing: Porsche 911 Turbo, Ferrari Testarossa, Lotus Turbo Esprit, Lamborghini Countach, and Chevy Corvette. Each is a unique machine, and *Test Drive* conveys a lot of the special feeling of controlling a car capable of speeds of 150 mph or more. The Porsche features exceptionally responsive handling, and the Lamborghini can duplicate its actual 175 mph top speed.

The driver reviews the cars prior to the start of the race. Moving the joystick forward and back cycles among the five display screens. Each shows a beautiful side drawing of the car and a detailed performance report and acceleration graph.

When the player presses the action button to confirm a choice, the driver of the car rolls down the window, cocks his head in salute, guns the motor, and rolls off the screen.

Unlike many older racing simulations, *Test Drive* puts the user right in the driver's seat instead of showing the car from an imaginary point about 10 yards behind it. Obviously, this first-person viewpoint makes *Test Drive* a much more involving simulation.

Although the onscreen control panel always presents essentially the same information, there is a separate dashboard configuration for each car. It is always hard to equate joystick movement with the turning of a wheel, but seeing it move to the left and right helps bridge the gap.

The rear view mirror, located in the upper right corner of the screen, lets the driver look behind as well as ahead. The animation is perfectly matched to the animation in the front windshield. Watching cars and trucks pass in the opposite direction is a visual treat.

Shifting technique is more important in *Test Drive* than in any previous auto program. Precise shifts keep the vehicles roaring up the mountain pike, past potholes, and around sharp turns, while



Layout: rear/rear

Engine type: turbo sohc flat-6

Displacement: 3299cc

Compression ratio: 7.0:1

Bhp @ rpm, SAE net: 282 @ 5500

Torque @ rpm, lb-ft: 278 @ 4000

Transmission: 4 sp manual

Braking from 80mph: 245ft.

Times: Dunlop SP Super Sport D4, 1b/Bhp: 11.4

265/55VR-16 front/ 245/45VR-16 rear

0-60mph: 5.0s

0-100mph: s

1/4 mile: 13.4s

@ 103mph

Top speed: 153mph

Lateral Accel: 0.84g

Left: reviewing your car before your Test Drive.

Bottom left: each car has its own dashboard.

READER SERVICE NO. 165

Bottom right: part of Roadwar 2000's map.

READER SERVICE NO. 166



sloppy work with the gear shift can over-rev the engine.

The player has five tries to complete the entire course. After a crash, signified by a cracked windshield, pressing the action button of the joystick allows the car to resume its journey.

While high speed is a necessary and desirable part of *Test Drive*, the designers also added the complication of the highway patrol. If a radar trap clocks the car going faster than the limit posted on the roadside sign, odds are good that a trooper will soon pull the player over for speeding. It is possible, though unlikely, for the player to outrun a police car.

The only defense is the radar detector installed in each car. When a red light starts blinking, a radar trap is near. When all the lights flash, the radar is actually measuring the car's speed. Wise drivers never lose track of either the legal speed limit or the status of those warning lights.

Test Drive, despite its irritating flaws, is an outstanding racing simulation for the Amiga. Driving game fans should waste no time claiming their piece of "The Rock."

Accolade, 20813 Stevens Creek Blvd., Cupertino, CA 95014 (phone: 408-446-5757).

—Arnie Katz

CPS-500 POWER SUPPLY

Phoenix Electronics, Inc.

Amiga 500

Price: \$99.95

As of this writing the vast majority of Amiga 500's are still under Commodore's warranty. It thus strikes us as somewhat unusual that Phoenix is already offering a replacement power supply for the Amiga 500. On the other hand, we have seen a report that one of the first batches of Amiga 500 power supplies was defective and has been replaced by Commodore. Perhaps Phoenix knows something we don't.

In fact the Amiga 500 power supply has been designed to closely match the current requirements of a basic Amiga 500 system. By this we mean the computer, its 512 kilobyte memory expansion, and one external disk drive. The Amiga 500 power supply has virtually no reserve margin for any additional peripherals beyond the basic system. The CPS-500 provides sufficient additional capacity to power at least a couple of megabytes of external ROM.

The following table compares the current capabilities of the CPS-500 with the Amiga 500's original power supply. We have also included the current ratings for the power supply provided with the Amiga 1000. The latter

values are for information only, as the power requirements of the Amiga 1000 are not the same as for the Amiga 500. Note that all voltages are DC. Based on the specified values, the output power capability of the CPS-500 is 50 watts.

POWER SUPPLY RATINGS IN AMPERES


	+5V	+12V	-12V	-5V
A-500	4.3	1.0	0.1	NA
CPS-500	6.0	1.25	0.5	NA
A-1000	8.0	1.0	NA	0.25

As with all the Phoenix power supplies, the CPS-500 comes in an aluminum vented enclosure. The front panel includes an ON/OFF switch, but it lacks a power indicator light. The back panel is fitted with a user-replaceable fuse and three grounded convenience outlets rated at 100 watts each. The ON/OFF switch and the fuse provide control and protection of both the power supply and the convenience outlets. Surge protection is provided on the incoming power line.

The internal construction of the CPS-500 is similar to that used for the C-64 and C-128 versions of the Phoenix power supplies. We suggest you refer to the reviews of the CPS-10 and CPS-128 in this issue, as well as the feature on power supplies, for additional details on power supply application and design. As for the CPS-128, the voltage of the five volt supply in the CPS-500 is internally adjustable. The plus and minus 12 volt supplies are derived from fixed voltage integrated circuit regulators.

The CPS-100 is about the size of the 1010 external disk drive. It should be possible to stack these devices if spread about 1" for ventilation.

Phoenix Electronics, Inc., P.O. Box 156, Clay Center, KS 67432 (phone: 913-632-2150). —Morton Kevelson



The CPS-500 for the Amiga 500.
READER SERVICE NO. 169



Lycos Computer Marketing & Consultants

Lycos Means Total Service.



Mark "Mac" Bowser, Sales Manager

I would personally like to thank all of our past customers for helping to make Lycos Computer one of the largest mail order companies and a leader in the industry. Also, I would like to extend my personal invitation to all computer enthusiasts who have not experienced the services that we provide. Please call our trained sales staff at our toll-free number to inquire about our diverse product line and weekly specials.

First and foremost our philosophy is to keep abreast of the changing market so that we can provide you with not only factory-fresh merchandise but also the newest models offered by the manufacturers at the absolute best possible prices. We offer the widest selection of computer hardware, software and accessories.

Feel free to call Lycos if you want to know more about a particular item. I can't stress enough that our toll-free number is not just for orders. Many companies have a toll-free number for ordering, but if you just want to ask a question about a product, you have to make a toll call. Not at Lycos. Our trained sales staff is knowledgeable about all the products we stock and is happy to answer any questions you may have. We will do our best to make sure that the product you select will fit your application. We also have Saturday hours — one more reason to call us for all your computer needs.

Once you've placed your order with Lycos, we don't forget about you. Our friendly, professional customer service representatives will find answers to your questions about the status of an order, warranties, product availability, or prices.

Lycos Computer stocks a multimillion dollar inventory of factory-fresh merchandise. Chances are we have exactly what you want right in our warehouse. And that means you'll get it fast. In fact, orders are normally shipped within 24 hours. Free shipping on prepaid orders over \$50, and there is no deposit required on C.O.D. orders. Air freight or UPS Blue/Red Label shipping is available, too. And all products carry the full manufacturers' warranties.

I can't see why anyone would shop anywhere else. Selection from our huge in-stock inventory, best price, service that can't be beat—we've got it all here at Lycos Computer.

TO ORDER, CALL TOLL-FREE: 1-800-233-8760
New PA Wats: 1-800-233-8760
Outside Continental US Call: 1-717-494-1030

Hours: 9AM to 8PM, Mon. - Thurs.
9AM to 6PM, Friday — 10AM to 6PM, Saturday

For Customer Service, call 1-717-494-1670,
9AM to 5PM, Mon. - Fri.

Or write: Lycos Computer, Inc.
P.O. Box 5088, Jersey Shore, PA 17740



Risk-Free Policy: • full manufacturers' warranties • no sales tax outside PA
• prices show 4% cash discount, add 4% for credit cards • APO, FPO, international, add \$5 plus 3% for priority • 4-week clearance on personal checks
• we check for credit card theft • compatibility not guaranteed • return authorization required • price availability subject to change • prepaid orders under \$50 in Continental US, add \$3.00

COMMODORE SOFTWARE

Access:

Echelon	\$25.95
Mach 5	\$19.95
Mach - 128	\$28.95
10th Frame	\$22.95
Triple Pack	\$11.95
Wild. Cl. Leader Brd.	\$22.95
Famous Courses #1	\$11.95
Famous Courses #2	\$11.95
Leader Board Pack	\$14.95

Activision:

Champion. Basketball	\$19.95
Music Studio	\$19.95
Leather Goddesses	\$22.95
Top Fuel Eliminator	\$15.95
Beyond Zork	\$25.95
GFL Football	\$19.95
Gee Bee Air Rally	\$16.95
Last Ninja	\$19.95
Might & Magic	\$19.95
Nord & Bert	\$19.95

Firebird:

Elite	\$18.95
Golden Path	\$22.95
Guild of Thieves	\$22.95
Pawn	\$22.95
Tracker	\$22.95
Starglider	\$18.95
Sentry	\$22.95

Berkeley Softworks:

Deskpak I	\$20.95
Fontpak I	\$17.95
Geodex	\$23.95

Broderbund:

Bank St. Writer	\$27.95
Carmen San Diego	\$19.95
Graphic Lib. I, II, III	\$13.95
Print Shop	\$25.49
Print Shop Compan.	\$22.95
Print Shop Paper	\$12.95
Cauldron	\$16.95
Superbike Challenge	\$11.95

Sublogic:

Flight Simulator II	\$31.49
Jet Simulator	\$24.95
Night Mission Pinball ...	\$18.95
Scenery Disk 1-6	\$12.95

Timeworks:

Partner C64	\$24.95
Partner 128	\$39.95
Swift Calc 128	\$29.95

Microprose:

Airborne Ranger	\$22.95
F-15 Strike Eagle	\$19.95
Gunship	\$19.95
Kennedy Approach	\$13.95
Silent Service	\$19.95
Solo Flight	\$13.95
Top Gunner	\$13.95
Pirates	\$22.95
Stealth Fighter	\$22.95

Software Simulations:

Pure Stat Baseball	\$22.95
Football	\$17.95

Strategic Simulations:

Gettysburg	\$33.95
Phantasia II	\$22.95
Phantasia III	\$22.95
Ring of Zelfin	\$22.95
Road War 2000	\$22.95
Shard of Spring	\$22.95
Wizards Crown	\$22.95
Wargame Constr.	\$16.95
Battlecruiser	\$33.95
Battle of Antietam	\$28.95
Eternal Dagger	\$22.95
Shiloh	\$22.95

Epyx:

Destroyer	\$22.95
Fastload	\$19.95
Sub Battle	\$22.95
Winter Games	\$22.95
California Games	\$22.95
Graphics Scrapbook	\$11.95
Str. Sports Basketball ..	\$22.95
Summer Games II	\$22.95
World Games	\$22.95

Microleague:

Microleague. Baseball ..	\$22.95
General Manager	\$16.95
Stat Disk	\$13.95
Microleague. Wrestling ..	\$16.95
'87 Team Disk	\$11.95

Action Soft:

Up Periscope	\$18.95
Thunderchopper	\$18.95

Call for AMIGA titles and pricing.

Monitors

Thomson:

230 Amber TTL/12"	\$85
450 Amber TTL/15"	\$119.95
4120 CGA	\$199.95
4160 CGA	\$259.95
4460 EGA	\$319.95
4375 UltraScan	\$459.95
GB 100 EGA Card	\$129.95
GB 200 Super Card	\$219.95

Blue Chip:

BCM 12" Green TTL	\$75
BCM 12" Amber TTL	\$79
BCM 14" Color	\$239

NEC:

Multisync II	\$559
--------------------	-------

**Save \$100 over NEC Multisync
with Thomson 4375 UltraScan
\$459.95**

THOMSON 4120 Monitor

- 14" RGBI/video composite/analog
- Compatible with IBM and Commodore
- RGB data cable included



\$199⁹⁵

Modems

Avatec:

1200e	\$75.00
1200i PC Card	\$75.00
1200hc Modem	\$95.00
2400	\$179.95
2400i PC Card	\$169.95

Hayes:

Smartmodem 300	\$149.95
Smartmodem 1200	\$285.95
Smartmodem 2400	\$425.95

Special Purchase

Data Share-Messenger Modem

300 Baud Auto Dial/Auto Answer Modem

\$29.95

1-800-233-8760

star
MICROPRINTERS, INC.


NP-10

\$134⁹⁵

- 100 cps draft
- 25 NLQ



Panasonic \$185⁹⁵
1091i Model II



SEIKOSHA

180VC \$129⁹⁵

- 100 cps
- 20 NLQ
- Direct Connect C-64/128



PRINTERS

star
MICROPRINTERS, INC.

NP-10	\$134.95
NX-10	\$149.95
NX-10C w/interface	\$165.95
NL-10 w/o Cart	\$169.95
NX-1000	\$165.95
NX-1000C	\$175.95
NX-1000C Color	\$225.95
NX-1000C Color	\$229.95
NX-15	\$295.95
ND-10	\$265.95
ND-15	\$379.95
NR-15	\$425.95
NB-15 24 Pin	\$699.95
NB24-10 24 Pin	\$425.95
NB24-15 24 Pin	\$559.95

BROTHER

M1109	\$195
M1409	\$299
M1509	\$365
M1709	\$475
Twinwriter 6 Dot & Daisy	\$899
M1724L	\$599
HR20	\$339
HR40	\$569
HR60	\$709.95

Panasonic

1080i Model II	\$165.95
1091i Model II	\$185.95
1092i	\$295.95
1592	\$399.95
1595	\$449.95
3131	\$269.95
3151	\$419.95
KXP 4450 Laser	\$CALL
1524 24 Pin	\$559.95

OKIDATA
AN OKI AMERICA COMPANY

Okimate 20	\$119
Okimate 20 w/cart	\$179.95
120	\$189.95
180	\$219.95
182	\$199.95
192 +	\$309.55
193 +	\$449.95
292 w/interface	\$449.95
293 w/interface	\$585.95
294 w/interface	\$819.95
393	\$955.95

EPSON

LX800	\$175.95
FX86E	\$289.95
FX286E	\$429.95
EX800	\$374.95
EX1000	\$509.95
LQ500	\$CALL
LQ800	\$369.95
LQ1000	\$549.95
LQ2500	\$849.95
GQ3500	\$LOW
LQ850	\$499.95
LQ1050	\$679.95

Toshiba

321SL	\$489
341 SL	\$659
P351 Model II	\$899

DIABLO

D25	\$499.95
635	\$779.95


SEIKOSHA

SP 180Ai	\$129.95
SP 180VC	\$129.95
SP 1000VC	\$139.95
SP 1200VC	\$155.95
SP 1200Ai	\$165.95
SP 1200AS RS232	\$165.95
SL 80Ai	\$299.95
MP1300Ai	\$269.95
MP5300Ai	\$375.95
MP5420Ai	\$879.95
SP Series Ribbon	\$7.95
SK3000 Ai	\$349.95
SK3005 Ai	\$429.95
800 CPS	\$CALL

CITIZEN

120 D	\$149.95
180 D	\$169.95
MSP-10	\$259.95
MSP-40	\$289.95
MSP-15	\$324.95
MSP-50	\$389.95
MSP-45	\$425.95
MSP-55	\$489.95
Premiere 35	\$464.95
Tribute 224	\$624.95

COMMODORE 128D System Special



- Commodore 128D Computer/Drive
- Thompson 4120 Monitor

\$629⁹⁵

COMMODORE

128 D System



\$439⁹⁵


COMMODORE HARDWARE

1541 C Disk Drive	\$175.95
1571 Disk Drive	\$215.95
1581 Disk Drive	\$189.95
Indus GT C-64 Drive	\$169.95
Blue Chip 64C Drive	\$139.95
Blue Chip C 128 Drive	\$195.95
1802C Monitor	\$189.95
2002 Monitor	\$239.95
64 C Computer	\$169.95
128D Computer/Drive	\$439.95
C-1351 Mouse	\$32.95
1700 RAM	\$109.95
C-1750 RAM	\$CALL
1764 RAM C64	\$119.95

Seagate HARD DRIVES

20 meg kit	\$259.95*
30 meg kit	\$299.95*
40 meg kit	\$465.95*
*Drives include controller	
40 meg w/o controller	\$415.95


Smarteam 1200 Baud Modem



Hayes Compatible

Versatile power and performance.

COMMODORE 64C Computer



\$169⁹⁵

DIAGNOSING POWER SUPPLY PROBLEMS

Historically, the C-64 power supply has been problematic. We have experienced numerous difficulties of our own with this device and have received substantial feedback on the topic from other users. The C-128's power supply seems to be made of sterner stuff. Our own units have performed flawlessly from Day 1 and we have not heard any complaints from outside sources. Feel free to correct us if you have other information.

The most persistent problem with the C-64 power supply has been a gradual deterioration of the external 5 volt regulated power supply. The regulator circuitry used in this supply has the ability to detect abnormal operating conditions such as high

temperatures or short circuits. When an abnormal condition is detected the regulator acts to shut down the supply, preventing or limiting damage.

We have found that as the C-64's power supply ages, the sensitivity to abnormal conditions seems to increase. What was previously a normal operating condition seems to become a cause for an emergency shutdown. If the C-64 is being used with a video monitor, then a shutdown of the external power supply can be easily recognized. The computer will freeze up and random characters may appear on the display. The display continues to operate, as the power for the VIC chip and its associated circuitry is derived from the external 9 volt AC supply.

If a TV is used as a display device, the picture will also disappear, as the RF modulator runs off the external 5V supply.

We have experienced the degradation phenomenon with no fewer than four C-64 power supplies. The scenario goes like this. Initially everything works fine, including a printer interface powered from the cassette port. After a while we find that the power supply starts to shut down after operating for an hour or two. Prolonged operation may be restored by removing the additional burden of the printer interface. This is only a momentary reprieve, as after a brief time the computer alone triggers the power supply's cutoff circuit. From this point on we experience decreasing operating intervals until the 5V supply fails entirely.

The scenarios we have described are not the only causes of power supply failure. Other possibilities include the destruction of the supply by an incoming power line voltage surge. We also expect that a fair number of units bite the dust when the cable or connector fails because of excessive mechanical flexing.

Keep in mind that the C-64's and C-128's power supplies do not have an on/off switch. Once they are plugged in they remain continuously energized. For those setups which employ an external power switch to turn off the power supply, we offer the following recommendation. Always turn on the computer, using its own power switch, after energizing the power supply. Conversely, always turn off the computer, using its own power switch, before deenergizing the power supply. This procedure should allow the power supply to stabilize and hence it will minimize the possibility of power transients entering the system. Though we feel that this procedure will prolong the life of the computer, we do not know of any cases in which not following it will shorten the machine's life. □

the Light Pen

FOR USE WITH
COMMODORE AND
AMIGA COMPUTERS

170-C
\$99.95
suggested
retail

THE LIGHT PEN™ is a quality input device at an affordable price. Both the **170-C** and **184-C** light pens for the Commodore computers provide an easy to use, natural way of entering data that adults and children can quickly master with little or no prior computer experience. These pens may be used immediately as data entry devices for many popular software programs now available or for programs you create. Demonstration software and technical information is included.

184-A
\$129.95
suggested retail

THE LIGHT PEN™ with Amiga Light Pen Driver provides an easy to use, natural alternative for data entry on virtually any Amiga program. The high resolution **184-A** light pen, with its two-button touch switch, coupled with its transparent driver, allows the user to choose light pen, mouse, or both alternately for the ultimate in precision graphics. The Light Pen with Amiga Light Pen Driver is perfect for painting, drawing, free-hand sketching, CAD and most other Amiga software programs.

184-C
\$59.95
suggested retail



**Inkwell
Systems**
CREATORS OF PENWARE™

5710 Ruffin Road
San Diego, CA 92123-1013
619/268-6792

THE EXTRACTOR

For the C-64

By R. Harold Droid

The *Extractor* lets you review the contents of a sequential file and select lines or batches of lines for extraction. Then it writes the shortened file back to disk. It's great for removing superfluous material from terminal program capture buffer saves and doc files. If you keep a record of your online sessions on disk or printout, you can clean them first of prompts, menus, and other repetitiveness. *The Extractor* also has options for automatic removal of extra spaces and carriage returns. If you use a word processor's "read a sequential file" option to generate nice looking printouts with paging and margins, these features can save you a lot of editing time.

The Extractor lets you scroll forward or backward through a file, selecting and deselecting parts, reviewing and revising your work as you go. The ability to scan in both directions, plus its "page forward" and "page backward" commands, make it an ideal sequential file reader, too.

The Extractor is machine language that loads and runs like BASIC. With BASIC ROM banked out of the system and a program size of only eight blocks, *The Extractor* leaves a whopping 192 blocks for storage. The maximum file size it can actually accommodate depends on how many blank lines and partially blank lines the file contains. The big text buffer makes *The Extractor* especially useful for splitting extra-long sequential files into smaller portions that won't overflow your word processor.

When you run *The Extractor*, a help screen pops up that summarizes the available commands. Any keypress takes you to the workscreen. Initially the display area is blank, indicating no file in memory. To get started, press R to read a file. Press ? to review the commands.

Files are displayed in upper/lower case, with carriage returns indicated by a checkmark. Use the cursor up/down keys to move text. The commands are detailed in the sidebar.

The stripping modes are available from a menu which appears after an R or A command. They "pre-edit" the file as it loads, automatically performing chores which you would otherwise have to do by hand. The choices are:

1. No stripping, just read the file "as is."
2. Strip extra returns. Blank lines enhance readability but waste memory and paper. As it loads the file, *The Extractor* will look for consecutive carriage returns and ignore any that exceed a certain number. You specify this limit at a second prompt. Acceptable values are 1-9. A non-space or non-return character starts the count over again.
3. Strip line returns. Lines of 39 or 79 characters, each

M—This is a toggle, selecting whether you're marking or unmarking text. Marked text appears in reverse video. When marking/unmarking is turned on (using the O key), text is selected or deselected as you move the cursor. This allows you to mark or unmark as you read. Note that you can't cursor right or left to mark individual characters; *The Extractor* extracts lines. A message on the bottom line of the screen reminds you whether you're currently "marking" or "unmarking."

O—Also a toggle, it disables both "marking" and "unmarking"; the accompanying status line message is "marking disabled." It lets you move the cursor without altering text.

@—This marks or unmarks *all* the text, even when cursor marking/unmarking has been disabled with "O".

X—Exchange. Marks currently unmarked text; unmarks currently marked text. Useful when it's quicker to mark sections you want to *remove*; press this key as the last step before writing back to disk.

T—Mark/unmark all text from the top of the file to the cursor.

E—Mark/unmark all text from the cursor to the end.

F—Jump forward one screen. No marking or unmarking, just a quick way to scan the file.

B—Jump back one screen.

HOME—Move cursor to the beginning of the file.

R—Read a sequential file into memory, erasing any previous file.

A—Append a sequential file. Read a sequential file and add it to the end of any file already in memory. On either a read or an append, you'll see a "text area full" message if your file is too big to fit. You do, however, have the opportunity to edit the partial file.

W—Write marked (reverse-video) text back to disk. You'll be prompted for a new filename under which to save.

D—Delete from cursor to end of text. This is handy if you accidentally loaded the wrong file or if, after reading the file, you decide you'd like to reread it using one of the special stripping modes.

terminated by a carriage return, are one of the commonest sequential file formats and the most irritating for word processing. It's impossible to change the margins on such a document because the returns "preset" the line length. This option removes every single carriage return (every carriage return that's not followed by another carriage return). You

may have to reparagraph by hand when you load the stripped file into a word processor, but it's better than manually removing several hundred returns.

4. Strip extra spaces. This corrects spacing problems, which appear most often in documents that have been right-justified: in such a document, extra spaces are added between words to make a smooth right margin. Choice #4 removes them, allowing one space between words and two after periods, exclamation points, and question marks.

When reading a file into memory with the stripping modes, remember that computers recognize characters but not human intent. The simple methods used here cannot possibly cover all nuances of punctuation and format. Stripping spaces can, for example, turn a perfectly formatted table into unreadable mush. You may wish to extract and save different parts of a file, reread them again using different stripping modes, and recombine them with the A (append) command. In some cases it may be better to edit the whole thing manually. In most cases, however, reading-with-stripping can save you from 50-90% of the busy work involved in preparing a sequential file for handling by a word processor.

Customizing the program is easy. If you don't like the choice of screen colors (white characters on a black background is pretty basic) do the following. Load the program, POKE a new color code (0-15) into one or more of the following registers, then resave under a new name.

POKE 4086 to change the text color

POKE 4087 to change the background color
POKE 4088 to change the border color
POKE 4089 to change the color of the status message

I recommend using matching background and border colors. Having the border color to compare against helps you keep track of which text is marked and which is unmarked.

It's possible to lower the top of the text buffer and protect upper memory from being clobbered by a long file. This may be desirable if, for instance, you want a utility program at \$C000 to stay resident while *The Extractor* is running. The top limit defaults to \$D000; to lower it, POKE 4090 with the low byte of the new address and POKE 4091 with the high byte.

Use *Flankspeed* (see page 75) to type in *The Extractor*. Before you LOAD *Flankspeed*, you'll have to set some pointers. This will prevent *Flankspeed* from being overwritten by *The Extractor*. Enter the following line, then LOAD *Flankspeed*:

POKE44,64: POKE 16384,0:NEW (hit RETURN)


Whether you're pulling the sediment out of a capture buffer, cutting blank lines to shorten a file, or reformatting for word processing purposes, *The Extractor* is a time- and space-saving tool. Used either in conjunction with your favorite word processor or on its own, it'll keep your disks clean, your printouts pretty, and your fingers flexible. □

SEE PROGRAM LISTING ON PAGE 88

SAVE! EMERALD COMPONENTS INTERNATIONAL SAVE!

FSD-2 EXCELERATOR + PLUS Commodore Compatible Disk Drive Direct Drive!

Compatibility Guaranteed.
Faster, Quieter, and More
Reliable. External
Device Switch.
Full 1-Year
Warranty.



\$159

COMMODORE is a registered Trademark of Commodore Business Machines, Inc.

3 1/2" EXTERNAL DISK DRIVE for the AMIGA

Daisy chainable

Extra long
cord



\$189

AMIGA is a registered Trademark of Commodore Business Machines, Inc.




We guarantee your satisfaction!


5892 MAIN ST. / SPRINGFIELD, OREGON 97478
CUSTOMER SERVICE 503 / 746-7268

ECI 1-800-356-5178

REVIEWS



Phoenix Electronics' CPS-128 replacement power supply for the C-128. **READER SERVICE NO. 167**



The CPS-30 is more than just a replacement for the C-64's power supply. **READER SERVICE NO. 168**

PHOTOS: MORTON KEVLSON

CPS-10, CPS-128 POWER SUPPLIES

Phoenix Electronics, Inc.

C-64 and C-128

Price: CPS-10 \$59.95

CPS-128 \$79.95

Based on our own experience, we feel that sooner or later many C-64 users will be in the market for a replacement power supply. On the other hand, the C-128 power supply seems to be of a more durable design. In conjunction with our feature on Commodore power supplies we decided to take a look at one alternate source, other than our own ingenuity, for C-64 and C-128 power supplies.

The Phoenix power supply line currently consists of four models: two for the C-64, one for the C-128, and one for the Amiga 500. For this review we took a look at the CPS-10 for the C-64 and the CPS-128 for the C-128. All the Phoenix power supplies are direct replacements for the originals that come with the computers. As can be seen from the accompanying table, their output current ratings in amperes are equal to or greater than those of the originals. The lines for the C-64 and the C-128 are the ratings for the Commodore originals. Also included are ratings for the power supply provided with the 1764 RAM expansion module. Note that the output for the Phoenix supplies are rated at 10V AC as compared to 9V AC for the originals.

The units we examined all have a similar construction which consists of a ventilated aluminum enclosure with

an on/off switch on the front. Line power is obtained via a heavy duty three prong grounded cord. The CPS-10 is also equipped with a pair of grounded utility receptacles on the back, while the CPS-128 is fitted with three utility receptacles. A user-replaceable line fuse is right next to the receptacles. The fuse provides protection for the power supply and anything which may be plugged into it. The utility receptacles, which are rated at 100 watts each, are also controlled by the on/off switch. The chassis rests on a set of rubber feet.

POWER SUPPLY RATINGS IN AMPERES

	5V DC	10V AC
C-64	1.5	1.0
C-1764	2.5	1.0
CPS-10	3.0	1.0
CPS-30	2.0	1.0
C-128	4.3	1.0
CPS-128	6.0	2.0

We found the boxes to be sealed with aluminum "pop" rivets which can be easily drilled out for servicing. After doing just that we found the parts layout inside the box to be neat and uncrowded. The dominating feature is the AC power transformer alongside the glass-epoxy circuit board which carries the rest of the components.

The Phoenix power supplies are of standard analog design. The circuit is built around an MC1723 integrated circuit voltage regulator. This particular

integrated circuit is a tried and proven device which has been around for several years. It is a general purpose, low power voltage regulator which can be used for a variety of power supply applications. The MC1723 includes automatic current limiting and automatic shutdown for short circuit and high temperature conditions.

In the CPS-10 the 5 volt supply voltage was set by a pair of fixed resistors. In the CPS-128 the 5 volt supply voltage was set by an adjustable resistor. Since the MC1723 is a low power device, the high current rating is obtained by utilizing a power transistor as a shunt element. In this case the CPS-30 uses a single 2N3055 power transistor while the CPS-128 uses two transistors in parallel. Heat dissipation for the power transistors is provided by sheet aluminum heat sinks. All the components are soldered in place.

Both power supplies are equipped with minimal power line surge protection by a trio of metal oxide varistors (MOV). According to Phoenix the test specification for these MOVs is 8 pulses of 20 microseconds with a peak current of 500 amperes. An energy absorption rating was not provided; however, by comparison the Radio Shack units mentioned in the accompanying power supply feature were tested at a peak current of 6500 amperes. The Radio Shack MOV has an energy absorption capacity of 70 Joules.

Overall, if the need arises, the Phoenix power supplies should be reliable

LOTTO CIPHER™

GET THE BEST ODDS ON ANY LOTTERY
SIX NUMBER - PICK FOUR - DAILY GAME

- PRODUCES FOUR COMBINATIONS OF NUMBERS TO CHOOSE FROM.
- ANY AMOUNT OF BALLS AND NUMBERS CAN BE PROGRAMMED.
- PRINTS OUT PAST LOTTO NUMBERS DRAWN, PAST COMPUTER PICKS, AND NUMBER DRAW FREQUENCY LIST.
- RANDOM NUMBER GENERATOR INCLUDED. \$24.94

COMMODORE, COMMODORE AMIGA, AND IBM SYSTEMS



Window Magic

SUPER HI-RESOLUTION DRAWING IN MULTI OR MONO COLOR


- COPY
- FILL
- LINES
- DRAW
- COLOR SQUARES
- TYPES LETTERS AND GRAPHICS
- POLYGOON SHAPES-EXPAND, SHRINK AND ROTATE, THEN STAMP ANYWHERE
- ZOOM PLOT-DRAW ON AN EXPANDED WINDOW AND YOUR DRAWING AT THE SAME TIME
- MIRROR, FLIP, AND SCROLLING WINDOWS
- ZOOM-EXPANDS A WINDOW TO DOUBLE SIZE
- SAVE AND LOAD YOUR WINDOWS ON DISK
- PRINTS ON STANDARD DOT MATRIX PRINTER
- CLONE COLOR ATTRIBUTES

\$19.95 C-64/128

STOCK BROKER™

PROFITS GUARANTEED OR
YOUR MONEY BACK

- BUYING GOOD QUALITY, VOLATILE ISSUES AND USING THIS TRADING SYSTEM WILL HAVE YOU FULLY INVESTED AT THE LOWEST PRICES AND CONVERTING TO CASH AS THE STOCK NEARS ITS PEAK.
- TECHNICAL TRADING THAT WORKS.
- BAR GRAPH PRINT-OUTS.
- RECORD UP TO 144 STOCKS ON A DISK.



\$29.95

COMMODORE, COMMODORE AMIGA, AND IBM SYSTEMS

ACORN OF INDIANA, INC.

2721 OHIO STREET
MICHIGAN CITY, IN 46360



800-521-4536

219-879-2284

SHIPPING AND HANDLING, ADD \$1.50 - C.O.D.'S ACCEPTED
VISA AND MASTER CARD ORDERS ADD 4%
INDIANA RESIDENTS ADD 5% SALES TAX

TRY BEFORE YOU BUY!

Best selling games,
utilities, educational, and
classics, plus new releases!

- 100's of titles
- Low prices
- Same day shipping
- FREE brochure

YES, WE ACCEPT:



RENT-A-DISC

Frederick Building #345
Huntington, WV 25701
(304) 529-3232

replacements for the original Commodore units. Both the CPS-30 and the CPS-128 provide enough spare capacity to power the computers and some peripherals.

Phoenix Electronics, Inc., P.O. Box 156, Clay Center, KS 67432 (phone: 913-632-2150). —Morton Kvelson

MOVING PICTURES

C.D.A. Inc.

Commodore 64

Price: \$29.95

AHA!, we have often exclaimed as we succeeded in clarifying another obscure microcomputing concept. Perhaps this was just what Nick Sullivan and Chris Zamorra had in mind when they chose this acronym as the name for their software company. For the terminally curious, AHA! signifies Acme Heuristic Applications! For all others we mention that Misters Sullivan and Zamorra are both editors of *Transactor* Magazine and longtime gurus in their own right. In any event, with regard to *Moving Pictures* we say "AHA!", this looks like a useful package."

Moving Pictures functions as an extension to the dialect of the BASIC language provided with the C-64. Its added commands allow for the manipulation of high resolution bit mapped images into simple animated displays. The table summarizes the *Moving Pictures* commands.

The production of an animation with *Moving Pictures* is a two step process. The first step is to create the sequence of images which will become the movie upon being presented in their proper sequence. The images required by *Moving Pictures* are nothing more than a sequence of 8000 byte, high resolution bit maps which generate a 320 by 200 pixel display on the C-64. The method used to create the images is up to the user. The best approach is to use a commercial drawing package such as *DOODLE!* or *Flexidraw*, both of which are supported by *Moving Pictures*. We found that the files produced by *The OCP Art Studio* could be used as well after they have been properly renamed.

When creating the images for the movie, keep in mind that the *Moving Pictures* Compiler (MPC) will combine the images into a single file. This entire file will have to be loaded into the computer when it is shown. To

Moving Pictures Commands

- AHA—Displays copyright message
- CLEAR—Clears the hi-res screen
- COLOR f,b—Sets the foreground and background colors
- COLOUR f,b—Same as COLOR
- CUT [n]—Stops movie at frame n
- CYCLE n—Continuous display of movie n
- DEFAULT—Resets parameters to startup values
- ELSE—As in IF...THEN...ELSE
- EXIT—Disconnects *Moving Pictures*
- HELP—Displays list of commands
- HOLD [n]—Freezes BASIC till frame n is displayed
- INFO (n)—Function which returns data about current status of *Moving Pictures* such as current speed and number of movies in memory
- KILL—Immediate stop of movie
- OFFSET v,[h]—Shifts the bit map display vertically or horizontally
- PAUSE—Pauses movie at the current frame
- REMOVE—Clears a movie from memory
- RESUME—Resumes a PAUSED movie
- SHOW m,n—Displays movie m for n times
- SLIDE [n]—Smooth transition between split screen positions
- SPEED n—Displays movie at 1-6, 10, 12, 15, 20, 30, or 60 frames per second
- SPLICE var\$(n1),n2—Loads movies specified by range of string variables into memory
- SPLIT [n]—Splits the screen between graphics and text at line n

keep the length of the movie file as short as possible, MPC saves only the difference between successive frames. Of course the requirement for smooth animations helps to insure that differences between successive frames will not be large. We found that successive frames with large variations tended to slow down *Moving Pictures* and BASIC. If the differences were large enough, the maximum frame rates could not be attained.

The source file names for MPC consist of a common name for all the original files followed by a numerical suffix. To meet this requirement we had to rename each of the *OCP Art Studio* files to eliminate their "PIC" suffix.

REVIEWS

The use of sequentially numbered file names allows MPC to automatically compile the frames in their proper order. Although a single 1541 disk has a capacity of only twenty 8000 byte bit map files, MPC can link movies over several disks. Thus it is possible to link large numbers of images as long as successive frames differ by small amounts.

To display compiled movies, simply load up the *Moving Pictures* operating system and execute the appropriate commands in either direct mode or under program control. The *Moving Pictures* code resides in the \$C000 block, while movies are loaded into the top of BASIC's RAM space. The SPLICE command is used to load one or more movies into memory. The disk drive's status is reported as each movie loads. Since *Moving Pictures* is interrupt driven, a BASIC program can be executed or run while a movie is running.

Moving Pictures manipulates only the 8000 byte bit map without affecting the 1000 byte color memory associated with the hi-res display. If the frames of the movie are properly designed, it is possible to load the color data into RAM for use with the movie. A utility program is supplied on the distribution disk to extract the 1000 byte color data file from a *DOODLE!* image. This file may then be loaded in for use as the color for the movie. This color screen will be wiped out if *Moving Pictures*' own COLOR command is invoked.

The default display consists of twenty lines of bit map and five lines of text, but this can be changed. Besides the flipping of frames, it is possible to change the display in two other ways. The SPLIT command lets you choose the number of screen lines which will be devoted to text versus the amount of space within the bit map. The OFF-SET command allows you to shift the bit map itself by an integral number of character spaces. In this way portions of the bit map, which may be obscured by the split screen, can be selectively displayed.

If you are reasonably familiar with BASIC programming, *Moving Pictures* will be easy to learn. To start with, try out the various demos included with the distribution disk. Once you have been suitably impressed, follow the instructions for SPLICEing in some of

the demo movies. Then start up a movie and proceed to experiment with the various commands. The split screen feature makes it easy to experiment interactively using BASIC's immediate mode. Once you have gotten a feel for *Moving Pictures* commands, you are ready to start writing some BASIC programs with them.

The *Moving Pictures* distribution disk contains two additional utilities. An older version of the *Super DOS* fast loader from Prism Software is provided to greatly speed up disk operations. This fast loader is known to be temperamental with regard to the disk drives it will work with. It is particularly fussy about alignment and drive speed. If *Super DOS* works with your 1541, then so much the better. Otherwise just ignore it.

If you boot *Moving Pictures* from the provided menu program, you will also have access to the included help files. These help files contain nearly the entire manual on disk. In fact this was the only documentation provided with the first release of *Moving Pictures*. The help routines are designed to work with any properly formatted sequential text files. You can create your own help system for other programs by transferring the appropriate files and setting up your own text.

Overall, *Moving Pictures* is an easy to use extension to BASIC which allows you to compile a series of 8K bit map screens into an animated sequence. Although its use of color is somewhat limited, the available features represent a good tradeoff between operating speed and the available hardware resources.

C.D.A. Inc., P.O. Box 1052, Yreka, CA 96097-1052 (phone: 916-842-3431).

—Morton Kevelson

OUTRAGEOUS PAGES

Electronic Arts
Commodore 64
Disk; \$49.95

Yet another *Print Shop* knockoff? While there have been a lot of programs that would fit that description, this one really is different. It's an icon-driven design board for the layout of almost any type of sign, newsletter, or bulletin, simple enough to allow even a novice to create professional looking work. It's probably as close as you can

Keep Your Collection Looking Shipshape with

Ahoy! Binders



Don't be caught at sea the next time you need valuable programming information from a back issue of *Ahoy!* Our official binders turn a year's worth of *Ahoy!* into a textbook on Commodore computing! These quality-constructed binders use metal rods to hold each magazine individually, allowing easy reference to any issue without removal. Sporting a navy blue casing with a gold *Ahoy!* logo imprinted on the spine, these binders will be the pride of your computer bookshelf.

To order, send \$12.45 (US funds) for each binder desired to:

Ahoy! Binders
45 West 34th Street—Suite 407
New York, NY 10001

(Outside Continental US add \$2.50 per binder. Allow 4 to 6 weeks for delivery.)

COMMODORE AUTHORIZED SERVICE

POWER SUPPLY (C-64)	\$29.95
C-64 REPAIR	44.95
1541/1571 ALIGNMENT	35.00
1541 REPAIR & ALIGNMENT	75.00
C-128 REPAIR	75.00
1571 REPAIR	95.00
POWER SUPPLY (C-128)	84.95
EXTENDED WARRANTY	CALL

Free Return Freight - Continental US
Add \$10 for APO, FPO, AIR
Save COD charge - send Check or
Money Order. (Purchase Order Accepted)

Second Source Engineering

2664 Mercantile Drive
Rancho Cordova, CA 95670
(916) 635-3725

TIRED OF WRITING PROGRAMS THAT RUN IN SLOW MOTION?

TRY:

64-TRAN

The first FORTRAN Development
Environment for the Commodore 64
or 128 (in 64 mode)



- ◆ Comprehensive manual included
- ◆ Generates relocatable machine code
- ◆ Creates fast, saveable programs
- ◆ Allows for low overhead by linking only the system routines required
- ◆ EXEC statement allows access to 6502 registers, kernel and user written machine language routines
- ◆ Block IF-THEN-ELSE-ENDIF constructs
- ◆ Minimum requirement of C64 and one disk drive
- ◆ \$50.00 each (MD residents add \$2.50 tax)

Orders and Info Call:

(301) 992-9527

Or Write To:

TRIDENT SOFTWARE
P.O. Box 180 Glenelg, MD 21737



Dealer Inquiries Welcome

get to genuine desktop publishing for the Commodore 64.

Outrageous Pages is the fifth-generation child of icon-oriented software like *GEOS*, programs that allow the user to operate the application by pointing at different pictures on the screen with an arrow and pushing the fire button. I expected the program to be user-friendly, but it performed beyond my highest expectations.

If *GEOS* is user friendly, then *Outrageous Pages* warrants the description "subliminal." I had this program up and operating in 10 minutes without barely a glance at the manual. The commands are so visually oriented that control of this program approaches Zen.

A joystick- or mouse-controlled pointer is used to select different icons from the right side of the screen. What I like about these symbols is that they really look like the objects they're supposed to represent. The disk drive, scissors, text icon, and their brothers are well-chosen for their obvious meanings, contrary to the hieroglyphs in

GEOS and similar systems. With the exception of the text processor, the control system is almost completely visual; a real plus for me, as I find it annoying to keep switching from keyboard to mouse while running a program.

Incredibly enough, the icon pointer is only a pointer when it is not on the design screen, which occupies the lower 3/4 of the screen display. When the pointer is moved onto the design grid, it changes into a set of intersecting horizontal and vertical lines that are used for formatting your display. Classy touches like this demonstrate genuine care on the part of the programming team.

The actual text editor for documents brought tears to my eyes. It featured wordwrap, centering, and justification, even margin controls for both left and right edge of the text fields. Most word processors don't even have these options. The default font was beautiful and crisply drawn, but it was only one of many included on a separate disk.

For the beginner who is a little nervous about designing his own layouts, there is a disk of predesigned templates he can load in and format to his own needs. This templates disk contains patterns for newsletters, bulletins, calendars, and other common requirements for schools and churches, etc.

As if all this were not enough, you have an entire disk full of patterns and artwork you can lay down beside your creations, enough to suit almost anyone's purposes. In the event you cannot find the type of design you need, a converter for *Print Shop* files (practically an industry standard) is included on the disk. This opens up the door to an almost unlimited universe of designs which can be incorporated into *Outrageous Pages*. People who feel themselves lacking in artistic talent will be glad to know that they can create excellent professional results simply by using good judgment and patience in laying down the text and artwork.

The printer support is one of the few weak points about the entire package. I felt that the disk did not include quite enough printer drivers, which are an absolute must for a program like this. As long as you have an MPS-801 compatible, you won't have a problem, but users with unusual printer configurations may encounter a little frustration. Epson and Star, the most common third

A Powerful Wordprocessor for the Commodore 128®



Selected
for the 1987
CES Software
Showcase
Award.

From the author of *Fontmaster II* comes *Fontmaster 128*, an enhanced version for the Commodore 128. This powerful word processor with its many different print styles (fonts), turns your dot matrix printer into a more effectual tool. Term papers, newsletters, and foreign languages are just a few of its many applications.




- * Program disk with no protection - uses hardware key
- * Supplement disk includes foreign language fonts
- * 56 Fonts ready to use
- * Font editor/creator included
- * On screen Font preview
- * 80 column only
- * Supports more than 110 printers
- * Includes a 102,000 word Spell Checker

Only
\$69.95

Commodore 128 is a registered trademark of Commodore Business Machines, Inc.



Inc. 2804 Arnold Rd. Salina, Ks. 67401 (913) 827-0685



Outrageous Pages supplies clip art, borders, and typefaces for creating invitations, certificates, and more.

READER SERVICE NO. 189

party printers, are also well-supported. With my Commodore-compatible SR-2000 from Sears, I was able to use the MPS-801 driver without experiencing any problems.

Outrageous Pages comes with my highest recommendation. It is a stand-

up winner in the *Print Shop* mob, far surpassing its mentor. You'll find it a very satisfying addition to your software library.

Electronic Arts, 1820 Gateway Drive, San Mateo, CA 94404 (phone: 415-571-7171). —**Cleveland M. Blakemore**

PROGRAMS WANTED!

We're always in search of the best game, utility, and productivity programs available. If you've written a program which fits that description, send it on disk, accompanied by printed documentation, a program printout, and a stamped, self-addressed envelope to:

Ahoy! Program Submissions Dept.
Ion International Inc.
45 West 34th Street—Suite 500
New York, NY 10001.

Payment is made on acceptance, at highly competitive rates.

READER SERVICE INDEX

Page	Company	Svc. No.
48	Access Software, Inc.	149
C-4	Access Software	245
57	Accolade	165
18	Alsoft	155
64	Acorn of Indiana	164
44	Activision	147
22	Avantgarde 64	176
C-3	Cinemaware	158
9	COMB	—
6	CDA	300
17	CompuServe	175
24-29	Computer Direct	146
18	Computer Repeats	159
19	Datasoft	153
21	Datasoft	154
8	Electronic Arts	170
44	Electronic Arts	148
67	Electronic Arts	189
45	Free Spirit Software	178
10	Fuji Photo Film U.S.A.	190
60	Inkwell Systems	179
58-59	Lycos Computer	152
10	Master Software	182
37	Montgomery Grant	160
53	New Tek	163
62	Oceanic America	162
10	P.A.V.Y. Software	183
57	Phoenix Electronics Inc.	169
63	Phoenix Electronics Inc.	167
63	Phoenix Electronics Inc.	168
38	Q-Link	157
64	Rent-A-Disc	184
12	Richwood Software	185
65	Second Source	186
7	Seikosha America Inc.	171
5	Soft Disk	107
48	Software Simulations	145
31	S & S Wholesalers	177
34	Software Support Int'l	—
50-51	Software Support Int'l	—
57	Strategic Simulations	166
72	TC Electronics	181
66	Trident Software	187
40	U.S.S. Photo	151
11	Value Soft Inc.	174
C-2	Viking Tech	156
12	Weber & Sons	191
71	Wedgwood Rental	150
71	Wedgwood Rental	180
66	Xetec, Inc.	188
8	Ahoy! Disk Magazine	—
23	Ahoy! Disk	—
47	Ahoy! Subscription	—
65	Ahoy! Binders	—
69	Ahoy! Back Issues	—

The publisher cannot assume responsibility for errors in the above listing.

By Dale Rupert

Each month, we'll present several challenges designed to stimulate your synapses and toggle the bits in your cerebral random access memory. We invite you to send your solutions to:

Commodares, c/o Ahoy!
P.O. Box 723
Bethel, CT 06801

We will print and discuss the cleverest, simplest, shortest, most interesting and/or most unusual solutions. Be sure to identify the *name* and *number* of the problems you are solving. Also show sample runs if possible. Be sure to tell what makes your solutions unique or interesting, if they are.

Programs on diskette (1541 format only) are welcome, but they must be accompanied by listings. You must enclose a stamped, self-addressed envelope if you want any of your materials returned. Solutions received by the middle of the month shown on the magazine cover are most likely to be discussed, but you may send solutions and comments any time. Your original programming problems, suggestions, and ideas are equally welcome. The best ones will become *Commodares*!

PROBLEM #51-1: UNLISTED NUMBERS

This problem was submitted by Douglas Raynor Jr. (Ft. Benning, GA). Write a BASIC program which can be added to another program making it impossible to LIST the program. Let's see versions for the C-64 and the C-128.

PROBLEM #51-2: DOUBLE SORT

Try this one from Don Monson (White Rock, BC). The user specifies a list of words. The program sorts the words by length and then subsorts the letters of each word alphabetically. For example, the list of words YES, COMMODORES, ARE, FUN, EVA is sorted and displayed in the following manner:

AER	ARE
AEV	EVA
ESY	YES
FNU	FUN
ACDEM MOORS	COMMODORES

Notice that equal-length words are sorted according to their alphabetized letters. (Perhaps this is really a triple sort?)

PROBLEM #51-3: SQUARED CIRCLES

This one from Ernie Turner (Columbia, MS) looks like fun. Fill a 3-inch square with as many 1/2-inch diameter circles as possible. The circles do not overlap. What is the total amount of unfilled space? Ernie implies that this is tough. What do you think?

PROBLEM #51-4: CRYPTIC PRODUCT

Write a program to solve this multiplication problem:

ABC * DE = FGHIJ

Each letter from A to J represents a single digit from 0 through 9, and C=2. (For an added challenge, are there

any values that C cannot be, assuming that all digits are represented?)

Before we start with the solutions to December's *Commodares*, let's take care of some old business. Charles Kluepfel (Bloomfield, NJ) pointed out that of the solutions to *Problem #43-3: Random Order* presented in the November 1987 issue, Paul Sobolik's solution was the most random. Searching in numerical order for the next unused value (as in some of the other algorithms discussed) will add some undesired order to the randomizing process. Thanks for the input, Charles.

Problems #47-1: Four Weights and *#47-2: Weighty Problem* were some heavy-duty challenges. Joe Butt (Knoxville, TN) suggested these classic balance-weight problems. The first problem was to let the computer come up with the four different weights the grocer needs to measure any object up to 40 pounds. Weights may be placed on the balance pan with the object being weighed, or they may be placed on the balance pan on the opposite side of the fulcrum.

Several readers let the computer do all the work. They created four nested FOR-NEXT loops to generate all combinations of four numbers (representing the four weights) from 1 to 40. Then a series of IF-THEN statements determined which groups of numbers could be combined to give every integer sum from 1 to 40. While these solutions are perfectly good and give the right answer, they are also rather lengthy and time-consuming. The results are weights of 1, 3, 9, and 27 pounds. These are consecutive powers of 3: $3 \uparrow 0$, $3 \uparrow 1$, $3 \uparrow 2$, and $3 \uparrow 3$.

Jim Speers (Niles, MI) used a process of inductive reasoning to solve the problem on paper. He found by trial and error that the solution for two weights gives 1 pound and 3 pounds. A third weight then must weigh objects from 5 pounds and up. The largest number which can be combined with 1 and 3 to give 5 is 9 ($9-3-1=5$). The numbers from 5 to 8 can also be weighed, since 1 and 3 give all values from 1 to 4. Values from 1 to 13 can be measured with 1, 3, and 9.

Continuing this line of reasoning, Jim looked for the largest number which could be used with 1, 3, and 9 to give 14: ($X-9-3-1=14$; $X=27$). Jim arrived at a general formula for the next weight to be added:

$$WT(X+1) = 1 + 2 * (\text{SUM of WTS}(1...X))$$

Since the 3rd weight is 9, the 4th weight is

$$\begin{aligned} WT(3+1) &= 1 + 2 * (\text{SUM of WTS}(1...3)) \\ &= 1 + 2 * (1 + 3 + 9) \\ &= 1 + 2 * 13 \\ &= 27 \end{aligned}$$

Jim found that this formula is equivalent to the formula $WT(X+1) = 3 \uparrow X$, thus agreeing with the earlier results that the weights are consecutive powers of 3.

BACK ISSUES OF *Ahoy!*

#2—FEB. '84 Illustrated tour of the 1541! Artificial intelligence! Synapse's Ihor Wolosenko interviewed! String functions! And ready to enter: Music Maker Part III! Screen Manipulation! Night Attack! Relative Files!	#3—MAR. '84 Anatomy of the 64! Printer interfacing for VIC & 64! Educational software series begins! VIC game buyer's guide! And ready to enter: Address Book! Space Lanes! Random Files on the 64! Dynamic Power!	#5—MAY '84 Future of Commodore! Inside BASIC storage! Memory management on the VIC & 64! Guide to spreadsheets! Hurray for arrays! And ready to enter: Math Master! Air Assault! Biorhythms! VIC Calculator!	Supply of certain issues is very limited...order now!
#7—JULY '84 MSD dual disk drive! Database buyer's guide! Training your cursor! Screen displays! File Sleuth! Users Groups! And ready to enter: Renumbring! Checklist! Math Defender! Brisk! What's My Job?	#8—AUG. '84 Choosing a word processor! Computational wizardry! Creating your own word games! Sound on the 64! And ready to enter: Micro-Minder! Directory Assistance! The Terrible Twins! Words Worth!	#9—SEPT. '84 Program your own text adventure! Build a C-64 cassette interface! Video RAM! Word processors, part III! And ready to enter: Salvage Diver! DOS! Sound Explorer! The Castle of Darkness! Base Conversions!	#10—OCT. '84 C-64 graphics programs! Bit-mapped graphics! Joystick programming! Graphics processing! And ready to enter: VIC 40 Column Operating System! BAM Read & Print! Emerald Elephant! Lawn Job!
#11—NOV. '84 Music programs & keyboards for the 64! Graphics feature continues! 2-D arrays! And ready to enter: PTE word processor! Block Editor! Alternate Character Set for the 64! Tunnel of Tomachon!	#12—DEC. '84 Buyer's guide to printers! 1525 printer tutorial! Fast graphics with custom characters! User Guide to KMMH Pascal! Diving into BASIC! And ready to enter: Construction Co.! Space Patrol! Cross Ref!	#13—JAN. '85 VIC and 64 OS exposed! Sprites! Insert a 1541 device # disconnect switch! Ghostbusters! And ready to enter: Ultra Mail! Music Tutor! Alice in Adventureland! Midprint! To the Top! Tape/Disk Transfer!	#14—FEB. '85 Printer interfacing! Multi-color sprites! Modems! Bulletin Boards! Theory of game design! Buying a modem! And ready to enter: Futureware! Fontasia! VIC Eraser! Insurance Agent! Flankspeed! Telexlink 64!
#15—MAR. '85 Creating multiscreen gameboards! Inside the Plus/4! Commodore DOS! And ready to enter: Old Routine! Programmable Functions! Automatic Line Nos.! Home Budget! Salmon Run! Numerology!	#16—APR. '85 Assembly language column begins! Programming the joystick! 1541 disk drive alternatives! The Kernel! And ready to enter: Hop Around! Faster 64! Booter! Elecheck! BASIC Trace! Space Hunt!	#17—MAY '85 Disk drive enhancements! Install a reset switch! Assembler escapades! And ready to enter: Super Duper! Two-Column Directory! DSKDU! Raid! DOS Plus! Font Editor! Tile Time! Interrupt Wedge!	#18—JUNE '85 Music & graphics entry system! How modems work! Inside the 6510! And ready to enter: Quad-Print! Mapping 4.4! Towers of Hanoi! Speedy! Duck Shoot! Bit Dumping! Screen Magic! 6510 Simulator!
#19—JULY '85 PROM Programming! 3-part harmonies on VIC/64! Speeding pixels! And ready to enter: Auto-Append! Script Analysis! Wizard of Im! Lucky Lottery! Brainframe! Etch! Printat! Autos: Leasing v. Buying!	#20—AUG. '85 Inside the 128! Real-world simulations! Sound effects! Modems! And ready to enter: Windows! Formatter! Sound-a-Rama! Screen Dump! Selectachrome! Disintegrator! Fiddits! Gators N Snakes!	#21—SEP. '85 Inside the 1571 drive and 128 keyboard! Sprite programming! And ready to enter: Fastnew! Go-lister! File Lock! Dragon Type! Superhero! Auto-Gen! Moxey's Porch! Fish Math! Ahoy/Dock! Invective!	#22—OCT. '85 Create cartoon characters! Infinitesimal intrigue! Secrets of copy protection! And ready to enter: Shotgun! Maestro! Solitaire! Mystery at Mycroft! Mews! Gravi-nauts! 1541 Cleaning Utility! Shadey Dump!
#23—NOV. '85 Guide to adventure gaming! ML sprite manipulation! BASIC for beginners! And ready to enter: Lightning Loader! Knight's Tour! Chopper Flight! Rhythmic Bits! Instant Bug Repellent! File Scout! Slither!	#24—DEC. '85 Speech synthesizer! The IBM Connection! The year's 25 best entertainments! And ready to enter: Gypsy Starship! Directory Manipulator! Cloak! Gameloder! Jewel Quest! Lineout! Santa's Busy Day!	#25—JAN. '86 Build a speech synthesizer! Survey of sports games! And ready to enter: Martian Monsters! Streamer Font! Microsim! Haunted Castle! Knockout! Infraraid! Alarm Clock! Memory Check! Scratch Pad!	#26—FEB. '86 Windows! Build an auto-exec cartridge! Align your 1541! Survey of flight simulators! Structured programming! And ready to enter: Arena! Head to Head! Crabfight! Treasure Wheel! Character Dump!
#27—MAR. '86 Programming educational games! Memory dumpers! Choosing a copy program! Custom characters! And ready to enter: Ahoy!Term 128! Trivia Game Maker! Brickbusters! Easy Lister! Programmer's Aid!	#28—APR. '86 Comet catching! Survey of action and strategy games! Screen dumping! And ready to enter: Chrono-Wedge! Mr. Myster! Air Rescue! Notemaker! Screen Window! JCALC! Hidden Cavern! Swoop!	#29—MAY '86 128 graphic bit map! Epyx strategy guide! 128 commands! ML music programming! And ready to enter: Bigprint! Star Search! Failsafe! English Darts! Ski Folly! Free RAM Check! Alchemist's Apprentice!	#30—JUNE '86 Debugging dilemmas! Public domain software! Winning at Ultima! Computer Aided Design! And ready to enter: LazyBASIC! Got A Match? Star Strike! Queen's and Bishop's Tours! Shaker! Trackdown!
#31—JULY '86 Inside the Amiga! Conditional branching! Chess programs! 128 and 64 DOS! And ready to enter: Screen Sleuth! Skull Castle! Head-on! Nebergall Run! Word-count! Crazy Joe! Fiddits' Music School!	#32—AUG. '86 Inside the Amiga, part III! Approaching infinity! C-64 war simulations! Pascal for beginners! ML graphics! And ready to enter: Revers! Highlight! Disk Cataloger! Meteor Run! Trim! Step On It! Flap!	#33—SEPT. '86 Windows and viewports! Sound & music on the 64! COMAL! And ready to enter: The Last Ninja! Speech64! Multi RAM! Dogcatcher! Trapped! Matchblocks! Variable Manager! Dual Dump! Mine Canyon!	#34—OCT. '86 Build a digital oscilloscope! ML speed techniques! And ready to enter: Vault of Terror! Quick Change! Penguins! Attack Force! Disk Checkup! Dvorak Keyboard! Mountaineer Mack! 128 to 64 Autoboot!
#35—NOV. '86 C-128 shadow registers! Data file handling! PROMAL! Habitat! And ready to enter: Teletopier! 128 RAM Check! Discs of Daedalus! Guardian! Tenpins! Syntax Patrol! Deluxe List! Long Lines! Detonation!	#36—DEC. '86 File manipulation! C-128 shadow registers! Football games! And ready to enter: The Artist! Minotaur Maze! Mouse in the House! Lazy Source Code! Rebels and Lords! Speedway! The Editor! Micro City!	#37—JAN. '87 Pointers and the monitor! Best games of '86! DOS for beginners! And ready to enter: Vortex! Hanger 14! BASIC Ahoy! Catacombs! Lister! Dark Fortress! PermaLine! Starfighter! Bugout! Screens!	#38—FEB. '87 Hacking into machine language utilities! Amiga RAM expanders! And ready to enter: Window Magic! Crunchman! User Conventions! The Adventurer! More BASIC 128! Jailbreak! Turtle Rescue! 640!
#39—MAR. '87 Basic esthetics! Survey of video digitizers! Multiplayer games! And ready to enter: C-64 Compressor! Wizard Tag! Turbopoke! Rescue 128! Lights Out! Pinball Arcade! Stow Away! Caverns of Geehonk!	#40—APR. '87 Inside the Amiga 2000! Fractals! Baseball games! COMAL, turtle graphics, and Logo! And ready to enter: Info-flow! Laps! Pieman! List Formatter! Scrambler! Extended Background Model! Planet Duel!	#41—MAY '87 Kernal power! 64 and Amiga graphics! Microworlds in COMAL! Brain games! Dark Fortress master maps! And ready to enter: Moondog! Startup! Illusion Master! Wall Crawler! Scavenger Hunt!	#42—JUNE '87 Megaflops and microseconds! Sci-fi braingames! C-64 to Amiga file transfer! And ready to enter: D-Snap! Wraiths! Galactic Cab Co.! Cave of the Ice Ape! ALT-Key 128! Power Squares! 128 Multi RAM!
#43—JULY '87 Real world interfacing! Bit map graphics tutorial! C-64 graphic conversion! Martial arts software! And ready to enter: Wizard Tag III! Data Creator! Plink & Plonk! Univaders! Data Express! 128 Scroller!	#44—AUG. '87 Electronic screen swapping on the C-128! Science fiction action games! The death of GOTO! Amiga reviews! And ready to enter: Archer! Banner Print! Route 64! Steeplechase! Batter Up! Scanner!	#45—SEP. '87 The 128 versus The Clones! Building an Amiga trackball! MSD update! CES Report! And ready to enter: Crystallus! Spriteshell! Hoops! Chainmail! No News! PS to GEOS! Centerfold! Red Alert!	#46—OCT. '87 A rainbow of data structures! BASIC 8.0 reviewed! Buying guide to COMAL! Tips Ahoy! Art Gallery! And ready to enter: Empire! C-64 RAMDrive! Hotfoot! Platforms! Spray-Cam! Jam Attack!
#47—NOV. '87 The ins and outs of data organization! Overview of C-64 memory expanders! Commodores! And ready to enter: Orbit! RAMCO! A-Maze-Ing! Line Sentry! Desert Front! Paper Route! Flash Flood!	#48—DEC. '87 Exploring artificial intelligence! Expansion port tutorial! Memory expanders! And ready to enter: Redirect! Silhouette! Fueling Station! Take Two! Pizza Boy! Sprite-On! Warship! Cliffhanger!	#49—JAN. '88 Iterative mathematics and graphics! Expansion port tutorial, part II! The best C-64 and Amiga games of 1987! And ready to enter: Infollow 64! TextSave! Clone-A-Matic! Ice Titans! Jungle Jake!	#50—FEB. '88 Investigating audible wave phenomena! Cartridges! Commodore 64 emulators for the Amiga! And ready to enter: Coffee Break! Crypt of Fear! Screen Wizard! ML Ranger! 128 Smart Merge! Marauder!

Use coupon or facsimile.

If ordering more than four issues, list choices on a separate sheet.

Please send me

____ copies of issue # _____
 ____ copies of issue # _____

**ALL ISSUES \$4.00
 EXCEPT #2, #3, & #21 (\$10.00)**

Enclosed please find my check or money order for \$_____ (outside the USA add \$1.00 per copy)

NAME _____

ADDRESS _____

CITY _____

STATE _____

ZIP _____

Send to: *Ahoy!* Back Issues, Ion International Inc., 45 West 34th Street—Suite 500, New York, NY 10001.

A few other readers recognized that this is a problem which can be readily solved using the base-3 number system. Unlike the base-2 (binary) system in which each digit is "on" or "off," this problem calls for a collection of weights which are used "on the same side as the object," "on the opposite side," or "on neither side."

Justin Smalley (Boulder, CO) printed this line in direct mode to find out which number system bases can be used to measure up to 40 pounds with only four weights:

```
FOR N=2 TO 10 : PRINT N; INT(LOG(40)/LOG
(N))+.1)+1 : NEXT
```

This loop prints the possible bases from 2 to 10 and as well as "one plus the mantissa of the base-N logarithm of 40." The results show that 40 can be represented by 4 digits or less in any base that is 3 or larger. (This should be understandable if you are familiar with binary math. In the binary system, a 4-digit number (4 bits) can represent the 16 integers from 0 to 15. The bit values are 1, 2, 4, and 8 with a sum of 15. If these values represent weights in pounds, combining the four weights would give a total of 15 pounds. Similarly, base-3 digits would have values 1, 3, 9, and 27 giving a sum of 40 pounds.)

In his program, Justin uses the formula above to calculate the number of weights needed (in base 3) for measuring any maximum weight MX.

```
•1 REM =====
•2 REM   COMMODARES PROBLEM #47-1 :
•3 REM   FOUR WEIGHTS
•4 REM   SOLUTION BY
•5 REM   JUSTIN SMALLEY
•6 REM =====
•10 MX=40:BA=3
•15 NW=INT(LOG(MX)/LOG(BA)+.1)+1
•20 FORI=1TONW:W(I)=INT(BA[UPARROW](I-1)+
  .1):S(I)=S(I-1)+W(I):NEXT:DIMN(MX,NW):K=
  1
•25 REM
•30 FORW=1TOMX
•35 D=W-W(K):IFW>S(K)THENK=K+1:GOTO35
•40 N(W,1)=W(K):S=SGN(D):D=ABS(D)
•45 FORI=2TONW:N(W,I)=S*N(D,I-1):NEXTI,W
•50 REM
•55 FORW=1TOMX:TT=20:IFINT(W/2)*2<>WTHENT
  T=0:PRINT
•60 PRINTTAB(TT)W""":FORJ=1TONW:PRINTN(W
  J):NEXTJ,W:END
```

The loop at line 20 fills the array W() with the base-3 digits 1, 3, 9, and 27 representing the four weights. S() stores the cumulative sum of the digits, 1, 4, 13, and 40. The loop at line 30 converts each weight from 1 to 40 to its equivalent base-3 representation and stores the results in N().

A positive weight value goes on the balance opposite the object being weighed. A negative weight goes on the same side as the object. A value of zero means that the particular weight is not used. The loop at line 55 prints the weights of the 40 objects and the corresponding weights used. For

example, the output:

```
15 = 27 -9 -3 0
```

means that to measure a 15 pound object, put the 27 pound weight on the opposite side and put the 3 and 9 pound weights on the same side as the object. The 1 pound weight is not used.

This short program from David Hoffner (Brooklyn, NY) displays the 40 objects and the positions of the weights used:

```
•1 REM =====
•2 REM   COMMODARES PROBLEM #47-2 :
•3 REM   WEIGHTY PROBLEM
•4 REM   SOLUTION BY
•5 REM   DAVID HOFFNER
•6 REM =====
•10 FORW=1TO40:PRINTW:F=W:FORN=0TO3:S=INT
  (F/3):T=INT(3.1*(F/3-S))+C
•20 IFT=1ORT=2THENPRINTTAB(T*5)3[UPARROW]
  N
•30 C=-(T>1):F=S:NEXTN,W
```

The object weight is printed in the left column. The middle column represents the weights placed opposite the object, and the right hand column shows weights placed on the same side as the object.

An interesting discussion of the base 3 number system (called the "ternary" system) is presented in Martin Gardner's *Sixth Book of Mathematical Games from Scientific American*, (Scribner's, 1971).

Congratulations also to Craig Ewert (Crystal Lake, IL), Jim Speers (Niles, MI), Larry Cox (Tecumseh, MI), Robert Marcus (Agincourt, ONT), and Wallace Leeker (Lemay, MO) for their solutions to these problems.

Dan Balint suggested *Problem #47-3: Joyful Sprite*. By the time you saw the problem it had become Joyful Spirits. In any case, the problem was to write a bare-bones program which lets the user move a sprite around on the screen with a joystick.

BASIC 7.0 on the C-128 does most of the work in solving this problem, as this program from Wallace Leeker (Lemay, MO) shows.

```
•1 REM =====
•2 REM   COMMODARE PROBLEM #47-3 :
•3 REM   JOYFUL SPIRITS
•4 REM   SOLUTION BY
•5 REM   WALLACE LEEKER
•6 REM ===== C-128 ONLY =====
•10 DATA 0,112,0,0,248,0,1,252,0,3,54,0,3
  ,254,0,3,238,0,1,196,0,0,232,0,3,254,8,1
  5,255,28,63,255,140,119,255,252,119,255
•20 DATA240,63,255,192,63,255,192,7,255,1
  92,7,255,192,3,255,224,0,255,248,0,31,25
  2,0,1,254,0,0,0,0,0,0,0,0,0
•40 FORC=3584TO3648:READA:POKEC,A:NEXT
•50 GRAPHIC1,1
•60 SPRITE1,1,2,0,0,0,0
•70 MOVSPR1,150,150
```



```

•80 DO:A=JOY(1):IFA=0 OR A>8THEN LOOP
•90 Z=(A-1)*45
•100 MOVSPR1,1;Z
•110 LOOP

```

True to the spirit of the problem, Wallace's sprite is a ghostly shape defined by the DATA statements in lines 10 and 20. Wallace said that he used the C-128's SPRDEF sprite editor to create the shape. He then entered the Monitor to write down the data in memory locations \$0E00 - \$0E40 which correspond to Sprite 1. He used the DEC(A\$) function to convert the hexadecimal values shown by the Monitor into the decimal values given in the DATA statements.

Line 40 puts the data into the Sprite 1 memory. Line 50 selects graphics mode, and line 60 displays the sprite and gives it color. Line 70 puts it into the center of the screen. Line 90 converts the joystick values from 0 to 8 into angles from 0 to 360. The MOVSPR command in line 100 uses the (distance;angle) parameters to move the sprite. This is repeated continuously from line 80.

The joystick should be in Port 1. Pressing the button will cause the joystick value to be outside the range 0 through 8, and the sprite will stop.

An alternative to copying the sprite data into DATA statements is to "capture" the sprite data from the screen. Douglas Raynor Jr. (Ft. Benning, GA) used this method to create a sprite. He used DRAW and PAINT to display the sprite's shape in the upper left corner of the screen. Then he used these statements:

```

SSHAPE A$,1,1,24,21
SPRSAB A$,1
SPRITE 1,1,6,0,0,0,0
MOVSPR 1,140,80

```

The SSHAPE statement stores the bit-map data from (1,1) to (24,21) on the screen in variable A\$. The SPRSAB statement copies this data from A\$ into the proper sprite 1 memory locations. The SPRITE statement turns the sprite on and sets its color, priority, size, and mode. This MOVSPR command uses absolute coordinates to position the sprite rather than the distance/angle format that Wallace used.

This program from Casey Riley (Smith, Nevada) shows that solving the problem on a C-64 is not really that much more difficult.

```

•1 REM =====
•2 REM  COMMODORE PROBLEM #47-3 :
•3 REM  JOYFUL SPIRITS
•5 REM  CASEY RILEY
•6 REM =====
•10 PRINT CHR$(147):V=53248:X=100:Y=150:F
   OR D=832 TO 832+63 : POKE D,255 : NEXT
•20 POKE 2040,13 :POKE V+21,1:POKE V+39,1
•30 POKE V,X : POKE V+1,Y
•40 C=PEEK(56320):REM JOYSTICK IN PORT 2
•50 IF (C AND 1)=0 THEN Y=Y-1
•60 IF (C AND 2)=0 THEN Y=Y+1
•70 IF (C AND 4)=0 THEN X=X-1

```

```

•80 IF (C AND 8)=0 THEN X=X+1
•85 GOTO 30
•89 REM OPTIONAL BOUNDARIES (DELETE LINE
   85)
•90 IF Y<30 THEN Y=30
•100 IF Y>229 THEN Y=229
•110 IF X<1 THEN X=1
•120 IF X>255 THEN X=255
•130 GOTO 30

```

Line 10 clears the screen, then fills 64 locations starting at address 832 with 255's. This will be the sprite data (all bits are set). Line 20 sets the sprite 0 data pointer to location 832 ($13 * 64 = 832$). The VIC register at V+21 enables the sprite. The register at V+39 sets the color of the sprite.

The main loop begins at line 30. VIC registers at 53248 and 53249 are sprite 0's X and Y screen locations. Line 40 reads the joystick in Port 2. Moving the joystick up, down, right, or left sets bits 0, 1, 2, or 3 of address 56320. These bits correspond to the values 1, 2, 4, and 8 as shown in lines 50 through 80. Line 85 repeats the loop.

You should delete line 85 so that the boundary checking routine starting at line 90 is executed. Otherwise the values of X and Y will become too large (>255) or too small (<0) and give an illegal quantity error.

If you would like to see Wallace Leeker's spritely spirit on your C-64, replace the POKE D,255 in line 10 with READ K : POKE D,K and add Wallace's DATA statements from the previous program as lines 210 and 220.

RENTING SOFTWARE ISN'T HARD!

It's as easy as picking up the phone and giving your order. If you have a credit card, it's even easier. The hardest part may be waiting for the mail to come!

We have software for ATARI,
COMMODORE, IBM, APPLE,
520ST and AMIGA.

CALL NOW
FOR COMPLETE LIST

Call toll-free outside Texas: 1-800-433-2938
- Inside Texas call: 817-292-7396



WEDGWOOD RENTAL

5316 Woodway Drive
Fort Worth, Texas 76133



Adam Grayer (Toms River, NJ) added a feature to his program. Pressing the fire button of the joystick causes the sprite to change color at random. You can easily modify the program above to do this with the following line:

```
45 IF (C AND 16)=0 THEN POKE V+39,INT(RND(1)*16)+1
```

Recall that V+39 is the color location for sprite 0. Bit 4 of address 56320 is 0 whenever the button is pressed. The expression (C AND 16) looks at just that bit.

The final challenge this month was *Problem #47-4: Musical Joys*. The idea was to use the joystick to control some sounds with the joystick. There were no C-64 solutions. This short program from Darrin Batten (Mineral Wells, WV) gives a "space ship slide whistle" effect on the C-128.

```

1 REM =====
2 REM   PROBLEM #47-4 :
3 REM   MUSICAL JOYS
4 REM   SOLUTION BY
5 REM   DARRIN BATTEN
6 REM =====
70 X=2960:Y=2860:Z=2760
80 DO
90 IF JOY(2)=1 THEN X=X+90 : Y=Y+90 : Z=
  Z+90

```

```

40 IF JOY(2)=5 THEN X=X-90 : Y=Y-90 : Z=
  Z-90
50 IF Z<=90 THEN 80
60 IF Z>65500 THEN 80
70 SOUND 1,X,2.33 : SOUND 2,Y,2.33 : SOU
  ND 3,Z,2.33
80 LOOP

```

Put the joystick into Port 2. Pulling back on the stick lowers the pitch and pushing forward raises the pitch. The frequencies of the three voices are close together, causing a "beating" effect (see *Rupert Report* this month for more on the subject).

This little program from Jim Speers gives your creativity more leeway.









```

1 REM =====
2 REM   PROBLEM #47-4 :
3 REM   MUSICAL JOYS
4 REM   SOLUTION BY
5 REM   JIM SPEERS
6 REM =====
100 FORI=1TO8:READO$(I),N$(I):NEXT
110 DATA 04,C,04,D,04,E,04,F,04,G,04,A,0
  4,B,05,C
120 FORI=9TO9:READE$(I):NEXT
130 DATA T0,T1,T2,T3,T4,T5,T6,T7,T8,T9
140 DEFFNE(X)=X+1+I*(X=9):DEFFNT(X)=X+2
  +24*(X=24):E=1:T=8:TEMPO T
150 PRINT"[CLEAR][5"[DOWN]]"TAB(13)"[RV
  SON] IT'S ON !! [RVSOFF]":PRINT"[DOWN]"
  TAB(14)"[RVSON] PLAY IT! [RVSOFF]"
160 J=JOY(2):FORI=1TO50:NEXTI:IFJ<128THE
  N220
170 FORI=1TO50:NEXTI:TM=TI+60
180 J=JOY(2):IFJ>127THEN210
190 IFTM>TITHE180
200 E=FNE(E):GOTO160
210 T=FNT(T):TEMPO T:GOTO 160
220 IF J=0 THEN 160
230 X$="V1"+O$(J)+E$(E)+N$(J):PLAY X$:FO
  RI=1TO200:NEXT:GOTO160

```

COMPUTER REPAIR

800-221-7770

AMIGA \$100.00		AMIGA \$100.00		AMIGA \$100.00	
 Commodore Disk Drive 1541 2031	\$60.00	 Commodore Monitor 1701 1702	\$75.00	*	
 Commodore SX-64 Portable Computer	\$99.00	 PET 64 VIC 20 64 Computers	\$45.00		
 Commodore Printer MPS 801 MPS 803	\$50.00	 Commodore Printer 1526 MPS 802	\$75.00		
 MSD SD1, SD2 CBM 128 CBM 1571	\$85.00	 Commodore Computer 8032 8050	\$85.00	*	

WE BUY ALIVE	commodore SERVICE CENTER	PARTS
64 60.00	REG 6 PIN DIN 3.95	901225-01 10.85
1541 NEWT 75.00	12' 6 PIN DIN 7.95	901226-01 10.85
1541 ALPS 60.00	18' 6 PIN DIN 9.95	901227-03 10.85
SX64 150.00	1EEE TO EEE PIG BACK 29.95	901229-05 15.85
MSD 100.00	1EEE TO PET PIG BACK 24.95	7701/8701 9.85
1571 85.00	POWER SUP 64 24.95	8721 16.85
1526/802 45.00	WICO BAT HANDLE 15.95	8502 9.85
MPS801 35.00	WICO 3 WAY 18.95	825100 9.85
SFD 1001 85.00	WICO BOSS 11.95	6502 3.85
DEAD 64 40.00	MEDIA MATE 5 CASE 4.95	6532 6.29
1541 NEWT 60.00	TYMAC CONNECTION 39.95	6520 3.85
1541 ALPS 40.00	FUJI DSD 8.95	6522 3.85
MSD 75.00	8050 OR 8032 295.00	6526 8.85
SX64 100.00	5.00 SHIPPING 4.16	6567 12.85
MUST BE COMPLETE	25.00 MIN ORDER 74LS629 4.95	6581 9.85
	15.00 APO AND BUSINESS EQUIPMENT	6510 8.85
		4164 .99
		6560 9.85

TC ELECTRONICS *
HWY 36 PO 1129
HARTSELLE, AL 35640
SEND FOR OUR COMPLETE LIST OF PARTS AND SOFTWARE

205-
773-1077

The eight positions of the joystick are assigned notes of the scale. Low C is at 12 o'clock, and the rest of the notes are clockwise around the joystick. Jim says that hitting the fire button once cycles through the ten envelopes. Hitting it twice, not too rapidly but not too slowly, cycles through the tempos. You may want to add a PRINT E or PRINT T statement to line 160 to keep track of envelope and tempo.

Don't confuse the O's with zeros. You may increase the delay value in the I loop of line 230 to reduce the chance of repeating unwanted notes.

Congratulations to the following readers with solutions not already mentioned this month: Herbert Schlickmaier (Alexandria, VA), Andrew Rosenthal (Flushing, NY), Jeffery Clemovich (Schenectady, NY), and Tom Daniels (Woodinville, WA). □

PROGRAM LISTINGS

Attention new Ahoy! readers! You must read the following information very carefully prior to typing in programs listed in Ahoy! Certain Commodore characters, commands, and strings of characters and commands will appear in a special format. Follow the instructions and listings guide on this page.



In the following pages you'll find several programs that you can enter on your Commodore computer. But before doing so, read this entire page carefully.

To insure clear reproductions, *Ahoy!*'s program listings are generated on a daisy wheel printer, incapable of printing the commands and graphic characters used in Commodore programs. These are therefore represented by various codes enclosed in brackets []. For example: the SHIFT CLR/HOME command is represented onscreen by a heart

☛. The code we use in our listings is [CLEAR]. The chart below lists all such codes which you'll encounter in our listings, except for one other special case.

The other special case is the COMMODORE and SHIFT characters. On the front of most keys are two symbols. The symbol on the left is obtained by pressing that key while holding down the COMMODORE key; the symbol on the right, by pressing that key while holding down the SHIFT key. COMMODORE and SHIFT characters are represented in our listings by a lower-case "s" or "c" followed by the symbol of the key you must hit. COMMODORE J, for example, is represented by [c J], and SHIFT J by [s J].

Additionally, any character that occurs more than two times in a row will be displayed by a coded listing. For example, [3 "[LEFT]"] would be 3 CuRSoR left commands in a row, [5 "[s EP]"] would be 5 SHIFTeD English Pounds, and so on. Multiple blank spaces will be noted in similar fashion: e.g., 22 spaces as [22 " "].

Sometimes you'll find a program line that's too long for the computer to accept (C-64 lines are a maximum of 80 characters, or 2 screen lines long; C-128 lines, a maximum of 160 characters, 2 or 4 screen lines in 40 or 80 columns respectively). To enter these lines, refer to the *BASIC Command Abbreviations Appendix* in your User Manual.

On the next page you'll find our *Bug Repellent* programs for the C-128 and C-64. The version for your machine will help you proofread programs after typing them. (Please note: the *Bug Repellent* line codes that follow each program line, in the whited-out area, should *not* be typed in. See instructions preceding each program.)

On the second page following you will find *Flankspeed*, our ML entry program, and instructions on its use.

Call Ahoy! at 212-239-6089 with any problems (if busy or no answer after three rings, call 212-239-0855).

WHEN YOU SEE	IT MEANS	YOU TYPE	YOU WILL SEE	WHEN YOU SEE	IT MEANS	YOU TYPE	YOU WILL SEE
[CLEAR]	Screen Clear	SHIFT CLR/HOME	☛	[BLACK]	Black	CNTRL 1	■
[HOME]	Home	CLR/HOME	S	[WHITE]	White	CNTRL 2	□
[UP]	Cursor Up	SHIFT ↑ CRSR ↓	⬆	[RED]	Red	CNTRL 3	■
[DOWN]	Cursor Down	↑ CRSR ↓	⬇	[CYAN]	Cyan	CNTRL 4	■
[LEFT]	Cursor Left	SHIFT ← CRSR →	⬅	[PURPLE]	Purple	CNTRL 5	■
[RIGHT]	Cursor Right	← CRSR →	➡	[GREEN]	Green	CNTRL 6	⬆
[SS]	Shifted Space	SHIFT Space	■	[BLUE]	Blue	CNTRL 7	⬅
[INSERT]	Insert	SHIFT INST/DEL	■	[YELLOW]	Yellow	CNTRL 8	⏏
[DEL]	Delete	INST/DEL	■	[F1]	Function 1	F1	■
[RVSON]	Reverse On	CNTRL 9	R	[F2]	Function 2	SHIFT F1	■
[RVSOFF]	Reverse Off	CNTRL 0	■	[F3]	Function 3	F3	■
[UPARROW]	Up Arrow	↑	⬆	[F4]	Function 4	SHIFT F3	■
[BACKARROW]	Back Arrow	←	⬅	[F5]	Function 5	F5	■
[PI]	PI	π	π	[F6]	Function 6	SHIFT F5	■
[EP]	English Pound	£	£	[F7]	Function 7	F7	■
				[F8]	Function 8	SHIFT F7	■

BUG REPELLENT FOR THE 64 & 128 By BUCK CHILDRESS

Please note: the *Bug Repellent* programs listed here are for *Ahoy!* programs published from the May 1987 issue onward! For older programs, use the older version.

Type in, save, and run *Bug Repellent*. You'll be asked if you want automatic saves to take place. If so, you're prompted for the device, DISK (D) or TAPE (T). You then pick a starting file number, 0 through 99. Next, you enter a name, up to 14 characters long. At this point, *Bug Repellent* verifies your entries and gives you a chance to change them if you want. If no changes are needed, *Bug Repellent* activates itself. (Pressing RETURN without answering the prompts defaults to disk drive and begins your files with "00BACKUP".)

Type NEW and begin entering an *Ahoy!* program. As you enter program lines and press RETURN, a *Bug Repellent* code appears at the top of your screen. If it doesn't match the code in the program listing, an error exists. Correct the line and the codes will match.

If used, automatic saves take place every 15 minutes. When the RETURN key is pressed on a program line, the screen changes color to let you know that a save will begin in about three seconds. You may cancel the save by pressing the RUN STOP key. The file number increments after each save. It resets to 00 if 99 is surpassed. After saving, or cancelling, the screen returns to its original color and the timer resets for 15 minutes.

When you've finished using *Bug Repellent*, deactivate it by typing SYS 49152 [RETURN] for the Commodore 64 or SYS 4864 [RETURN] for the Commodore 128.

C-64 BUG REPELLENT

```

10 PRINTCHR$(147)"LOADING AND CHECKING THE DATA[3"."]":J
=49152
20 FORB=0TO11:READA:IFA<00RA>255THEN40
30 POKEJ+B,A:X=X+A:NEXTB:READA:IFA=XTHEN50
40 PRINT:PRINT"ERROR IN DATA LINE:"PEEK(64)*256+PEEK(63)
:END
50 X=0:J=J+12:IFJ<49456THEN20
60 POKE198,0:POKE49456,0:A$="Y":B$=A$:C$="D":D$="DISK":D
=8:PRINTCHR$(147)
70 INPUT"DO YOU WANT AUTOMATIC SAVES (Y/N)":A$:PRINT:IFA
$="Y"THEN90
80 PRINT"NO AUTOMATIC SAVES[3"."]":GOTO150
90 POKE49456,1:INPUT"DISK OR TAPE (D/T)":C$:IFC$<>"D"THE
ND=1:D$="TAPE"
100 POKE49457,D:D$=D$+" DRIVE":PRINT:INPUT"FILE NUMBER (
0-99)":N
110 N$=RIGHT$(STR$(N),2):IFN<10THENN$=CHR$(48)+CHR$(N+48
)
120 F$="BACKUP":PRINT:INPUT"FILENAME":F$:F$=N$+LEFT$(F$,
14):L=LEN(F$)
130 POKE49458,L:FORJ=1TOL:POKE49458+J,ASC(MID$(F$,J,1)):NE
XTJ:PRINT
140 PRINT"SAVING DEVICE ** "D$:PRINT"STARTING WITH ** "F
$
150 PRINT:INPUT"IS THIS CORRECT (Y/N)":B$:IFB$<>"Y"THEN6
0
160 POKE770,131:POKE771,164:SYS49152:END
170 DATA169,79,32,210,255,162,38,160,192,204,3,3,1507
180 DATA208,10,162,131,160,164,169,70,32,210,255,44,1615
190 DATA169,78,32,210,255,142,2,3,140,3,3,76,1113
200 DATA36,193,32,96,165,134,122,132,123,32,115,0,1180
210 DATA170,240,243,162,255,134,58,144,3,76,150,164,1799
220 DATA32,107,169,32,121,165,173,0,2,240,5,169,1215
230 DATA79,141,2,3,76,162,164,169,0,133,2,133,1064
240 DATA251,133,252,133,254,24,101,20,69,254,230,254,197
5
250 DATA24,101,21,69,254,170,230,254,164,252,185,0,1724
260 DATA2,133,253,201,34,208,6,165,2,73,255,133,1465
270 DATA2,201,32,208,4,165,2,240,8,138,24,101,1125
280 DATA253,69,254,170,44,198,254,230,252,164,253,208,23
49
290 DATA213,138,41,240,74,74,74,74,24,105,129,141,1327
300 DATA44,193,138,41,15,24,105,129,141,45,193,162,1230
310 DATA0,189,43,193,240,12,157,0,4,173,134,2,1147
320 DATA157,0,216,232,208,239,169,38,141,2,3,173,1578
330 DATA48,193,240,32,165,161,201,212,176,4,165,160,1748
340 DATA240,13,238,32,208,160,0,32,225,255,208,6,1617
350 DATA32,33,193,76,38,192,232,208,242,200,208,239,1893
360 DATA32,68,229,169,0,168,174,49,193,32,186,255,1555
370 DATA173,50,193,162,51,160,193,32,189,255,169,43,1670
380 DATA166,45,164,46,32,216,255,162,1,189,51,193,1520
390 DATA168,200,152,201,58,144,2,169,48,157,51,193,1543
400 DATA201,48,208,3,202,16,234,32,33,193,76,116,1362
410 DATA164,206,32,208,169,0,170,168,76,219,255,160,1827
420 DATA1,1,160,0,0,65,72,79,89,33,0,0,500

```

C-128 BUG REPELLENT

```

10 PRINTCHR$(147)"LOADING AND CHECKING THE DATA[3"."]":J
=4864
20 FORB=0TO11:READA:IFA<00RA>255THEN40
30 POKEJ+B,A:X=X+A:NEXTB:READA:IFA=XTHEN50
40 PRINT:PRINT"ERROR IN DATA LINE:"PEEK(66)*256+PEEK(65)
:END
50 X=0:J=J+12:IFJ<5213THEN20
60 POKE208,0:POKE5213,0:A$="Y":B$=A$:C$="D":D$="DISK":D=
8:PRINTCHR$(147)
70 INPUT"DO YOU WANT AUTOMATIC SAVES (Y/N)":A$:PRINT:IFA
$="Y"THEN90
80 PRINT"NO AUTOMATIC SAVES[3"."]":GOTO150
90 POKE5213,1:INPUT"DISK OR TAPE (D/T)":C$:IFC$<>"D"THEN
D=1:D$="TAPE"
100 POKE5214,D:D$=D$+" DRIVE":PRINT:INPUT"FILE NUMBER (0
-99)":N
110 N$=RIGHT$(STR$(N),2):IFN<10THENN$=CHR$(48)+CHR$(N+48
)
120 F$="BACKUP":PRINT:INPUT"FILENAME":F$:F$=N$+LEFT$(F$,
14):L=LEN(F$)
130 POKE5215,L:FORJ=1TOL:POKE5215+J,ASC(MID$(F$,J,1)):NE
XTJ:PRINT
140 PRINT"SAVING DEVICE ** "D$:PRINT"STARTING WITH ** "F
$
150 PRINT:INPUT"IS THIS CORRECT (Y/N)":B$:IFB$<>"Y"THEN6
0
160 POKE770,198:POKE771,77:SYS4864:END
170 DATA32,58,20,169,41,162,19,236,3,3,208,4,955
180 DATA169,198,162,77,141,2,3,142,3,3,224,19,1143
190 DATA208,7,32,125,255,79,78,0,96,32,125,255,1292
200 DATA79,70,70,0,96,162,0,134,251,189,0,2,1053
210 DATA240,19,201,48,144,9,201,58,176,5,133,251,1485
220 DATA232,208,238,134,252,165,251,208,3,76,198,77,2042
230 DATA169,0,166,235,164,236,133,253,133,254,142,47,193
2
240 DATA0,140,48,20,24,101,22,69,254,230,254,24,1206
250 DATA101,23,69,254,170,230,254,164,252,185,0,2,1704
260 DATA133,251,201,34,208,6,165,253,73,255,133,253,1965
270 DATA201,32,208,4,165,253,240,8,138,24,101,251,1625
280 DATA69,254,170,44,198,254,230,252,164,251,208,213,23
07
290 DATA138,41,240,74,74,74,74,24,105,65,141,88,1138
300 DATA20,138,41,15,24,105,65,141,89,20,32,79,769
310 DATA20,189,85,20,240,6,32,210,255,232,208,245,1742
320 DATA174,47,20,172,48,20,24,32,240,255,173,93,1298
330 DATA20,240,27,165,161,201,212,176,4,165,160,240,1771
340 DATA17,32,65,20,238,32,208,238,1,214,32,225,1322
350 DATA255,208,6,32,49,20,76,198,77,232,208,242,1603
360 DATA200,208,239,32,66,193,173,95,20,162,96,160,1644
370 DATA20,32,189,255,169,0,170,32,104,255,169,0,1395
380 DATA174,94,20,168,32,186,255,169,45,174,16,18,1351
390 DATA172,17,18,32,216,255,162,1,189,96,20,168,1346
400 DATA200,152,201,58,144,2,169,48,157,96,20,201,1448
410 DATA48,208,3,202,16,234,32,49,20,141,0,2,955
420 DATA76,183,77,58,59,32,65,20,206,32,208,206,1222
430 DATA1,214,169,0,170,168,76,219,255,32,79,20,1403
440 DATA169,26,141,0,214,173,0,214,16,251,96,162,1462
450 DATA0,142,0,255,96,19,18,32,32,32,32,146,804
460 DATA0,1,0,0,65,72,79,89,33,0,0,0,339

```


FLANKSPEED FOR THE C-64 By GORDON F. WHEAT

Flankspeed will allow you to enter machine language *Ahoy!* programs without any mistakes. Once you have typed the program in, save it for future use. While entering an ML program with *Flankspeed* there is no need to enter spaces or hit the carriage return. This is all done automatically. If you make an error in a line a bell will ring and you will be asked to enter it again. To LOAD in a program Saved with *Flankspeed* use LOAD "name",1,1 for tape, or LOAD "name",8,1 for disk. The function keys may be used after the starting and ending addresses have been entered.

f1—SAVES what you have entered so far.

f3—LOADs in a program worked on previously.

f5—To continue on a line you stopped on after LOADING in the previous saved work.

f7—Scans through the program to locate a particular line, or to find out where you stopped the last time you entered the program. It temporarily freezes the output as well.

•100 POKE53280,12:POKE53281,11	OP	5	IK
•165 PRINT"[CLEAR][c 8][RVSON][15" "]FLANKSPEED[15" "]";	FP	•390 PRINT:PRINT"ADDRESS NOT WITHIN SPECIFIED RANGE!":B=0:GOTO415	HK
•110 PRINT"[RVSON][5" "]MISTAKEPROOF ML ENTRY PROGRAM[6" "]	JP	•395 PRINT:PRINT"NOT ZERO PAGE OR ROM!":B=0:GOTO415	DM
•115 PRINT"[RVSON][9" "]CREATED BY G. F. WHEAT[9" "]	FA	•400 PRINT"?ERROR IN SAVE":GOTO415	JK
•120 PRINT"[RVSON][3" "]COPR. 1987, ION INTERNATIONAL INC. [3" "]	AJ	•405 PRINT"?ERROR IN LOAD":GOTO415	IO
•125 FORA=54272TO54296:POKEA,0:NEXT	ND	•410 PRINT:PRINT:PRINT"END OF ML AREA":PRINT	JO
•130 POKE54272,4:POKE54273,48:POKE54277,0:POKE54278,249:POKE54296,15	NP	•415 POKE54276,17:POKE54276,16:RETURN	BF
•135 FORA=680TO699:READB:POKEA,B:NEXT	FL	•420 OPEN15,8,15:INPUT#15,A,AS:CLOSE15:PRINTA\$:RETURN	DH
•140 DATA169,251,166,253,164,254,32,216,255,96	FF	•425 REM GET FOUR DIGIT HEX	IM
•145 DATA169,0,166,251,164,252,32,213,255,96	EK	•430 PRINT:PRINTB\$;:INPUTT\$	OL
•150 B\$="STARTING ADDRESS IN HEX":GOSUB430:AD=B:SR=B	KP	•435 IFLEN(T\$)<>4THENGOSUB380:GOTO430	JD
•155 GOSUB480:IFB=0THEN150	OE	•440 FORA=1TO4:A\$=MID\$(T\$,A,1):GOSUB450:IFT(A)=16THENGOSUB380:GOTO430	AK
•160 POKE251,T(4)+T(3)*16:POKE252,T(2)+T(1)*16	AM	•445 NEXT:B=(T(1)*4096)+(T(2)*256)+(T(3)*16)+T(4):RETURN	KB
•165 B\$="ENDING ADDRESS IN HEX":GOSUB430:EN=B	PE	•450 IFAS>"@ANDAS<"G"THENT(A)=ASC(A\$)-55:RETURN	GM
•170 GOSUB470:IFB=0THEN150	PG	•455 IFAS>"/"ANDAS<"":THENT(A)=ASC(A\$)-48:RETURN	NJ
•175 POKE254,T(2)+T(1)*16:B=T(4)+1+T(3)*16	GM	•460 T(A)=16:RETURN	IC
•180 IFB>255THENB=B-255:POKE254,PEEK(254)+1	EC	•465 REM ADDRESS CHECK	OL
•185 POKE253,B:PRINT	ED	•470 IFAD>ENTHEN385	HO
•190 REM GET HEX LINE	KD	•475 IFB<SRORB>ENTHEN390	LE
•195 GOSUB495:PRINT": [c P][LEFT]";:FORA=0TO8	IH	•480 IFB<256OR(B>4096)ANDB<49152)ORB>53247THEN395	OB
•200 FORB=0TO1:GOTO250	IJ	•485 RETURN	HE
•205 NEXTB	EG	•490 REM ADDRESS TO HEX	PM
•210 A\$(A)=T(1)+T(0)*16:IFAD+A-1=ENTHEN340	II	•495 AC=AD:A=4096:GOSUB520	AP
•215 PRINT" [c P][LEFT]";	GI	•500 A=256:GOSUB520	NF
•220 NEXTA:T=AD-(INT(AD/256)*256):PRINT"	FL	•505 A=16:GOSUB520	LG
•225 FORA=0TO7:T=T+A\$(A):IFT>255THENT=T-255	IM	•510 A=1:GOSUB520	HE
•230 NEXT	IG	•515 RETURN	JD
•235 IFA\$(8)<>TTHENGOSUB375:GOTO195	HO	•520 T=INT(AC/A):IFT>9THENA\$=CHR\$(T+55):GOTO530	OC
•240 FORA=0TO7:POKEAD+A,A\$(A):NEXT:AD=AD+8:GOTO195	HE	•525 A\$=CHR\$(T+48)	JI
•245 REM GET HEX INPUT	MI	•530 PRINTA\$;:AC=AC-A*T:RETURN	AA
•250 GETA\$:IFA\$=""THEN250	DJ	•535 A\$="**SAVE**":GOSUB585	IC
•255 IFA\$=CHR\$(20)THEN305	JA	•540 OPEN1,T,1,A\$:SYS680:CLOSE1	AB
•260 IFA\$=CHR\$(133)THEN535	PK	•545 IFST=0THENEND	FB
•265 IFA\$=CHR\$(134)THEN560	FA	•550 GOSUB400:IFT=8THENGOSUB420	PM
•270 IFA\$=CHR\$(135)THENPRINT" ":GOTO620	BI	•555 GOTO535	FI
•275 IFA\$=CHR\$(136)THENPRINT" ":GOTO635	BB	•560 A\$="**LOAD**":GOSUB585	PE
•280 IFA\$>"@ANDAS<"G"THENT(B)=ASC(A\$)-55:GOTO295	BF	•565 OPEN1,T,0,A\$:SYS690:CLOSE1	PO
•285 IFA\$>"/"ANDAS<"":THENT(B)=ASC(A\$)-48:GOTO295	FK	•570 IFST=64THEN195	OI
•290 GOSUB415:GOTO250	PH	•575 GOSUB405:IFT=8THENGOSUB420	CO
•295 PRINTA\$"[c P][LEFT]";	CP	•580 GOTO560	GN
•300 GOTO205	KH	•585 PRINT" ":PRINTTAB(14)A\$	KA
•305 IFA>0THEN320	OD	•590 PRINT:A\$=""INPUT"FILENAME":A\$	IO
•310 A=-1:IFB=1THEN330	OB	•595 IFA\$=""THEN590	HK
•315 GOTO220	LH	•600 PRINT:PRINT"TAPE OR DISK?":PRINT	HL
•320 IFB=0THENPRINTCHR\$(20);CHR\$(20);:A=A-1	BO	•605 GETB\$:T=1:IFB\$="D"THENT=8:A\$="@":A\$+A\$:RETURN	NP
•325 A=A-1	MB	•610 IFB\$<"T"THEN605	KO
•330 PRINTCHR\$(20);:GOTO220	LM	•615 RETURN	PH
•335 REM LAST LINE	JK	•620 B\$="CONTINUE FROM ADDRESS":GOSUB430:AD=B	DD
•340 PRINT" ":T=AD-(INT(AD/256)*256)	PG	•625 GOSUB475:IFB=0THEN620	NK
•345 FORB=0TOA-1:T=T+A\$(B):IFT>255THENT=T-255	OD	•630 PRINT:GOTO195	HN
•350 NEXT	OB	•635 B\$="BEGIN SCAN AT ADDRESS":GOSUB430:AD=B	FK
•355 IFA\$(A)<>TTHENGOSUB375:GOTO195	LH	•640 GOSUB475:IFB=0THEN635	LN
•360 FORB=0TOA-1:POKEAD+B,A\$(B):NEXT	BO	•645 PRINT:GOTO670	HI
•365 PRINT:PRINT"YOU ARE FINISHED!":GOTO535	MB	•650 FORB=0TO7:AC=PEEK(AD+B):GOSUB505:IFAD+B=ENTHENAD=SR:GOSUB410:GOTO195	LM
•370 REM BELL AND ERROR MESSAGES	LM	•655 PRINT" ":NEXTB	LE
•375 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOTO415	JK	•660 PRINT:AD=AD+8	CD
•380 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415	PG	•665 GETB\$:IFB\$=CHR\$(136)THEN195	JD
•385 PRINT:PRINT"ENDING IS LESS THAN STARTING!":B=0:GOTO41	PG	•670 GOSUB495:PRINT" ":GOTO650	KE

SYNTHESIZING WAVEFORMS FROM PAGE 32

WAVEFORM SYNTHESIS

```

.1 REM===== NM
.2 REM      WAVEFORM SYNTHESIS KA
.3 REM      RUPERT REPORT #51 OC
.4 REM JF
.5 REM      C-128 JH
.6 REM===== CL
.10 SS=.05 :REM GRAPH STEP SIZE KN
.20 GOSUB 400 :REM INITIALIZE ND
.30 GOSUB 700 :REM MENU DI
.40 GOSUB 600 :REM DRAW AXIS GD
.50 GOSUB 200 :REM DRAW GRAPHS EE
.60 GOTO 30 CF
.70 END MG
.200 REM ===== DRAW GRAPHS === OL
.210 HS=2 : IF WF=1 THEN HS=1 :REM STEP
      SIZE OF HARMONICS JF
.220 K2=1 : REM INITIAL FREQUENCY LL
.230 DO ND
.240 :IF WF=0 THEN K1=(-1)[UPARROW]((K2-1
      )/2)/(K2*K2):ELSE K1=1/K2 PG
.250 :CHAR 1,25,1,"HARMONIC #"+STR$(K2) FO
.260 :N=0 GM
.270 :FOR X=WL TO WR STEP SS CG
.280 ::IF K2=1 THEN Y(N)=0 : ELSE DRAW 0,
      X0(N),Y0(N) :REM ERASE PREVIOUS GRAPH JO
.281 REM -- DELETE THE FOLLOWING REM'S TO
      PLOT INDIVIDUAL HARMONICS BE
.282 REM Y=K1*SIN(X*K2) PF
.283 REM XS=A*X+B : YS=200-(C*Y+D) CA
.284 REM DRAW 1,XS,YS KF
.290 ::Y=Y(N)+K1*SIN(X*K2) :REM SUM
      HARMONICS ON
.300 ::Y(N)=Y :REM SAVE RESULT MG
.310 ::XS=A*X+B :YS=200-(C*Y+D):REM SCALE
      DATA FOR GRAPHING LE
.320 ::X0(N)=XS : Y0(N)=YS :DRAW 1,XS,YS CF
.330 ::N=N+1 PJ
.340 ::GET K$ : IF K$>" " THEN RETURN DD
.350 :NEXT X HG
.360 :K2=K2+HS JC
.370 LOOP FP
.400 REM ===== INITIALIZATION ===== NJ
.410 Y=0 : K1=0 : K2=0 : X=0 : N=0 JB
.420 A=0 : B=0 : C=0 : D=0 ME
.430 GR=RGR(1) : IF GR>5 THEN GR=5 LB
.440 PI=3.14159265 AE
.450 GRAPHIC 0,1 : SLOW JB
.460 REM ----- GRAPH CONSTANTS ----- AN
.470 REM WORLD COORDS: LEFT, RIGHT, TOP,

```

```

      BOTTOM NL
.480 WL=0 : WR=2*PI : WT=1.6 : WB=-1.6 FC
.490 REM SCREEN COORDS: LEFT, RIGHT, TOP,
      BOTTOM LC
.500 VL=60 : VR=252 : VT=180 : VB=40 CN
.510 A=(VR-VL)/(WR-WL) : B=VL-A*WL ML
.520 C=(VT-VB)/(WT-WB) : D=VB-C*WB MG
.530 DM=INT((WR-WL)/SS) :REM # OF POINTS KL
.540 DIM X0(DM),Y0(DM),Y(DM) AH
.550 RETURN LG
.600 REM ===== DRAW VIEWPORT & AXIS ===== JF
.610 GRAPHIC 1,1 MJ
.620 BOX 1,VL,200-VT,VR,200-VB MA
.630 REM --- DRAW X AXIS --- AJ
.640 Y=0 : XS=A*X+B : YS=200-(C*Y+D) EA
.650 DRAW 1,VL,YS TO VR,YS GM
.660 CHAR1,8,24,"PRESS ANY KEY TO RETURN" JK
.670 RETURN CO
.700 REM ===== MENU ===== PF
.710 GRAPHIC 0,1 : IF B4 THEN 890 NN
.720 WINDOW 0,0,39,24,1 PH
.730 FOR N=1 TO 20 : PRINT "[s U][s I]";
      : NEXT : PRINT " "; ME
.740 FOR N=1 TO 19 : PRINT "[c Z][c X]";
      : NEXT DB
.750 CHAR 1,10,2,"WAVEFORM SYNTHESIZER" :
      PRINT OJ
.760 FOR N=1 TO 20 : PRINT "[c A][c S]";
      : NEXT : PRINT " "; FC
.770 FOR N=1 TO 19 : PRINT "[s J][s K]";
      : NEXT HH
.780 WINDOW 5,6,35,24,1 FL
.790 PRINT "COMBINE VARIOUS FREQUENCIES" NA
.800 PRINT "OF SINE WAVES TO SYNTHESIZE" GJ
.810 PRINT "OTHER WAVEFORMS." FB
.820 WINDOW 10,12,30,24,1 NM
.830 PRINT "1. TRIANGLE WAVE" DH
.840 PRINT "2. SAWTOOTH WAVE" GB
.850 PRINT "3. SQUARE WAVE" NB
.860 PRINT "4. QUIT" AB
.870 B4=-1 :REM DRAW MENU ONLY ONCE JJ
.880 WINDOW 10,18,30,19,1 BI
.890 PRINT : PRINT "SELECT A NUMBER" FO
.900 GETKEY K$ : V=VAL(K$) GG
.910 IF V=0 OR V>4 THEN PRINT CHR$(7) :
      GOTO 890 :REM BELL FOR BAD KEY AJ
.920 IF V=4 THEN GRAPHIC 0,1 : WINDOW 0,0,
      ,39,24,1 : GRAPHIC GR : END DI
.930 WF=V-1 :REM WAVEFORM TYPE HB
.940 RETURN DN

```

HEAR THE BEATS

```

.1 REM===== NM
.2 REM      HEAR THE BEATS CD
.3 REM      RUPERT REPORT #51 OC

```



```

.4 REM
.5 REM          C-128 ONLY
.6 REM=====
.10 PRINT "[CLEAR]"
.20 P1$="FREQ 1 - FREQ 2 = [3"#" ] CYCLE
S PER SECOND"
.30 P2$="1/(FREQ 1-FREQ 2) = ##.# SEC PER
CYCLE"
.40 K1=16.4 :REM 1 HZ
.50 F1=300*K1 : F2=F1-10*K1 :REM START AT
300 AND 290 HZ
.60 PRINT TAB(5);"<><> HEAR THE BEATS <
><>"
.70 PRINT
.80 SOUND 1,F1,32000
.90 K=K1 : P$=P1$ : K2=0
.100 PRINT"EACH KEYSTROKE INCREASES FREQU
ENCY 2"
.110 PRINT TAB(5);"--PRESS ESCAPE TO EXIT
--" : PRINT
.120 WINDOW 0,10,39,24,1
.130 DO
.140 SOUND 2,F2,32000
.150 DF=(F1-INT(F2))/K1 :IF F1-F2<K1 THEN
DF=1/DF
.160 PRINT USING P$;DF :REM PRINT F1;INT
(F2)
.170 GETKEY K$
.180 IF K$=CHR$(27) THEN 240 :REM ESCAPE=
EXIT
.190 POKE 4739,255 : POKE 4742,255 :REM
RESET V2 TIMER
.200 IF F1-F2>2*K1 THEN F2=F2+K1 : ELSE
K2=K2+1 : F2=F1-K1/K2 : P$=P2$
.210 IF INT(F1)-INT(F2)<4 THEN PRINT"PRES
S ANY KEY TO EXIT" :GETKEY K$ : GOTO 240
.220 LOOP
.230 REM ----- EXIT -----
.240 POKE 4738,255 : POKE 4741,255 : REM
V1 TIMER
.250 POKE 4739,255 : POKE 4742,255 : REM
V2 TIMER
.260 POKE 54276,0 : REM SILENCE V1
.270 POKE 54283,0 : REM SILENCE V2
.280 PRINT "[HOME][HOME][CLEAR]" :REM RES
ET WINDOW

```

VEE KLOSOS FROM PAGE 20

BASIC PORTION

```

.10 IFX=.THENX=1:LOAD"KLOSOS.OBJ",8,1
.20 POKE53281,..:POKE53280,..:PRINTCHR$(8)C
HR$(142)CHR$(144)CHR$(147):GOTO190
.30 POKES+U,Q:POKES+F,O:FORC=ZTO.STEP-U:P
OKES+U,C:FORA=.TOZ:NEXT:NEXT
.40 POKES+F,O-U:RETURN

```

```

JF .50 ONFNB(.)GOTO90:X=H+(C=130)*-U:SYSSF,B
NL (X):SC=SC+50*(LS+U):I$=STR$(SC) GB
CL .60 SYSPL,32,8:PRINT"[YELLOW]";:GOSUB180 GC
HP .70 FORI=.TOF:POKEVB+X,38+I:FORA=.TO40:NE
DB XT:NEXT:POKEVB+X,51:GOSUB30 MM
.80 RETURN NO
.90 POKES+U,K:POKES,O:POKES+F,L*W+Z:POKEV
NK +F,PEEK(V):POKEV+Q,PEEK(V+U)-K JI
NE .100 POKEV+Z,PEEK(V+Z)ORF:POKES+F,E*Z+U:R
ETURN GA
JM .110 X=E+((C=Z-UORC=L)*-U):SYSSB,X,38,F:S
YSTF,B(X):SYSTC,H,RORB(X):POKEV+39+X,U DL
DL .120 GOSUB30:WAITV+Z,B(X),B(X):SC=SC+VX*(
OB LS+U):I$=STR$(SC):SYSPL,32,8:PRINT"[YELL
BK OW]"; NA
FI .130 GOSUB180:R=8+(T<W)*-16:SYSSB,X,43,7:
SYSTC,H,R:POKEVB+X,50+(T>U)*N+(T>W)*-U GC
CD .140 POKEV+X*W+U,..:POKEV+39+X,N-W:POKEV+Z
,PEEK(V+Z)ORB(X):C=PEEK(VC):RETURN PO
JJ .150 A=(RND(U)*W)+E:X=FNX(.):I=FN(. ) LI
KC .160 SYSDM,Q,D(U+X,U+I):POKEV+VX,PEEK(V+A
GP *W):POKEV+VY,PEEK(V+A*W+U) PB
HI .170 POKEV+Z,PEEK(V+Z)ORB:RETURN AJ
PH .180 PRINTRIGHT$("[5"0"]"+(RIGHT$(I$,LEN(
I$)-U)),Q):A=FRE(.):RETURN PH
BC .190 GOSUB1070:GOSUB1120:GOSUB740:POKE731
KM ,2:POKE785,135:POKE786,199 KB
AL .200 DIMB(7),D(2,2),S(7),T(4,31),T$(4),C(
9) BC
EB .210 FORX=.TO7:B(X)=2[UPARROW]X:NEXT EB
FD .220 V=53248:M=.:C=.:I=.:B=32:J=56320:S=5
4272:VB=50168:VX=10:VY=11:I$="":R=.:A= BA
JG .230 G=500:VX=10:VY=11:U=1:W=2:E=3:F=4:Q=
5:H=6:N=14:K=12:L=22:Z=21:T=.:O=129 OL
NL .240 VC=V+30:XS=50884:YS=50897:TC=50910:J
F=50923:CF=50930:MD=50949:SS=50993:SH=3 EH
MI .250 SB=51012:SF=51043:TF=51060:PL=51108:
PP LC=685:IRQ=50176:IQ=740:SC=.:HI=.:LS= CH
DK .260 DEFFNF(X)=(PEEK(J)AND(N+W))=.:DEFFNK
(X)=-(FNF(. )AND((PEEK(V+Z)ANDF)=.)) GF
OL .270 DEFFNB(X)=-(C<>L*EANDC<>O+U):DEFFNL(
X)=-(PEEK(V+Z)ANDB)=. AO
DK .280 DEFFNX(X)=SGN(PEEK(V)-PEEK(V+A*W)):D
IN EFFNY(X)=SGN(PEEK(V+U)-PEEK(V+A*W+U)) DD
NE .290 DEFFNC(X)=-(CANDQ)>.:DEFFNCD(X)=-(
CAND193)=U PJ
.300 DEFFNW(X)=-(C=NORC=KORC=LORC=Z-U):DE
FFNR(X)=RND(U)*(H+W)+U MI
.310 FORX=.TO31:READA:T(. ,X)=A:T(1,X)=A:T
(2,X)=A:NEXT PG
.320 FORI=3TO4:FORX=.TO31:READT(I,X):NEXT
X,I:FORX=.TO4:READT$(X),C(2*X),C(2*X+1) BF
.330 NEXT:FORX=.TO2:FORI=.TO2:READD(X,I):
NEXTI,X:FORI=.TO7:READS(I):NEXT DE
.340 FORX=.TO13:B$(.)=B$(.)+"#%":B$(1)=B$
(1)+"$&":NEXT MH
.350 SYSXS,24,225:SYSYS,55,230:SYSCF,36,3
9,24:SYSSB,3,43,7:SYSSB,4,43,7 CM

```


•360 SYSSF,0:SYSSF,35:SYSTF,0	MN	•610 SYSIRQ:SYSJF,U	LL
•370 SYSMD,0,0:SYSMD,1,0:SYSMD,2,1:SYSMD,3,4:SYSMD,4,6:SYSMD,6,0:SYSMD,7,0	MH	•620 REM MAIN LOOP	GM
•380 SYSSS,0,1:SYSSS,2,5:SYSSS,3,1:SYSSS,4,1	HD	•630 C=PEEK(VC):SYSPL,N*W+F,Z:PRINT"[WHIT E]"M:ONFNK(.)GOSUB50:ONFNC(.)GOTO660	EE
•390 POKEV+28,219:POKEV+37,15:POKEV+38,11:POKEV+41,1	DD	•640 ONFNL(.)GOSUB150:ONFNW(.)GOSUB110	ND
•400 POKEIQ,.:FORX=.TO31:POKE61720+X,.:NEXT:POKEIQ,1:SYSSS,5,1	KP	•650 M=M+U:ON-(M<G)GOTO630:T=T+U+(T=F)*Q:LS=LS+U:SYSSS,Q,LS:GOTO580	CD
•410 SYSPL,2,13:PRINT"[RVSON][RED] PRESS FIRE BUTTON TO START MISSION "	DK	•660 ONFNCD(.)GOTO670:GOTO640	GC
•420 LS=.:T=.:I=.:PRINT"[GREEN]";:FORA=.TO4:SYSPL,3+A*7,15:PRINTT\$(A);:NEXT:GOSUB990	CH	•670 SYSJF,.:POKEV+Z,PEEK(V+Z)AND253:SYSSB,.,38,F:SYSTF,U:SYSTC,H,RORU	FF
•430 PRINT:PRINT"[CLEAR][c 2]"B\$(1):PRINT"[UP][UP]":FORX=.TO11:PRINTB\$(.):PRINTB\$(1):NEXT	IE	•680 GOSUB30:SH=SH-U:SYSPL,32+SH*W,14:PRINT" "	LE
•440 PRINTB\$(.)" [HOME][GREEN][DOWN]":FORX=.TO20	LP	•690 ON-(SH=.)GOTO710:WAITV+Z,1,1:GOSUB960:POKEVB,32:POKEV+Z,219	BO
•450 PRINTCHR\$(13)TAB(28)"[RVSON][s B][9""][s B][LEFT]";CHR\$(148)" ";:NEXT	EK	•700 SYSSF,1:FORX=.TOE:C=PEEK(VC):NEXT:SYSJF,U:GOTO630	BO
•460 PRINTCHR\$(13)TAB(28)"[RVSON][c Z][9""][s C]""[c X][LEFT]";CHR\$(148)"[s C]";	HN	•710 WAITV+Z,U,U:POKEV+Z,248:SYSPL,9,12:PRINT"[RVSON][WHITE] GAME OVER "	MG
•470 PRINT"[HOME]"TAB(28)"[c A][9""][s C]""[c S][LEFT]";CHR\$(148)"[s C]";	HA	•720 GOSUB920:FORX=.TO5000:NEXT:SH=E:T=.:SC=.:POKEV+Z,.:GOSUB740:GOTO400	DF
•480 PRINTTAB(28)"[RVSON][s B][GREEN]VEE KLORO[s B][LEFT]";CHR\$(148)" [LEFT][GREEN]s"	HF	•730 REM TITLE SCREEN	LM
•490 PRINTTAB(28)"[RVSON][c Q][9""][s C]""[c W][LEFT]";CHR\$(148)"[s C]":PRINTTAB(30)"[RVSON][c A][7""][s C]""[c S]";	PG	•740 PRINT"[CLEAR][4""] [DOWN]" [RED][c A][36""] [s C]""[c S]";	IF
•500 PRINTTAB(30)"[RVSON][s B][7""] [s B]":PRINTTAB(30)"[RVSON][c Z][7""] [s C]""[c X]":PRINTTAB(31)"[c A][5""] [s C]""[c S]";	GK	•750 PRINT" [s B] [YELLOW]CLEVE BLAKEMOR E PRESENTS[3""] [7""] [RED][s B]";	HB
•510 PRINTTAB(31)"[s B]SCORE[s B]":PRINTTAB(31)"[s B][YELLOW][5""] [GREEN][s B]":PRINTTAB(31)"[c Q][5""] [s C]""[c W]";	OJ	•760 PRINT" [GREEN][c *][RVSON] [c *][RED][RVSOFF][s C][s C][GREEN][RVSON][sEP] [RVSOFF][sEP][RED][8""] [s C]""[GREEN][RVSON] [RED][RVSOFF][s C][GREEN][RVSON][sEP] [RVSOFF][sEP][RED][16""] [s C]""[c W]";	EF
•520 PRINTTAB(31)"[s B]HIGH [s B]":PRINTTAB(31)"[s B][WHITE][5""] [GREEN][s B]":PRINTTAB(31)"[c Q][5""] [s C]""[c W]";	JD	•770 PRINT" [s B][UPARROW][c *][R [c *][sEP] [s R][sEP]R[c H][c O][c O][c H][c O][c O][s R][3""] R[SS] [sEP][s R][sEP] R[c H][s R] R[c H] [c L][c G][s R][c U]R [s R][c J]R[c H] [c L] [s R] [EP][s B]";	NE
•530 PRINTTAB(31)"[s B]SHIPS[s B]":PRINTTAB(31)"[s B][CYAN][s X] [s X] [s X][GREEN][s B]":PRINTTAB(31)"[c Q][5""] [s C]""[c W]";	BA	•780 PRINT" [s B] [UPARROW][c *][R[SS] [s R][sEP] R[c H][c U][s R] R[c H][c U][s R] [4""] R[SS] [s R][c *][R[c *][s R] R[c H][s R] R[c H][s R] R[c L][c G][s R][c Y][c *][R[c *][c H][s R] R[c L][s R][c *][R[c *][s R] [EP][s B]";	IK
•540 PRINTTAB(31)"[s B]FLAGS[s B]":PRINTTAB(31)"[s B][5""] [GREEN][s B]":PRINTTAB(31)"[s B][5""] [s B]";	OE	•790 PRINT" [c Q][s C][s C][UPARROW][c *][sEP][EP][s C][s C][UPARROW]R[c H][c U][c U][c H][c U][c U][EP][s R][3""] [s C]""[UPARROW]R [EP][s R][s C][UPARROW][c *][R[c *][c H] [c H] [c L][c G][EP][s R][s C][s C][UPARROW]R [c H] [c L] [EP][s R][s C][c W]";	BN
•550 PRINTTAB(31)"[c Q][5""] [s C]""[c W]";	JO	•800 PRINT" [s B][15""] [UPARROW]R[c O][c O][s R] [c *][9""] R [s R][6""] [EP][s B]";	OE
•560 PRINTTAB(31)"[s B]MILES[s B]":PRINTTAB(31)"[c Z][5""] [s C]""[c X]";	HM	•810 PRINT" [s B][8""] [sPI]JOYSTICK IN PORT TWO[8""] [EP][s B]";	DF
•570 FORX=.TO7:POKEVB+X,S(X):NEXT:GOSUB950	MD	•820 PRINT" [c Q][36""] [s C]""[c W]";	HO
•580 POKEV+27,-(T=.)*192:R=8+(T<W)*-16:SYSTC,6,R:POKEVB+4,50+(T>U)*N+(T>W)*-U	LP	•830 PRINT" [s B]EAPPROACHING V-KLS,THE MYSTERY PLANET[EP][s B]";	NP
•590 GOSUB880:M=.:POKEV+27,-(T=.)*192	OE	•840 PRINT" [c Q][36""] [s C]""[c W]";	AK
•600 POKEV+Z,1+2+8+16+64+128:X=PEEK(VC):X=PEEK(VC):POKE730,230	DM	•850 PRINT" [s B]"SPC(36)"[s B]";	EN


```

LL      .860 PRINT" [c Z][36"[s C]]"[c X]":RETURN NB
GM      .870 REM NEW TERRAIN OC
EE      .880 POKEIQ,..:FORX=.TO31:POKE61720+X,T(T, OL
ND      X):NEXT:POKEIQ,1:SYSPL,31,4
CD      .890 PRINT"R[UPARROW]"T$(T):POKEV+34,C(T* KD
GC      2):POKEV+35,C(T*2+1):POKE646,C(T*2+1)+8
FF      .900 SYSPL,(32+T*2+(T>2)*-35),17:PRINT"[E
LE      P]":SYSPL,32,21:PRINT"[4" "]" CF
BO      .910 POKEV+42,12:POKEV+43,12:POKELC,12:PO
BO      KEV+44,12:POKEV+45,12 MI
MG      .920 IFSC>HITHEHI=SC JB
IF      .930 I$=STR$(HI):SYSPL,32,11:PRINT"[s R]E
HB      ";:GOSUB180:RETURN DP
EF      .940 REM RESET POSITIONS IO
LM      .950 POKEV+12,220:POKEV+14,125:POKEV+13,..
IF      :POKEV+15,130 AJ
MG      .960 POKEV,125:POKEV+1,215:POKEV+2,PEEK(V
IF      ):POKEV+3,PEEK(V+1)-90 ON
HB      .970 POKEV+6,75:POKEV+7,..:POKEV+8,200:POK
EF      EV+9,..:RETURN BM
LM      .980 REM COMPUTERESE - SELECT TERRAIN FM
IF      .990 POKES+11,64:POKE S+24,15:POKES+U,25:
HB      POKES+Q,16:POKES+H,240:POKES+F,17 NN
EF      .1000 POKES+U,N*RND(.):I=T NC
LM      .1010 IFUSR(.)=3THENT=T+1+(T=4)*5 FL
IF      .1020 IFUSR(.)=7THENT=T-1+(T=.)*-5 DJ
HB      .1030 SYSPL,3+T*7,15:PRINT"R[UPARROW]"T$(
EF      T):IFT<>ITHENSYSPL,3+I*7,15:PRINT"[s R]
LM      UPARROW]"T$(I) KJ
IF      .1040 IFFNF(.)=.THEN1000 ED
HB      .1050 SYS52545:POKES+H,242:POKES+W,10:POK
EF      ES+E,0:RETURN EG
LM      .1060 REM COPY CHAR SET ON
IF      .1070 POKE56333,127:POKE1,51 GI
HB      .1080 POKE781,9:POKE782,1:POKE90,..:POKE91
EF      ,216:POKE88,..:POKE89,248:SYS41964 EF
LM      .1090 POKE1,55:POKE56333,129 DI
IF      .1100 READA:IFA=-1THENRETURN ON
HB      .1110 FORX=.TO7:READD:POKE61440+A*8+X,D:N
EF      EXT:GOTO1100 HO
LM      .1120 POKE56578,PEEK(56578)OR3:POKE56576,
IF      PEEK(56576)AND252 MN
HB      .1130 POKE53272,PEEK(53272)AND15:POKE648,
EF      192:PRINTCHR$(147) OI
LM      .1140 POKE53272,(PEEK(53272)AND240)OR12 EG
IF      .1150 POKE53270,PEEK(53270)OR16:PRINTCHR$
HB      (147):RETURN OB
EF      .1160 DATA28,128,112,127,124,112,64,64,64 CA
LM      .1170 DATA48,126,66,66,66,66,66,126,.. LC
IF      .1180 DATA49,8,24,8,8,8,8,28,.. DE
HB      .1190 DATA50,126,66,4,8,16,32,126,.. FG
EF      .1200 DATA51,126,2,2,14,2,2,126,.. LF
LM      .1210 DATA52,4,12,20,36,126,4,4,.. NA
IF      .1220 DATA53,126,64,64,126,2,2,126,.. MH
HB      .1230 DATA54,126,64,64,126,66,66,126,.. AL
EF      .1240 DATA55,126,2,2,2,2,2,.. FG
LM      .1250 DATA56,126,66,66,126,66,66,126,.. EJ
IF      .1260 DATA57,126,66,66,126,2,2,2,.. NL

```

```

.1270 DATA88,,24,24,219,255,219,219,..,-1 IM
.1280 DATA186,102,153,170,170,157,102,234 JP
.1290 DATA171,102,153,170,170,153,102,186 KH
.1300 DATA170,102,153,170,174,153,102,170 IB
.1310 DATA170,102,153,174,170,153,118,170 CA
.1320 DATA170,42,202,242,252,252,252,252 DH
.1330 DATA252,252,252,252,241,197,21,.. DP
.1340 DATA170,168,161,133,21,21,21,21 JL
.1350 DATA21,21,21,21,69,81,84,.. AN
.1360 DATA3,3,10,46,46,186,186,170 IP
.1370 DATA170,170,170,42,42,10,3,3 JP
.1380 DATA192,192,80,84,148,149,165,165 KL
.1390 DATA165,165,165,148,84,80,192,192 PB
.1400 REM TERRAIN TYPES LO
.1410 DATA OCEANS,14,6,DESERT,10,9,JUNGLE
.1420 REM FIRE DIRECTION ARRAY GK
.1430 DATA 8,1,2,7,..,3,6,5,4 GL
.1440 REM SPRITE POINTERS EM
.1450 DATA 32,52,33,50,36,33,34,35 HK
PC

```

KLOROS.OBJ

Starting address in hex: C400

Ending address in hex: CDE0

Flankspeed required for entry! See page 75.

```

C400: 78 A9 3F 8D 14 03 A9 C4 74
C408: 8D 15 03 AD DA 02 8D 12 D7
C410: D0 AD 11 D0 29 7F 8D 11 B7
C418: D0 A9 81 8D 1A D0 A9 87 BD
C420: 8D 11 03 A9 C7 8D 12 03 D5
C428: AD E9 C7 8D A9 02 8D AA F8
C430: 02 EA EA 58 A9 81 8D 12 2B
C438: D4 A9 FF 8D 0F D4 60 AD 36
C440: 19 D0 8D 19 D0 29 01 D0 9C
C448: 07 AD 0D DC 58 4C 31 EA A7
C450: CE A9 02 D0 51 AD E9 C7 4C
C458: 8D A9 02 A2 07 BD B2 C7 73
C460: 2D EB C7 F0 3E BD BF 02 EF
C468: 18 7D D0 02 9D F8 C3 DE 0A
C470: D0 02 10 2F BD DC 02 9D BC
C478: D0 02 BD B2 C7 2D AF 02 62
C480: F0 21 BD B2 C7 49 FF 2D 41
C488: 15 D0 8D 15 D0 BD B2 C7 1A
C490: 49 FF 2D AF 02 8D AF 02 F7
C498: BD B2 C7 49 FF 2D EB C7 FA
C4A0: 8D EB C7 CA 10 B7 AD EC 0F
C4A8: C7 D0 03 4C D7 C4 AD 00 DA
C4B0: DC 29 0F 85 FD A9 0F 38 3A
C4B8: E5 FD A8 B9 DE C7 F0 17 AD

```

All this issue's programs—plus
John Fedor's blockbuster *Lazer Maze*—
are available on the *Ahoy! Disk*.

See page 23 to order the *Ahoy! Disk*,
and page 4 for details on *Lazer Maze*.

C4C0:	8D	A8	02	A0	00	20	ED	C4	6C	C690:	1B	D4	29	01	18	69	22	99	E7
C4C8:	AD	00	D0	8D	02	D0	AD	01	56	C698:	F8	C3	AD	1B	D4	38	CD	EF	E8
C4D0:	D0	38	E9	5A	8D	03	D0	A9	29	C6A0:	C7	90	15	38	CD	F0	C7	B0	7D
C4D8:	07	8D	A7	02	AC	A7	02	B9	27	C6A8:	03	9D	00	D0	A9	FF	38	F9	F5
C4E0:	B0	02	F0	06	8D	A8	02	20	E2	C6B0:	B2	C7	2D	F4	C7	8D	F4	C7	5F
C4E8:	ED	C4	4C	63	C5	B9	B2	C7	45	C6B8:	20	68	CD	AD	DA	02	8D	12	39
C4F0:	2D	F3	C7	D0	10	AD	A8	02	13	C6C0:	D0	4C	BC	FE	20	9B	B7	8E	9B
C4F8:	0A	AA	BD	BA	C7	08	98	0A	98	C6C8:	EF	C7	20	9B	B7	8E	F0	C7	3B
C500:	AA	28	4C	0B	C5	98	0A	AA	3D	C6D0:	60	20	9B	B7	8E	F1	C7	20	0D
C508:	BD	CC	C7	30	0F	F0	17	B9	5B	C6D8:	9B	B7	8E	F2	C7	60	20	9B	91
C510:	C8	02	18	7D	00	D0	9D	00	DE	C6E0:	B7	8E	E9	C7	20	9B	B7	8E	DA
C518:	D0	4C	26	C5	BD	00	D0	38	E7	C6E8:	EB	C7	60	20	9B	B7	8E	EC	EB
C520:	F9	C8	02	9D	00	D0	B9	B2	BF	C6F0:	C7	60	20	9B	B7	8E	EE	C7	D1
C528:	C7	2D	F3	C7	D0	12	AD	A8	12	C6F8:	20	9B	B7	8E	ED	C7	20	9B	6C
C530:	02	0A	AA	E8	BD	BA	C7	08	18	C700:	B7	8E	F3	C7	60	20	9B	B7	D5
C538:	98	0A	AA	E8	28	4C	47	C5	EF	C708:	8A	29	07	48	20	9B	B7	68	E6
C540:	98	0A	AA	E8	BD	CC	C7	30	F8	C710:	A8	38	E0	09	90	02	A2	00	10
C548:	0F	F0	17	B9	C8	02	18	7D	79	C718:	8A	99	B0	02	98	0A	A8	8A	C4
C550:	00	D0	9D	00	D0	4C	62	C5	04	C720:	0A	AA	BD	BA	C7	99	CC	C7	43
C558:	BD	00	D0	38	F9	C8	02	9D	81	C728:	C8	E8	BD	BA	C7	99	CC	C7	48
C560:	00	D0	60	CE	A7	02	30	03	3D	C730:	60	20	9B	B7	8A	29	07	48	07
C568:	4C	DC	C4	A2	07	8E	A7	02	38	C738:	20	9B	B7	68	A8	8A	29	0F	7F
C570:	AC	A7	02	98	0A	AA	BD	00	D1	C740:	99	C8	02	60	20	9B	B7	8A	03
C578:	D0	38	CD	EF	C7	B0	09	AD	6E	C748:	29	07	48	20	9B	B7	68	A8	45
C580:	EF	C7	9D	00	D0	4C	97	C5	50	C750:	8A	99	BF	02	98	48	20	9B	D2
C588:	BD	00	D0	38	CD	F0	C7	90	66	C758:	B7	68	A8	8A	99	DC	02	99	BD
C590:	26	AD	F0	C7	9D	00	D0	B9	45	C760:	D0	02	60	20	9B	B7	8A	D0	62
C598:	B2	C7	2D	EE	C7	F0	0C	A9	9D	C768:	04	8D	F4	C7	60	0D	F4	C7	E0
C5A0:	FF	38	F9	B2	C7	2D	15	D0	60	C770:	8D	F4	C7	60	20	9B	B7	8A	19
C5A8:	8D	15	D0	BD	CC	C7	F0	07	66	C778:	D0	06	A9	00	8D	AF	02	60	98
C5B0:	49	FF	09	01	9D	CC	C7	B9	EF	C780:	0D	AF	02	8D	AF	02	60	20	FE
C5B8:	B2	C7	2D	ED	C7	F0	42	E8	32	C788:	AA	B1	98	29	01	AA	BD	00	10
C5C0:	BD	00	D0	38	CD	F1	C7	B0	BF	C790:	DC	29	0F	85	FD	A9	0F	38	1A
C5C8:	09	AD	F1	C7	9D	00	D0	4C	F3	C798:	E5	FD	A8	B9	DE	C7	A8	A9	D7
C5D0:	E1	C5	BD	00	D0	38	CD	F2	FF	C7A0:	00	6C	05	00	20	9B	B7	8A	10
C5D8:	C7	90	26	AD	F2	C7	9D	00	5D	C7A8:	48	20	9B	B7	68	A8	18	4C	D9
C5E0:	D0	B9	B2	C7	2D	EE	C7	F0	BA	C7B0:	F0	FF	01	02	04	08	10	20	E0
C5E8:	0C	A9	FF	38	F9	B2	C7	2D	78	C7B8:	40	80	00	00	00	FF	01	FF	7A
C5F0:	15	D0	8D	15	D0	BD	CC	C7	9C	C7C0:	01	00	01	01	00	01	FF	01	C5
C5F8:	F0	07	49	FF	09	01	9D	CC	AE	C7C8:	FF	00	FF	FF	00	00	00	00	C8
C600:	C7	CE	A7	02	30	03	4C	70	30	C7D0:	00	00	00	00	00	00	00	00	D0
C608:	C5	AD	E4	02	F0	05	CE	DB	03	C7D8:	00	00	00	00	00	00	00	01	D9
C610:	02	F0	03	4C	B8	C6	A9	02	7D	C7E0:	05	00	07	08	06	00	03	02	FF
C618:	8D	DB	02	CE	AA	02	10	05	14	C7E8:	04	08	01	00	01	01	00	18	10
C620:	A9	09	8D	AA	02	AE	AA	02	68	C7F0:	FA	55	E6	E0	00	09	02	0A	1E
C628:	A0	07	B9	B2	C7	2D	F4	C7	ED	C7F8:	07	01	07	0A	02	09	00	00	1D
C630:	F0	06	BD	F5	C7	99	27	D0	34	C800:	00	00	00	00	00	00	00	00	00
C638:	88	10	EF	A5	01	29	FD	85	14	C808:	00	00	00	00	00	00	00	00	08
C640:	01	AD	27	F1	8D	AB	02	AD	F0	C810:	5F	00	01	57	C0	01	6B	C0	B5
C648:	37	F1	8D	AC	02	A2	0F	A0	FF	C818:	01	6B	C0	01	57	C0	00	5F	BD
C650:	0F	CA	BD	18	F1	99	18	F1	95	C820:	00	54	5F	17	64	5F	1B	55	1F
C658:	BD	28	F1	99	28	F1	88	D0	3D	C828:	5F	57	55	5F	57	55	5F	57	F6
C660:	F0	AD	AB	02	8D	18	F1	AD	F1	C830:	55	5F	57	64	1C	1B	54	28	54
C668:	AC	02	8D	28	F1	A5	01	09	6E	C838:	17	54	00	17	A0	00	0A	FF	65
C670:	02	85	01	A2	00	EE	0D	D0	68	C840:	00	00	00	00	00	00	00	00	40
C678:	D0	02	A2	06	EE	0F	D0	D0	93	C848:	00	00	00	00	00	00	00	00	48
C680:	02	A2	07	8A	F0	32	A8	0A	8C	C850:	00	00	00	00	00	00	00	00	50
C688:	AA	AD	AD	02	99	27	D0	AD	CF	C858:	00	18	00	00	3C	00	00	3C	E8

C860:	00	00	18	00	00	00	00	00	78	CA30:	00	A0	80	02	20	00	00	00	73
C868:	00	00	00	00	00	00	00	00	68	CA38:	00	00	00	00	00	00	00	00	38
C870:	00	00	00	00	00	00	00	00	70	CA40:	00	00	00	00	00	00	00	00	40
C878:	00	00	00	00	00	00	00	FF	78	CA48:	00	00	00	00	00	00	00	02	4A
C880:	00	00	00	00	00	00	00	AB	2C	CA50:	08	80	00	AA	00	08	AA	80	B6
C888:	C0	02	5A	F0	09	5A	FC	05	FB	CA58:	02	AA	00	02	AA	80	0A	AA	E6
C890:	5A	BC	25	6A	BF	25	AA	BF	86	CA60:	00	02	AA	80	0A	A8	00	00	40
C898:	26	AA	BF	2A	AA	BF	2A	AA	92	CA68:	A2	00	02	20	00	00	00	00	2D
C8A0:	BF	2A	AA	BF	2A	AA	BF	2A	B3	CA70:	00	00	00	00	00	00	00	00	70
C8A8:	AA	BF	2A	AA	BF	0A	AA	BC	19	CA78:	00	00	00	00	00	00	00	00	78
C8B0:	0A	AA	FC	02	AA	F0	00	AB	AB	CA80:	00	00	00	00	00	00	00	00	80
C8B8:	C0	00	00	00	00	00	00	00	79	CA88:	00	00	00	00	00	00	00	00	88
C8C0:	00	1B	00	00	5A	C0	00	6A	61	CA90:	00	00	00	82	00	00	28	00	3B
C8C8:	C0	00	AA	C0	00	AA	C0	00	60	CA98:	02	AA	00	00	AA	80	02	AA	1D
C8D0:	2B	00	00	2B	00	1C	2F	18	8A	CAA0:	00	00	2A	00	00	88	80	00	D3
C8D8:	6B	9B	5B	6B	AB	AB	AB	AB	55	CAA8:	00	00	00	00	00	00	00	00	A8
C8E0:	EB	2C	2F	2C	00	2B	00	00	7F	CAB0:	00	00	00	00	00	00	00	00	B0
C8E8:	1B	00	00	5A	C0	00	6A	C0	4A	CAB8:	00	00	00	00	00	00	00	00	B8
C8F0:	00	AA	C0	00	AA	C0	00	2B	F2	CAC0:	00	00	00	00	00	00	00	04	C4
C8F8:	00	00	00	00	00	00	00	00	F8	CAC8:	00	00	04	00	00	15	00	00	E1
C900:	00	00	00	00	00	00	00	00	00	CAD0:	19	00	00	13	00	00	23	00	20
C908:	00	0B	00	F0	07	00	F0	0A	06	CAD8:	00	23	00	00	23	00	00	23	42
C910:	AB	F0	06	BF	F0	0A	EB	F0	4A	CAE0:	00	00	23	00	00	23	00	00	27
C918:	A6	5A	FF	6A	6A	FF	A6	AA	3F	CAE8:	23	00	00	23	00	00	2B	00	5A
C920:	FF	6A	AA	FF	A6	AA	FF	0A	90	CAF0:	00	2F	00	00	0C	00	00	0C	38
C928:	EB	F0	06	BF	F0	0A	AB	F0	62	CAF8:	00	00	00	00	00	00	00	C3	BC
C930:	0B	00	F0	0B	00	F0	00	00	28	CB00:	00	00	00	00	00	00	00	2F	2F
C938:	00	00	00	00	00	00	00	FF	38	CB08:	00	00	AB	C0	00	A3	C0	00	D8
C940:	01	FF	C0	06	FF	F0	1A	BE	D1	CB10:	40	C0	00	40	C0	01	40	F0	44
C948:	FC	6A	FF	BF	AA	7F	BF	A9	03	CB18:	01	80	F0	01	80	F0	01	80	7E
C950:	EB	FF	A7	FF	FF	9F	FF	FF	83	CB20:	F0	01	80	F0	02	80	F0	02	F8
C958:	BF	BE	FF	BF	AA	FF	BE	D7	D7	CB28:	80	F0	00	80	C0	00	80	C0	1C
C960:	BF	BF	AA	FF	BF	BE	FF	9F	A8	CB30:	00	A3	C0	00	AB	C0	00	2F	30
C968:	FF	FF	A7	FF	FF	A9	EB	FF	A5	CB38:	00	00	00	00	00	00	00	22	5A
C970:	AA	7F	BF	6A	FF	BF	1A	BE	5D	CB40:	00	00	00	00	00	00	00	2B	6B
C978:	FC	06	FF	F0	01	FF	C0	01	2F	CB48:	00	00	AB	C0	02	80	F0	02	2A
C980:	20	20	20	08	82	80	8A	AA	21	CB50:	80	F0	02	00	30	0A	00	3C	3A
C988:	8A	2A	AA	A8	AA	AA	A0	2A	B0	CB58:	06	00	3C	06	00	3C	06	00	E2
C990:	AA	AA	AA	AA	AA	2A	AA	A8	63	CB60:	3C	06	00	3C	06	00	3C	06	27
C998:	0A	AA	A0	AA	AA	A8	2A	AA	C0	CB68:	00	3C	01	00	30	01	80	F0	48
C9A0:	AA	2A	AA	AA	0A	AA	A2	2A	4C	CB70:	02	80	F0	00	AB	C0	00	2F	7F
C9A8:	AA	A8	AA	AA	AA	0A	AA	A2	53	CB78:	00	00	00	00	00	00	00	43	BB
C9B0:	2A	AA	A8	AA	AA	A8	2A	2A	80	CB80:	00	00	00	00	00	00	00	AF	30
C9B8:	8A	28	88	82	80	08	22	00	21	CB88:	C0	02	AA	F0	0A	00	3C	0A	37
C9C0:	00	00	00	00	02	00	08	22	EC	CB90:	00	3C	28	00	0F	28	00	0F	3B
C9C8:	00	02	0A	08	2A	AA	A0	0A	5C	CB98:	28	00	0F	20	00	03	20	00	13
C9D0:	AA	88	8A	AA	A2	2A	AA	A8	59	CBA0:	03	20	00	03	28	00	0F	28	26
C9D8:	0A	AA	A0	2A	AA	A8	2A	AA	80	CBA8:	00	0F	14	00	0F	05	00	3C	1C
C9E0:	A8	0A	AA	AA	0A	AA	A0	2A	68	CBB0:	05	00	3C	01	5A	F0	00	5F	9D
C9E8:	AA	A8	2A	AA	A0	0A	AA	A0	07	CBB8:	C0	00	00	00	00	00	00	32	AB
C9F0:	20	A8	A0	02	A2	20	02	00	21	CBC0:	00	00	00	00	00	00	00	2B	EB
C9F8:	08	00	00	00	00	00	00	00	01	CBC8:	00	00	AB	C0	02	80	F0	02	AA
CA00:	00	00	00	00	00	00	00	00	00	CBD0:	80	F0	02	00	30	0A	00	3C	BA
CA08:	00	02	08	00	08	88	20	02	C4	CBD8:	0A	00	3C	0A	00	3C	0A	00	6F
CA10:	AA	80	02	AA	80	2A	AA	88	C5	CBE0:	3C	0A	00	3C	0A	00	3C	0A	B3
CA18:	02	AA	A0	0A	AA	80	2A	AA	6F	CBE8:	00	3C	02	00	30	02	80	F0	CA
CA20:	A8	02	AA	80	0A	AA	A0	22	6D	CBF0:	01	40	F0	00	55	40	00	15	CD
CA28:	AA	00	02	AA	80	08	AA	00	B2	CBF8:	00	00	00	00	00	00	00	43	3C

IMPORTANT!

Letters on white background are **Bug Repellent** line codes. Do not enter them! Pages 73 and 74 explain these codes and provide other essential information on entering **Ahoy!** programs. Refer to these pages **before** entering any programs!

```
CC00: 00 00 00 00 00 00 00 2F 2F
CC08: 00 00 AB C0 00 A3 C0 00 D8
CC10: 80 C0 00 80 C0 02 80 F0 06
CC18: 02 80 F0 02 80 F0 02 80 81
CC20: F0 02 80 F0 02 80 70 02 79
CC28: 80 70 00 80 40 00 80 40 9A
CC30: 00 A1 40 00 A9 C0 00 2D A9
CC38: 00 00 00 00 00 00 00 22 5A
CC40: 00 00 00 00 00 00 00 0C 4C
CC48: 00 00 0C 00 00 2B 00 00 7F
CC50: 25 00 00 21 00 00 21 00 B7
CC58: 00 21 00 00 21 00 00 21 BB
CC60: 00 00 22 00 00 22 00 00 A4
CC68: 22 00 00 22 00 00 2B 00 D7
CC70: 00 2F 00 00 0C 00 00 0C B7
CC78: 00 00 00 00 00 00 00 C3 3C
CC80: 00 00 00 00 00 00 00 0B 8B
CC88: 00 00 07 00 00 07 00 00 96
CC90: 07 00 00 07 00 00 07 00 A5
CC98: 00 07 00 00 07 00 00 0B B1
CCA0: 00 00 0B 00 00 0B 00 00 B6
CCA8: 0B 00 00 0B 00 00 0B 00 C9
CCB0: 00 0B 00 00 0B 00 00 0B D1
CCB8: 00 00 00 00 00 00 00 C3 7C
CCC0: 00 00 00 00 00 00 00 C0
CCC8: 00 00 00 00 00 CC C0 0C 62
CCD0: F5 30 03 FD 40 33 EF 40 9B
CCD8: 0E FF 5C 0F BE D0 0F FF F0
CCE0: D0 3E FF D0 0F EE D0 0E 9D
CCE8: FF 5C 33 FB 40 03 BD 40 B5
CCF0: 0C F5 30 03 03 00 00 00 29
CCF8: 00 00 00 00 00 00 00 00 F8
CD00: 00 00 00 00 00 00 00 00 00
CD08: 00 0F C3 F0 0C 00 30 0C 14
CD10: 00 30 0C 00 30 0C 00 30 B8
CD18: 0C 00 30 00 28 00 00 28 A4
CD20: 00 00 28 00 0C 00 30 0C 90
CD28: 00 30 0C 00 30 0C 00 30 D0
CD30: 0C 00 30 0F C3 F0 00 00 30
CD38: 00 00 00 00 00 00 00 00 38
CD40: 00 A2 18 A9 00 9D 00 D4 17
CD48: CA 10 FA A9 0F 8D 18 D4 51
CD50: A9 00 8D E6 02 A9 F0 8D 98
CD58: 0D D4 A9 11 8D 0B D4 A9 0C
CD60: 19 8D 09 D4 8D 0A D4 60 B1
CD68: A9 A0 85 FA A9 CD 85 FB 2C
CD70: CE E5 02 D0 21 A9 0A 8D 5A
CD78: E5 02 AC E6 02 38 C0 40 2F
CD80: 90 05 A0 00 8C E6 02 B1 DD
CD88: FA 8D 08 D4 C8 B1 FA 8D F0
CD90: 07 D4 C8 8C E6 02 AD E5 3E
CD98: 02 18 69 64 8D 09 D4 60 4C
CDA0: 1C 31 00 00 12 D1 00 00 D1
CDA8: 19 1E 00 00 19 1E 00 00 17
CDB0: 1C 31 00 00 12 D1 00 00 E1
CDB8: 19 1E 00 00 19 1E 00 00 27
```

```
CDC0: 1C 31 00 00 15 1F 00 00 42
CDC8: 19 1E 00 00 19 1E 00 00 37
CDD0: 1C 31 00 00 15 1F 00 00 52
CDD8: 19 1E 00 00 19 1E 00 FF 47
CDE0: 00 E0
```

3-D GRAPHIC PROJECTOR FROM PAGE 41

3-D BOOTER

```
•10 IFA=0THENA=1:LOAD"LINE",8,1 LG
•20 PRINT"[CLEAR][DOWN][DOWN]L[s 0]"CHR$( PP
34)"3-D"CHR$(34)",8
•30 PRINT"[4"[DOWN]]"RUN":PRINT"[HOME]";: EJ
POKE198,2:POKE631,13:POKE632,13:END
```

3-D

```
•10 DIMXE(300),YE(300),C%(300) OK
•12 FORT=54272TO54296:POKET,..:NEXT GC
•15 POKE54296,2:POKE54277,8:POKE54278,240 DA
•17 POKE54276,33 DO
•20 SYS50448:U=50630:Q=1:W=2 MF
•40 POKE53280,14:POKE53281,14:POKE646,6 NE
•50 PRINT"[CLEAR][6"[DOWN]]"[CTRL N][5" " ]
[s W][s E][s L][s C][s O][s M][s E] [s T][s O][DOWN][DOWN]" KO
•60 PRINT"[BLACK][14" "]3-[s D] JE
•70 PRINT"[16" "] [s G]RAPHIC" IL
•75 PRINT"[19" "] [s P]ROJECTOR" OL
•77 PRINT"[DOWN][DOWN][BLUE][21" "] [s B]Y HP
: [s E]RIC [s F]ORTIER" MC
•78 PRINT"[21" "]ON: [s O]CT 26 1987"
•79 PRINT"[4"[DOWN]]"[11" "] [s H]IT A KEY LC
TO START." NM
•80 V$="[20"[RIGHT]]" KM
•90 POKE198,0:WAIT198,1 MF
•100 POKE198,0:BA=16384:INPUT"[CLEAR][4"[ DOWN]]"[s L]OCATION FOR DATA: ";BA:NM=BA FD
•110 PRINT"[CLEAR][RVSON][40" "];
•120 PRINT"[RVSON][15" "][s M]AIN [s M]EN HE
U[16" "]; BI
•130 PRINT"[RVSON][40" "]; CI
•140 PRINT"[DOWN][CTRL N][s C]HOOSE:" LP
•150 PRINT"[DOWN][3" " ]1. [s M]AKE A NEW KA
PICTURE" PO
•160 PRINT"[3" " ]2. [s E]DIT PICTURE IN M KB
EMORY" KP
•170 PRINT"[3" " ]3. [s V]IEW PICTURE IN M DC
EMORY"
•180 PRINT"[3" " ]4. [s L]OAD A PICTURE"
•190 PRINT"[3" " ]5. [s S]AVE A PICTURE"
•200 PRINT"[3" " ]6. [s Q]UIT:PRINT"[DOWN ][BLACK][s Y]OUR CHOICE:[BLUE]";
```


•210 GETC\$:IFC\$=""THEN210	AA	•550 GETA\$:IFA\$=""THEN550	KF
•220 IFC\$<"1"ORC\$>"6"THEN210	HE	•560 SYS50448:POKE53280,14:GOTO260	GE
•230 ONVAL(C\$)GOSUB690,1130,250,580,1820,570	KP	•570 POKE49999,0:SYS49999	DA
•240 GOTO110	AM	•580 PRINT" [s L]OAD A FILE.":FORT=1TO400	EH
•250 PRINT" [s V]IEW A PICTURE.":FORT=1TO400:NEXT	PB	:NEXT	
•260 PRINT"[CLEAR][CTRL N][DOWN][DOWN]"	JK	•590 PRINT"[CLEAR][CTRL N][RVSON][40" "]"	AM
•270 PRINT"[s P]RESS: <[s C][s R]> FOR [s P]ROJECTION"	OE	;	PE
•280 PRINT"[7" "<[s M]> FOR [s M]AIN [s M]ENU.":PRINT"[DOWN][s Y]OUR [s C]HOICE:";	HM	•610 PRINT"[40" "]:BA=NM	JB
•290 GETA\$:IFA\$=""THEN290	IB	•620 INPUT "[DOWN][s D]ESIRE FILE:":N\$	KM
•300 IFA\$="M"THENPRINT" [s M]AIN [s M]ENU.":FORT=1TO300:NEXT:RETURN	DK	•622 IFN\$=""THENRETURN	KJ
•310 IFA\$=CHR\$(13)THENPRINT" [s P]ROJECTION.":FORT=1TO400:NEXT:GOTO330	LL	•623 OPEN15,8,0,N\$+ ".3D,S,R"	HP
•320 GOTO290	GA	•625 PRINT"[DOWN][s L]OADING[3" "]."]"	HF
•330 PRINT"[CLEAR][RVSON][40" "];	ME	•640 GET#15,A\$,B\$,C\$:A=ASC(A\$+CHR\$(0)):B=ASC(B\$+CHR\$(0)):C=ASC(C\$+CHR\$(0))	JI
•331 PRINT"[RVSON][15" "][s P]ROJECTION[15" "];	LL	•650 POKEBA,A:BA=BA+1:POKEBA,B:BA=BA+1:POKEBA,C:BA=BA+1:IFST=0THEN640	PJ
•332 PRINT"[RVSON][40" "];	NB	•660 CLOSE15:POKE54272,0:PRINT"[DOWN][s F]ILE [s L]OADED."	DC
•339 E=0:INPUT"[3" "[DOWN]"] [s I]NPUT [s X] EXTENTION:":E:E=E+180	OA	•670 FORT=1TO700:GETA\$:IFA\$=""THENNEXT	BM
•340 F=0:INPUT"[s I]NPUT [s Y] EXTENTION:":F:F=F+180	AI	•680 RETURN	DI
•350 TX=160	FM	•690 PRINT" [s M]AKE A PICTURE.":FORT=1TO400:NEXT	GO
•360 TY=100	FP	•700 PRINT"[CLEAR][CTRL N][RVSON][40" "];	IK
•370 RH=180:INPUT "[s I]NPUT [s R][s H][s O] VALUE:":RH	KI	•710 PRINT"[RVSON][11" "][s M]AKE A NEW PICTURE[11" "];	HN
•380 TH=0:INPUT "[s I]NPUT [s T][s H][s E][s T][s A] IN DEGREES:":TH:TH=-TH	CC	•720 PRINT"[RVSON][40" "];	CI
•390 PH=0:INPUT "[s I]NPUT [s P][s H][s I] IN DEGREES:":PH:PH=-PH	AM	•730 PRINT"[DOWN][s P]RESS: <[s M]> TO MAKE A NEW PICTURE,"	CG
•400 PRINT"[DOWN][s S]CALING PICTURE, [s P]LEASE STAND BY.":FORT=1TO700:NEXT:POKE53265,11	JG	•740 PRINT"[8" "<[s R]> TO RETURN TO MENU."	PE
•405 POKE54272,30	MG	•750 PRINT"[DOWN][s C]HOICE:":	LL
•410 K0=.0174532925:TH=TH*K0:PH=PH*K0:CY=199	EK	•760 GETA\$:IFA\$=""THEN760	GA
•420 S1=SIN(TH):C1=COS(TH):S2=SIN(PH):C2=COS(PH)	BO	•770 IFA\$="R"THENPRINT" [s R]ETURN TO MENU.":FORT=1TO400:NEXT:GOTO110	NN
•430 S3=C1*S2:S4=S1*S2:S5=C1*C2:S6=S1*C2	GA	•780 IFA\$<"M"THEN760	FB
•440 W1=1E20:W3=W1	KN	•790 PRINT" [s M]AKE A PICTURE!":FORT=1TO400:NEXT:O=0	NL
•450 BA=NM:O=0	PK	•800 BA=NM+(O-1)*7	PO
•460 Y=PEEK(BA+Q):IFPEEK(BA)THENY=-Y	HC	•810 PRINT"[CLEAR][4" "[DOWN]"] [s L]AST DATA:":;IFO=0THENPRINT" [RVSON][s N]ONE.":PRINT:GOTO950	II
•470 Z=PEEK(BA+3):IFPEEK(BA+2)THENZ=-Z	KM	•820 PRINT" [s S]ET #"O	CA
•480 X=PEEK(BA+5):IFPEEK(BA+4)THENX=-X	HM	•830 X=PEEK(BA+1)	LM
•490 C%(0)=PEEK(BA+6):BA=BA+7	OO	•840 IFPEEK(BA)=1THENX=-X	OL
•500 XO=-X*S1+Y*C1:YO=-X*S3-Y*S4+Z*C2:ZO=-X*S5-Y*S6+RH	EM	•850 BA=BA+2	OE
•510 XE(0)=E*XO/ZO+TX:YE(0)=TY-F*YO/ZO	JE	•860 Y=PEEK(BA+1):IFPEEK(BA)=1THENY=-Y	GI
•520 O=O+Q:IFPEEK(BA)<WTHEN460	PD	•870 BA=BA+2	AI
•525 POKE54272,0	AH	•880 Z=PEEK(BA+1):IFPEEK(BA)=1THENZ=-Z	BH
•530 O=O-Q:POKE53280,0:SYS50977:FORT=0TOO:IFC%(T)=QTHENSYSU,X1,Y1,XE(T),YE(T)	BE	•890 BA=BA+2	AM
•540 X1=XE(T):Y1=YE(T):NEXT	GB	•900 C=PEEK(BA):BA=BA+1	OO
		•910 PRINT:PRINT"[DOWN] [s X]="X	OE
		•920 PRINT" [s Y]="Y	DC
		•930 PRINT" [s Z]="Z	EA
		•940 PRINT" [s C]="C	AK
		•950 PRINT"[DOWN][DOWN][s S]ET #"O+1	HD


```

•960 X=999:INPUT"[s E]NTER [s D]ATA ([s X
],[s Y],[s Z],[s C])";X,Y,Z,C:IFX=999THE
NBA=NM+O*7:GOTO1070
•970 BA=NM+O*7
•980 IFX<0THENPOKEBA,1:POKEBA+1,-X:GOTO10
00
•990 POKEBA,,:POKEBA+1,X
•1000 BA=BA+2
•1010 IFY<0THENPOKEBA,1:POKEBA+1,-Y:GOTO1
030
•1020 POKEBA,,:POKEBA+1,Y
•1030 BA=BA+2
•1040 IFZ<0THENPOKEBA,1:POKEBA+1,-Z:GOTO1
060
•1050 POKEBA,,:POKEBA+1,Z
•1060 BA=BA+2:POKEBA,C:O=O+1:GOTO800
•1070 IFO=0THENPRINT"[DOWN][DOWN][s N]O P
ICTURE CONSTRUCTED.":FORT=1TO300:NEXT:RE
TURN
•1080 POKEBA,255:POKEBA+1,255
•1090 PRINT"[DOWN][DOWN][s P]ICTURE [s F]
INISHED: "O" SETS OF DATA."
•1100 FORT=1TO1000:GETA$:IFA$=""THENNEXT
•1110 RETURN
•1120 END
•1130 PRINT"[s E]DIT A PICTURE.":FORT=1T
O400:NEXT
•1140 PRINT"[CLEAR][RVSON][40" "];
•1150 PRINT"[8" "][RVSON][s E]DIT A CURRE
NT PICTURE[10" "];
•1160 PRINT"[40" "];
•1170 PRINT:PRINT"[s D]O YOU WANT THE [s
D]ATA [s L]IST? ([s Y]/[s N]) ";
•1180 GETA$:IFA$=""THEN1180
•1190 IFA$="N"THENPRINT"[s N]O.":FORT=1TO
200:NEXT:GOTO1370
•1200 IFA$<>"Y"THEN1180
•1210 PRINT"[s Y]ES.":FORT=1TO400:GETA$:I
FA$=""THENNEXT
•1220 BA=NM:O=1:PRINT"[CLEAR]";:U$=""
•1230 X=PEEK(BA+1):IFPEEK(BA)=255ANDPEEK(
BA+1)=255THEN1360
•1240 IFPEEK(BA)=1THENX=-X
•1250 BA=BA+2:X$=RIGHT$(" "+STR$(X),3)
•1260 Y=PEEK(BA+1):IFPEEK(BA)=1THENY=-Y
•1270 BA=BA+2:Y$=RIGHT$(" "+STR$(Y),3)
•1280 Z=PEEK(BA+1):IFPEEK(BA)=1THENZ=-Z
•1290 BA=BA+2:Z$=RIGHT$(" "+STR$(Z),3)
•1300 C=PEEK(BA):BA=BA+1:O$=RIGHT$(" "+S
TR$(O),3):SC=SC+1
•1310 GETA$:IFA$="S"THEN1360
•1320 IFSC=24THENU$=V$:PRINT"[HOME]";
•1330 IFSC=47THENU$="":PRINT"[HOME]"V$[5
"[LEFT"]][RVSON][s H][s I][s T][s A][s
K][s E][s Y]":POKE198,0:WAIT198,1:PRINT
"[CLEAR]";
•1340 IFSC=47THENSCL=1
•1350 PRINT:PRINTU$O$)";X$,"Y$,"Z$,"C

```

```

;:O=O+1:GOTO1230
•1360 PRINT"[HOME][RVSON][15" "][s H][s I
][s T][s A][s K][s E][s Y][16" "]:POK
E198,0:WAIT198,1
•1370 PRINT"[CLEAR]";
•1380 SC=0:PRINT"[DOWN][s D]O YOU WISH TO
:":PRINT
•1390 PRINT"[4" "1. [s C]ONTINUE TO ENTE
R DATA"
•1400 PRINT"[4" "2. [s C]ONTINUE FROM A
SPECIFIED SET"
•1410 PRINT"[4" "3. [s E]DIT SINGLE DATA
SET"
•1420 PRINT"[4" "4. [s Q]UIT TO [s M]AIN
[s M]ENU"
•1430 PRINT"[DOWN][s Y]OUR [s C]HOICE:":;
•1440 GETA$:IFA$=""THEN1440
•1450 IFA$="1"THENPRINT" 1.":FORT=1TO300:
NEXT:GOTO1790
•1460 IFA$="3"THENPRINT" 3.":FORT=1TO300:
NEXT:GOTO1500
•1470 IFA$="4"THENPRINT"[s M]AIN MENU.":
FORT=1TO300:NEXT:RETURN
•1480 IFA$="2"THENPRINT:INPUT "[DOWN]WHIC
H SET";O=O-1:GOTO800
•1490 GOTO1440
•1500 INPUT"[CLEAR][DOWN][DOWN][s W]HICH
SET OF DATA:":N
•1510 SE=(N-1)*7:BA=NM+SE
•1520 X=PEEK(BA+1):BA=BA+2:IFPEEK(BA-2)=1
THENX=-X
•1530 Y=PEEK(BA+1):BA=BA+2:IFPEEK(BA-2)=1
THENY=-Y
•1540 Z=PEEK(BA+1):BA=BA+2:IFPEEK(BA-2)=1
THENZ=-Z
•1550 C=PEEK(BA)
•1560 PRINT"[CLEAR][3"[DOWN]]"[s D]ATA SE
T #"N
•1570 PRINT"[s X]="X
•1580 PRINT" Y="Y
•1590 PRINT" Z="Z
•1600 IFC=0THENPRINT"[s B]EGINNING OF LI
NE (0).":GOTO1620
•1610 PRINT"[s T]HIS IS A LINE (1)."
•1620 C$="":PRINT"[DOWN][s C]HANGE OR [s
L]EAVE ([s C]/[s L]):";
•1630 GETA$:IFA$=""THEN1630
•1640 IFA$="L"THENPRINT" LEAVE.":FORT=1TO
300:NEXT:GOTO1680
•1650 IFA$<>"C"THEN1630
•1660 PRINT" CHANGE."
•1670 INPUT"[DOWN][s E]NTER NEW VALUES ([
s X],[s Y],[s Z],[s C]):";X,Y,Z,C:GOTO15
60
•1680 BA=NM+SE
•1690 IFX<0THENPOKEBA,1:POKEBA+1,-X:GOTO1
710
•1700 POKEBA,,:POKEBA+1,X

```

HP

ON

PK

IA

NK

PL

DL

MN

FA

EO

EJ

BA

HD

FK

CN

NO

BK

OJ

BA

JI

KC

NK

IL

CL

CD

ML

EP

PF

AA

CD

LC

HE

AL

KL

PK

OF


```

•1710 BA=BA+2
•1720 IFY<0THENPOKEBA,1:POKEBA+1,-Y:GOTO1740
•1730 POKEBA,,:POKEBA+1,Y
•1740 BA=BA+2
•1750 IFZ<0THENPOKEBA,1:POKEBA+1,-Z:GOTO1770
•1760 POKEBA,,:POKEBA+1,Z:PRINT"[CLEAR][4
"[DOWN]]";
•1770 IFA$<>"L"THENGOTO1560
•1780 BA=BA+2:POKEBA,C:GOTO1370
•1790 BA=NM:O=1:PRINT"[DOWN][s N]OW, WHERE WERE WE[3".]"
•1800 IFPEEK(BA)<>255ANDPEEK(BA+1)<>255THENBA=BA+1:O=O+1:GOTO1800
•1810 O=O/7:GOTO800
•1820 PRINT"[s S]AVE A FILE.":FORT=1TO400:NEXT
•1830 PRINT"[CLEAR][CTRL N][RVSON][40" "];
•1840 PRINT"[13" "][s S]AVE A FILE[16" "];
•1850 PRINT"[40" "];
•1860 INPUT "[DOWN][s D]ESIRED FILENAME.":N$
•1865 PRINT"[DOWN][s S]AVING[3".]"
•1870 POKE54272,35:OPEN15,8,1,N$+".3D,S,W"
•1880 BA=NM
•1890 IFPEEK(BA)=255THEN1910
•1900 PRINT#15,CHR$(PEEK(BA));:BA=BA+1:GOTO1890
•1910 PRINT#15,CHR$(255)CHR$(255):CLOSE15:PRINT"[DOWN][s F]ILE SAVED.":POKE54272,0
•1915 FORT=1TO500:GETA$:IFA$=""THENNEXT
•1918 RETURN

```

EJ
FP
AC
GH
KE
PH
NK
LK
EN
FG
KM
IN
OP
JA
KB
PG
AC
NB
CP
EF
ON
KH
OI
BD

LINES

Starting address in hex: C500

Ending address in hex: C83F

Flankspeed required for entry! See page 75.

```

C500: A9 3B 8D 11 D0 A9 08 8D 93
C508: 18 D0 A9 00 8D 00 DD 60 66
C510: A9 1B 8D 11 D0 A9 15 8D 90
C518: 18 D0 A9 03 8D 00 DD 60 79
C520: A9 00 85 FA A9 E0 85 FB 56
C528: A9 00 A2 00 A0 00 91 FA A1
C530: C8 D0 FB E6 FB E8 E0 20 92
C538: D0 F2 A9 10 A0 00 99 00 EF
C540: C0 99 00 C1 99 00 C2 99 52
C548: 00 C3 C8 D0 F1 60 A4 02 9E
C550: 98 29 F8 85 FE 85 FC A9 BB
C558: 00 85 FD 06 FC 26 FD 06 09
C560: FC 26 FD 18 A5 FC 65 FE A0
C568: 85 FC A5 FD 69 00 85 FD 7B
C570: 06 FC 26 FD 06 FC 26 FD BE
C578: 06 FC 26 FD 98 29 07 18 80

```

```

C580: 65 FC 85 FC A5 FD 69 00 72
C588: 85 FD 18 A5 FA 29 F8 65 4C
C590: FC 85 FC A5 FB 65 FD 85 9A
C598: FD 18 A9 00 65 FC 85 FC 3D
C5A0: A9 E0 65 FD 85 FD A5 FA B2
C5A8: 29 07 49 07 AA A9 01 CA 49
C5B0: 30 03 0A D0 FA A0 00 A2 FC
C5B8: 34 78 86 01 11 FC 91 FC 89
C5C0: A2 37 86 01 58 60 20 FD F8
C5C8: AE 20 EB B7 8E 02 00 AD 79
C5D0: 14 00 8D FA 00 AD 15 00 30
C5D8: 8D FB 00 20 FD AE 20 EB 3B
C5E0: B7 8E A9 02 AD 14 00 8D 22
C5E8: A7 02 AD 15 00 8D A8 02 8D
C5F0: A9 00 8D AD 02 8D AE 02 16
C5F8: A9 EE 8D 8A C6 8D B7 C6 7C
C600: AD A7 02 38 ED FA 00 8D 06
C608: AA 02 AD A8 02 ED FB 00 F6
C610: 8D AB 02 10 19 A9 00 8D AB
C618: B7 C6 38 A9 00 ED AA 02 13
C620: 8D AA 02 A9 00 ED AB 02 9F
C628: 8D AB 02 4C 40 C6 AD AA 0F
C630: 02 D0 0D AD AB 02 D0 08 44
C638: A9 FF 8D AD 02 8D AE 02 5D
C640: AD A9 02 38 ED 02 00 8D 4F
C648: AC 02 A9 00 E9 00 8D AF C7
C650: 02 10 16 A9 CE 8D 8A C6 CF
C658: A9 00 38 ED AC 02 8D AC 11
C660: 02 A9 00 ED AF 02 8D AF E8
C668: 02 20 32 C7 AD A9 02 CD AB
C670: 02 00 D0 11 AD A7 02 CD 79
C678: FA 00 D0 09 AD A8 02 CD 73
C680: FB 00 D0 01 60 AD AE 02 0D
C688: 10 19 EE 02 00 AD AA 02 FC
C690: 18 6D AD 02 8D AD 02 AD B0
C698: AB 02 6D AE 02 8D AE 02 A2
C6A0: 4C 69 C6 38 AD AD 02 ED A0
C6A8: AC 02 8D AD 02 AD AE 02 F2
C6B0: ED AF 02 8D AE 02 A9 EE 27
C6B8: F0 0B EE FA 00 D0 03 EE 61
C6C0: FB 00 4C 69 C6 38 AD FA 1A
C6C8: 00 E9 01 8D FA 00 AD FB E5
C6D0: 00 E9 00 8D FB 00 4C 69 F9
C6D8: C6 A9 C7 A0 00 99 00 CA 16
C6E0: 99 00 CB C8 D0 F7 A9 00 81
C6E8: 99 41 CB 99 00 CC C8 D0 8F
C6F0: F7 A9 3F 99 81 CC 99 81 D4
C6F8: CD C8 A9 01 99 81 CC 99 BB
C700: 81 CD C8 D0 EC A9 00 99 19
C708: 11 CE 99 A1 CE C8 D0 F7 83
C710: 20 20 C5 20 00 C5 A9 32 D7
C718: 8D 6A C6 A9 C7 8D 6B C6 08
C720: 60 20 20 C5 20 00 C5 A9 16
C728: 4E 8D 6A C6 A9 C5 8D 6B 9D
C730: C6 60 A9 00 8D FD CF A5 02
C738: 17 8D FE CF A5 18 8D FF F6
C740: CF A5 FA 85 17 A5 FB 85 74
C748: 18 A9 CA 18 65 18 85 18 08

```



```

C750: A0 00 A5 02 D1 17 B0 09 3B
C758: A9 01 8D FD CF A5 02 91 97
C760: 17 A5 17 18 69 41 85 17 93
C768: A5 18 69 01 85 18 B1 17 F6
C770: C5 02 B0 09 A9 01 8D FD 28
C778: CF A5 02 91 17 A5 02 0A 4A
C780: 85 17 A9 CC 69 00 85 18 9A
C788: A9 81 18 65 17 85 17 90 75
C790: 02 E6 18 A0 01 38 A5 FA 0C
C798: A0 00 F1 17 8D FC CF C8 65
C7A0: A5 FB F1 17 0D FC CF B0 D5
C7A8: 10 F0 0E A9 01 8D FD CF BD
C7B0: A5 FB 91 17 88 A5 FA 91 B5
C7B8: 17 A9 90 18 65 17 85 17 3B
C7C0: A9 01 65 18 85 18 A0 00 27
C7C8: 38 A5 FA F1 17 8D FC CF 05
C7D0: A5 FB C8 F1 17 0D FC CF 1E
C7D8: 90 10 F0 0E A9 01 8D FD AE
C7E0: CF A5 FB 91 17 88 A5 FA 24
C7E8: 91 17 AD FD CF F0 03 20 21
C7F0: 4E C5 AD FF CF 85 18 AD CD
C7F8: FE CF 85 17 60 A2 02 20 89
C800: C9 FF A9 00 20 D2 FF A9 10
C808: 20 20 D2 FF A9 00 85 FB 46
C810: A9 E0 85 FC A0 00 A2 34 94
C818: 78 86 01 B1 FB A2 37 86 26
C820: 01 58 20 D2 FF E6 FB D0 20
C828: 02 E6 FC A5 FB C9 41 D0 8B
C830: E5 A5 FC C9 FF D0 DF 20 53
C838: CC FF 60 00 FF 00 00 00 65

```

PHANTASY FROM PAGE 18

```

•10 COLOR.,1:COLOR4,12:PRINTCHR$(147)CHR$
(11)CHR$(142)CHR$(27)CHR$(77)"[CYAN]STAN
D BY":FORJ=3584TO3968:READI$:POKEJ,DEC(I
$):NEXT JO
•20 PRINT"[CLEAR][DOWN]"TAB(17)"[CYAN]C-1
28":PRINT"[DOWN] [PURPLE][c *][RVSON] "; OA
•30 PRINT" [c *][RVSOFF][c *][RVSON] [RV
SOFF] [c *][RVSON] [RVSOFF] [RVSON][sEP]
[c *][RVSOFF][c *][RVSON] [c *][RVSOFF]
[c *][RVSON] [sEP][3" "][c *][sEP] [c
*][sEP] [c *][RVSOFF][c *][RVSON][c *]
[RVSOFF] [RVSON][sEP][RVSOFF][sEP]"; KN
•40 PRINT" [RVSON] [RVSOFF] [RVSON] [RV
SOFF] [RVSON] [RVSOFF] [RVSON] [RVSOFF]
[RVSON] [RVSOFF] [RVSON] [RVSOFF] [RV
SON] "; AJ
•50 PRINT"[RVSOFF][c *][RVSON][c *][RVSOFF]
F] [RVSON] [RVSOFF][sEP] [RVSON] [RVSOFF]
[c *][RVSON] [RVSOFF] [RVSON] [RVSOFF]
F][4" "][c *][RVSON] [RVSOFF][sEP]" NN

```

```

•60 PRINT" [CYAN][RVSON][3" "][RVSOFF][s
EP] [RVSON][4" "][RVSOFF] [RVSON][4" "][
RVSOFF] [RVSON] [RVSOFF] [c *][RVSON][c
*][RVSOFF] [RVSON] [RVSOFF] [RVSON][4
" "][RVSOFF][c *][RVSON] [c *][RVSOFF]
[RVSON] " GE
•70 PRINT" [RVSON] [RVSOFF][4" "][RVSON]
[RVSOFF] [RVSON] [RVSOFF] [RVSON] [RV
SOFF] [RVSON] [RVSOFF] [RVSON] [RVSOFF]
[c *][RVSON] [RVSOFF] [RVSON] [RVSOFF]
[RVSON] [RVSOFF] [RVSON] [RVSOFF][3"
"] [RVSON] [RVSOFF] [RVSON] " AN
•80 PRINT" [PURPLE][RVSON] [RVSOFF][4" "
][RVSON] [RVSOFF] [RVSON] [RVSOFF] [RV
SON] [RVSOFF] [RVSON] [RVSOFF] [RVSON] [
RVSOFF][3" "][RVSON] [RVSOFF] [RVSON] [
RVSOFF] [RVSON] [RVSOFF] [RVSON] [RVSO
FF][3" "][RVSON] [RVSOFF] [RVSON] " LN
•90 PRINT"[RIGHT][RVSON][sEP][RVSOFF][sEP]
][3" "][RVSON][sEP][RVSOFF][sEP] [RVSON]
[sEP][RVSOFF][sEP][RVSON][sEP][RVSOFF][s
EP] [RVSON][sEP][RVSOFF][sEP][RVSON][sEP]
[RVSOFF][sEP] "; FA
•100 PRINT"[RIGHT][RVSON][sEP][RVSOFF][sE
P] [RVSON][sEP][RVSOFF][sEP] [RVSON][sEP]
[RVSOFF][sEP] [RVSON][sEP][RVSOFF][sEP]
[RVSON][sEP] [RVSOFF][sEP] [RVSON][sEP]
[RVSOFF][sEP]" FO
•110 PRINTTAB(19)"[DOWN][DOWN]BY":PRINTTA
B(10)"[DOWN]CLEVELAND M. BLAKEMORE":PRIN
TTAB(12)"[DOWN][DOWN][CYAN]FOR AHoy! MAG
AZINE":CHAR,16,23,"[c 7]DREAMING[3" "."]" GN
•120 REM INITIALIZE VARIABLES LD
•130 CLR:DIM J,X,Y,C,U,M,T,R,D,L,K,F,P,B,
Z,G,Q,V,S,I,RX,RY,R1,R2,DF,I$,J$ KF
•140 DIM R(2,2,19),K$(2,2,5),P(39):RESTOR
E740:GOSUB470:FORJ=.TO7:READI,C:POKE2040
+J,I:POKE53248+39+J,C:NEXT:FORJ=.TO38STE
P2:P(J)=170:P(J+1)=140:NEXT DK
•150 FORL=1TO5:FORJ=.TO2:FORI=.TO2:READK$
(I,J,L):NEXTI,J,L AJ
•160 P=2040:B=56:Z=.U=1:M=2:T=5:G=15:R=4
5:K=129:Q=360:F=.V=53248:DF=96 AI
•170 MOVSPR8,192,164:MOVSPR7,110,164:MOV
SPR6,150,164:POKEV+27,254 FH
•180 DEFFNL(J)=(X>12ANDX<334ANDY>38ANDY<2
38) GJ
•190 I$="[BLUE][c A][s C][c S][DOWN][3" [L
EFT]"[c 7]":J$="[3" [LEFT]"[BLUE][s B][
RIGHT][s B][DOWN][3" [LEFT]"[c Z][s C][c
X]" HF
•200 FORX=1TO5:CHAR.,1+X*6,19:PRINTI$,X;J
$:NEXT:CHAR,12,23,"CHOOSE SKILL LEVEL" IG
•210 L=1:C=.DO:IFL<>CTHENCHAR.,1+L*6,19:
PRINT"[RVSON]I$;L;J$:C=L:FORX=.TO30:NEX
T JI

```


GE
AN
LN
FA
FO
GN
LD
KF
DK
AJ
AI
FH
GJ
HF
IG
JI

```

.220 IFJOY(2)=3THENL=L+1+(L=5)*5
.230 IFJOY(2)=7THENL=L-1+(L=1)*-5
.240 IFC<>LTHENCHAR.,1+C*6,19:PRINTI$;C;J
$:FORX=.TO30:NEXT
.250 LOOPUNTILJOY(2)>127:PRINT"[CLEAR]"
.260 MOVSPR1,200,160:SPRITE1,,15:RX=2:RY
=2
.270 GOSUB520
.280 FORJ=.TO10:C=BUMP(U):C=BUMP(U):C=BUM
P(M):C=BUMP(M):NEXT:POKEV+21,PEEK(V+21)O
R1OR(RX<>MORRY<>M)*-((L>U)*-8+16):D=U+(L
>M)*-M
.290 REM MAIN LOOP
.300 DO:X=RSPPPOS(U,.):Y=RSPPPOS(U,U):A=JOY
(M):J=AANDG:IFJTHENMOVSPRU,T;(J-U)*R:Z=-
(Z=.):POKEP,B+Z
.310 MOVSPRM+M+RND(.)*M,RND(.)*Q#D:C=BUMP
(M):IF(CANDU)THENMOVSPRU,X,Y
.320 C=BUMP(U):LOOPUNTILFNL(.)=.OR(CANDU)
:ON-(FNL(.))+UGOTO380,330
.330 IFC=9ORC=17ORC=25THENCHAR,13,10,"[WH
ITE]C [RED]A [CYAN]P [PURPLE]T [GREEN]U
[BLUE]R [YELLOW]E [c 1]D":POKEV+21,PEEK(
V+21)AND254:SOUND1,30000,200,1,100,100,.
:SLEEP5:POKEV+21,.:RUN20
.340 IF(C=3ORC=5)ANDF=.THENF=U:POKEV+21,P
EEK(V+21)AND249:SOUND1,25000,5:K$(RX,RY,
L)=""C=BUMP(U):C=BUMP(U):GOTO300:ELSEIF
C=3ORC=5THEN300
.350 IF(C=33ORC=65)ANDFTHENSOUND1,8000,10
,1,100,900,.:F=.:POKEV+21,PEEK(V+21)AND(
255-(CAND254)):DF=DFAND(255-(CAND254)):C
=BUMP(U):C=BUMP(U):GOTO300
.360 IFC=33ORC=65THENMOVSPRU,X,Y:MOVSPRU,
+T,+.C=BUMP(U):C=BUMP(U):SOUNDU,P*M,U,,
,3:GOTO300
.370 IFC=KTHENCHAR,14,10,"[WHITE]E [RED]S
[CYAN]C [PURPLE]A [GREEN]P [BLUE]E [YEL
LOW]D [c 1]!":POKEV+21,PEEK(V+21)AND254:
SOUND1,20000,200,2,2000,8000,2:SLEEP5:PO
KEV+21,.:RUN20:ELSE300
.380 POKEV+21,.:MOVSPR4,.#.:MOVSPR5,.#.
.390 P((RX+1)*(RY+1)*4)=RSPPPOS(4,.):P((RX
+1)*(RY+1)*4+1)=RSPPPOS(4,1)
.400 P((RX+1)*(RY+1)*4+2)=RSPPPOS(5,.):P((
RX+1)*(RY+1)*4+3)=RSPPPOS(5,1)
.410 IFX=<12THENRX=RX-U+(RX=.)*-3:MOVSPR1
,330,Y
.420 IFX=>334THENRX=RX+U+(RX=M)*3:MOVSPR1
,16,Y
.430 IFY=<38THENRY=RY-U+(RY=.)*-3:MOVSPR1
,X,233
.440 IFY=>238THENRY=RY+U+(RY=M)*3:MOVSPR1
,X,43
.450 GOTO270
.460 REM READ ROOM DATA IN
.470 FORRY=.TO2:FORRX=.TO2:J=.
.480 READR1,R2:IFR1=.THEN500

```

DB
CF
PL
CC
MA
CI
PG
BN
AG
BL
EK
CN
DK
GB
CM
AB
PF
AC
KD
CO
EB
KJ
DN
NI
HH
EB
CM

```

.490 R(RX,RY,J)=R1:R(RX,RY,J+1)=R2:J=J+2:
GOTO480
.500 NEXT:NEXT:RETURN
.510 REM DRAW ROOM SCREEN IN RX,RY
.520 PRINT"[BLUE][CLEAR]":J=.
.530 R1=R(RX,RY,J):R2=R(RX,RY,J+1):IFR1=.
THEN570
.540 S=1:IFR2-R1>40THENS=40
.550 FORI=R1TOR2STEPS:POKEI,160:NEXT
.560 J=J+2:GOTO530
.570 IFRX=UANDRY=MTHENPOKEV+21,128
.580 IFRX=MANDRY=MTHENPOKEV+21,DF
.590 MOVSPR4,P((RX+1)*(RY+1)*4),P((RX+1)*
(RY+1)*4+1)
.600 MOVSPR5,P((RX+1)*(RY+1)*4+2),P((RX+1)
*(RY+1)*4+3)
.610 IFK$(RX,RY,L)>""THENI$=K$(RX,RY,L):M
OVSPR(VAL(LEFT$(I$,1))),VAL(MID$(I$,2,3)
),VAL(MID$(I$,5,3)):SPRITE(VAL(LEFT$(I$,
1))),1,8:J=FRE(U)
.620 RETURN
.630 REM SPRITE DATA
.640 DATA 0,,,,,,,,,,,,,78,,,78,,,78,,,
1,FE,,,3,FF,,,6,FD,80,3,79,80,,,7B,,,FC,,,C
C,,,CC,,,1,CC
.650 DATA 0,,,C,,,E,,,,,,,,,,,,,
,,,78,,,78,,,78,,,1,FE,,,3,FF,,,6,FD,80,6,7B
,80
.660 DATA 3,78,,,FC,,,CC,,,CC,,,CE,,,C0,,,
1,C0,,,,,,,,,,,,,0
.670 DATA 0,,,1,C0,,,1,7F,C0,1,C1,40,,,,,
,,,,,2,,,40,5,,,A0,A,8
1
.680 DATA 50,2,42,40,2,24,40,1,E7,80,,,18,
,78,,,1C,84,3C,23,98,42,19,A0,BD,9,98,,,79
,86,,,81,B1,,,71,AE,,,9,A0,,,12,9C,,,24,42,,,1
8,3C,,,0
.690 DATA 0,,,,,,,,,,,,,1,F0,,,E,E,,,9,F2,,,9
,12,,,9,F2,,,8,2,,,F,FE,,,C,1,,,A,,,80,9,FF,C0
,8,80,20,C,40,10,A,20
.700 DATA 8,1,10,4,,,8F,FE,,,48,2,,,28,2,,,1F
,FE,,,10,2,,,1F,FF,F8,10,,,8,17,FF,E8,14,,,2
8,14,,,28,14,,,28,14,3C,28,14,7E,28,14,7E,
28,14,3C,28
.710 DATA 14,18,28,14,3C,28,14,7E,28,14,,,
28,14,,,28,14,,,28,14,,,28,14,,,28,17,FF,E8,
10,,,8,1F,FF,F8,,,0
.720 REM ROOM DATA
.730 REM ROOM1
.740 DATA 1049,2009,1190,1200,1190,1430,1
304,1310,1624,1633,1393,1993,1393,1418
.750 DATA 1402,2002,1418,1778,,,0
.760 REM ROOM2
.770 DATA 1033,1393,1044,1404,1450,1463,1
638,1663,1637,1997,,,0
.780 REM ROOM3
.790 DATA 1039,1639,1624,1638,1424,1438,1
320,1343,1652,1663,1684,2004,,,0

```

NB
OP
GD
BH
AM
CI
NN
NN
FA
NL
GG
KE
IP
PM
BB
OM
LJ
BI
GJ
CL
BJ
DO
DF
LC
ND
PK
AE
PA
GG
AE
OB

•800 REM ROOM4
 •810 DATA 1033,1193,1184,1192,1042,1242,1049,1249,1384,1393,1433,1993,1402,1423
 •820 DATA 1442,2002,1722,1738,,0
 •830 REM ROOM5
 •840 DATA 1037,1197,1197,1223,1384,1397,1397,1757,1757,1764,1764,2004,1405,1423
 •850 DATA 1770,1783,,0
 •860 REM ROOM6
 •870 DATA 1184,1223,1044,1164,1384,1404,1444,2004,1553,1564,1593,1993,1744,1753
 •880 DATA 1410,1423,1450,2010,,0
 •890 REM ROOM7
 •900 DATA 1033,1353,1042,1362,1363,1383,1409,2009,1570,1583,1704,1722,,0
 •910 REM ROOM8
 •920 DATA 1044,1364,1365,1383,1344,1353,1393,1993,1544,1552,1564,1583,1604,2004
 •930 DATA 1725,1743,,0
 •940 REM ROOM9
 •950 DATA 1033,1353,1344,1352,1544,1564,1044,1544,1050,1730,1704,1743,1759,1999
 •960 DATA 0,0
 •970 REM SPRITE POINTERS & COLORS
 •980 DATA 56,14,58,7,58,8,59,13,59,13,61,4,61,4,60,3
 •990 REM KEY LOCATIONS
 •1000 REM LEVEL 1
 •1010 DATA """,,,3107148,,2175092,,,,""
 •1020 REM LEVEL 2
 •1030 DATA """,,,2068152,,3151130, ""
 •1040 REM LEVEL 3
 •1050 DATA """,,,3151170,,,,2151160, ""
 •1060 REM LEVEL 4
 •1070 DATA """,,,,,,2272190,,3089208
 •1080 REM LEVEL 5
 •1090 DATA """,,,,,,2047194,3186067,, ""

CH
 BI
 NL
 EM
 BF
 CM
 FB
 EP
 HK
 HG
 CE
 JJ
 AC
 HK
 LO
 DJ
 NH
 PN
 PD
 PP
 CO
 DH
 CF
 EI
 FL
 JI
 FO
 OE
 IF
 IA

0861: 78 A5 CF F0 0C A5 CE AE 6F
 0869: 87 02 A0 00 84 CF 20 13 1B
 0871: EA 20 B4 E5 A4 60 D9 C6 BC
 0879: 0F F0 05 88 10 F8 30 D7 18
 0881: 85 62 A9 08 48 A9 57 48 AC
 0889: 98 0A A8 B9 D7 0F 48 B9 77
 0891: D6 0F 48 60 A5 59 85 FA 9F
 0899: A5 5A 85 FB 20 76 0D D0 8F
 08A1: 07 A9 0F 85 60 20 F0 0D 65
 08A9: A9 93 20 D2 FF A9 01 85 0A
 08B1: 64 A9 00 85 58 A0 FF C8 07
 08B9: B9 1C 0F F0 05 20 D2 FF 87
 08C1: D0 F5 20 E4 FF F0 FB C9 44
 08C9: 31 90 F7 C9 35 B0 F3 85 AC
 08D1: 63 C9 32 D0 28 A0 FF C8 93
 08D9: B9 8A 0F F0 05 20 D2 FF 16
 08E1: D0 F5 20 E4 FF F0 FB C9 64
 08E9: 31 90 F7 C9 3A B0 F3 20 6C
 08F1: D2 FF 38 E9 30 8D 70 09 1E
 08F9: A9 0D 20 D2 FF A9 52 85 25
 0901: 5F 20 C7 0B 20 CC FF A2 E2
 0909: 08 20 C6 FF 20 CF FF A4 8C
 0911: 63 C0 34 D0 2A C9 2E F0 4D
 0919: 0F C9 3F F0 0B C9 21 F0 09
 0921: 07 C9 20 F0 0A A0 01 2C DA
 0929: A0 02 84 64 4C 36 09 A4 E4
 0931: 64 F0 09 C6 64 C9 0D D0 62
 0939: 31 4C CB 09 4C DC 09 C9 87
 0941: 0D D0 27 A4 63 C0 31 D0 11
 0949: 03 4C CB 09 C0 32 D0 0C 3D
 0951: A4 61 F0 05 C6 61 4C CB 8D
 0959: 09 4C DC 09 A4 61 08 A0 43
 0961: 00 84 61 28 F0 64 A9 20 8E
 0969: D0 08 C9 20 F0 04 A0 02 C3
 0971: 84 61 38 C9 20 90 64 C9 38
 0979: 40 90 16 C9 60 90 0C C9 F0
 0981: 80 90 0B C9 A0 90 54 C9 B6
 0989: C0 B0 06 38 E9 20 38 E9 65
 0991: 20 29 7F 85 57 A4 58 91 C5
 0999: FA A4 58 C0 27 F0 04 E6 55
 09A1: 58 D0 38 A0 00 84 58 A5 26
 09A9: 90 F0 02 D0 32 20 76 0D D3
 09B1: 20 84 0D 90 12 20 68 0D 9B
 09B9: A0 00 B9 1F 0E F0 06 20 58
 09C1: D2 FF C8 D0 F5 F0 25 4C 86
 09C9: 0D 09 A9 7A A4 58 91 FA 8D
 09D1: C0 27 F0 CF C8 A9 20 91 9E
 09D9: FA D0 F5 A5 90 F0 0A C9 96
 09E1: 40 F0 09 20 34 0C 4C E1 AA
 09E9: 0A 4C 0D 09 20 34 0C A9 60
 09F1: 93 20 D2 FF 20 1C 0D 20 E1
 09F9: 0A 0D 20 13 0D 20 C2 0C 40
 0A01: A9 13 20 D2 FF A9 00 85 DF
 0A09: 5D A9 01 85 5E 60 20 D3 49
 0A11: 0D A9 93 20 D2 FF A9 57 4F
 0A19: 85 5F 20 C7 0B 20 25 0D 43
 0A21: 20 CC FF A2 08 20 C9 FF A2
 0A29: A0 FF C8 C0 28 F0 29 B1 47

THE EXTRACTOR FROM PAGE 61

Starting address in hex: 0801

Ending address in hex: OFFF

SYS to start: RUN

Flankspeed required for entry! See page 75.

0801: 19 08 0A 00 9E 32 30 37 64
 0809: 35 3A 54 48 45 20 45 58 18
 0811: 54 52 41 43 54 4F 52 00 32
 0819: 00 00 A5 01 29 FE 85 01 6E
 0821: A9 0E 20 D2 FF A9 93 20 29
 0829: D2 FF A0 00 AD F6 0F 8D DD
 0831: 86 02 99 00 D8 99 00 D9 9F
 0839: 99 00 DA 99 00 DB C8 D0 BC
 0841: F1 AD F7 0F 8D 21 D0 AD 15
 0849: F8 0F 8D 20 D0 20 F0 0D ED
 0851: A9 01 85 60 20 66 0C A5 1A
 0859: C6 85 CC 8D 92 02 F0 F7 7D

0A31:	FC	10	F7	29	7F	C9	7A	D0	F3	0C01:	20	E5	0D	68	68	4C	55	08	8E
0A39:	08	A9	0D	20	D2	FF	4C	59	90	0C09:	A9	2C	99	00	02	C8	A9	53	40
0A41:	0A	C9	20	90	09	C9	40	90	69	0C11:	99	00	02	C8	A9	2C	99	00	E4
0A49:	09	C9	60	90	03	18	69	20	B1	0C19:	02	C8	A5	5F	99	00	02	C8	4D
0A51:	69	20	20	D2	FF	4C	2B	0A	4F	0C21:	98	A2	00	A0	02	20	BD	FF	DC
0A59:	20	44	0D	90	02	B0	06	20	34	0C29:	A9	08	AA	A8	20	BA	FF	20	29
0A61:	5A	0D	4C	29	0A	20	34	0C	A8	0C31:	C0	FF	60	20	CC	FF	A5	BA	9F
0A69:	A9	93	20	D2	FF	20	95	0C	5B	0C39:	20	B4	FF	A9	6F	85	B9	20	86
0A71:	60	A5	5D	49	01	85	5D	20	22	0C41:	96	FF	A9	0D	20	D2	FF	20	A1
0A79:	E7	0C	20	91	0D	60	A5	5E	90	0C49:	A5	FF	C9	0D	D0	F6	20	D2	80
0A81:	49	01	85	5E	20	E7	0C	20	E3	0C51:	FF	20	AB	FF	20	E5	0D	A9	D9
0A89:	91	0D	60	20	66	0C	60	20	9B	0C59:	08	20	C3	FF	A9	0F	20	C3	E1
0A91:	13	0D	4C	99	0A	20	25	0D	F3	0C61:	FF	20	CC	FF	60	20	D3	0D	AF
0A99:	20	BD	0A	A6	62	E0	54	D0	90	0C69:	A9	93	20	D2	FF	A9	0D	20	70
0AA1:	07	20	4F	0D	90	09	B0	0D	7C	0C71:	D2	FF	A0	FF	20	A2	0C	C8	7C
0AA9:	20	44	0D	90	02	B0	06	20	84	0C79:	B9	2F	0E	F0	10	C9	0D	D0	19
0AB1:	5A	0D	4C	99	0A	20	D3	0D	0A	0C81:	06	20	D2	FF	4C	75	0C	20	68
0AB9:	20	95	0C	60	A0	FF	C8	C0	06	0C89:	D2	FF	4C	78	0C	20	E4	FF	32
0AC1:	28	F0	1C	B1	FC	A6	62	E0	8F	0C91:	C9	00	F0	F9	20	13	0D	20	A6
0AC9:	58	F0	0D	A6	5E	D0	05	29	24	0C99:	AD	0C	20	DC	0D	20	C2	0C	4C
0AD1:	7F	4C	DB	0A	09	80	D0	02	DF	0CA1:	60	A2	07	A9	1D	20	D2	FF	65
0AD9:	49	80	91	FC	4C	BF	0A	60	A8	0CA9:	CA	10	F8	60	A4	5B	88	30	96
0AE1:	20	0A	0D	20	13	0D	20	C2	3C	0CB1:	0F	A5	FC	38	E9	28	85	FC	30
0AE9:	0C	A9	13	20	D2	FF	60	20	26	0CB9:	A5	FD	E9	00	85	FD	D0	EE	8A
0AF1:	2E	0D	90	01	60	20	68	0D	B4	0CC1:	60	A9	00	85	D1	A9	04	85	56
0AF9:	A5	D6	C9	00	D0	0A	20	66	A1	0CC9:	D2	A0	00	B1	FC	91	D1	C0	10
0B01:	0B	20	00	0D	20	E7	0C	60	AD	0CD1:	BF	D0	0A	A5	D2	C9	07	D0	86
0B09:	A9	91	D0	1B	20	39	0D	90	27	0CD9:	04	20	91	0D	60	C8	D0	EB	82
0B11:	01	60	20	76	0D	A5	D6	C9	5C	0CE1:	E6	FD	E6	D2	D0	E5	A5	5D	3A
0B19:	17	D0	0A	20	88	0B	20	00	DE	0CE9:	F0	14	A0	27	B1	FA	A6	5E	68
0B21:	0D	20	E7	0C	60	A9	11	20	7D	0CF1:	F0	03	09	80	2C	29	7F	91	D5
0B29:	D2	FF	20	E7	0C	60	20	D3	64	0CF9:	FA	91	D1	88	10	EE	60	A0	E0
0B31:	0D	A2	17	20	39	0D	B0	06	15	0D01:	27	B1	FA	91	D1	88	10	F9	CA
0B39:	20	76	0D	CA	10	F5	20	95	63	0D09:	60	A9	00	85	FA	A9	10	85	D2
0B41:	0C	60	20	D3	0D	A2	17	20	88	0D11:	FB	60	A5	FA	85	FC	A5	FB	32
0B49:	2E	0D	B0	16	20	68	0D	CA	AB	0D19:	85	FD	60	A5	FA	85	59	A5	22
0B51:	10	F5	20	13	0D	20	AD	0C	71	0D21:	FB	85	5A	60	A9	00	85	FC	89
0B59:	A5	FD	C9	10	90	04	20	95	21	0D29:	A9	10	85	FD	60	A9	10	C5	46
0B61:	0C	60	4C	E1	0A	A9	07	85	3C	0D31:	FB	90	04	A9	00	C5	FA	60	8C
0B69:	AD	A9	97	85	AC	A0	00	B1	DC	0D39:	A5	FB	C5	5A	90	04	A5	FA	30
0B71:	AC	A0	28	91	AC	A5	AC	D0	48	0D41:	C5	59	60	A5	FD	C5	5A	90	15
0B79:	09	A5	AD	C9	04	D0	01	60	D5	0D49:	04	A5	FC	C5	59	60	A5	FD	13
0B81:	C6	AD	C6	AC	4C	6E	0B	A9	D8	0D51:	C5	FB	90	04	A5	FC	C5	FA	0B
0B89:	03	85	AD	A9	FF	85	AC	E6	82	0D59:	60	A5	FC	18	69	28	85	FC	88
0B91:	AC	F0	0D	A5	AC	C9	98	D0	C1	0D61:	A5	FD	69	00	85	FD	60	A5	F7
0B99:	09	A5	AD	C9	07	D0	03	60	FA	0D69:	FA	38	E9	28	85	FA	A5	FB	D0
0BA1:	E6	AD	A0	28	B1	AC	A0	00	FD	0D71:	E9	00	85	FB	60	A5	FA	18	F5
0BA9:	91	AC	4C	90	0B	20	2E	0D	2B	0D79:	69	28	85	FA	A5	FB	69	00	96
0BB1:	B0	0F	20	68	0D	20	1C	0D	50	0D81:	85	FB	60	A5	FB	CD	FB	0F	DD
0BB9:	20	76	0D	20	F3	0D	4C	53	1E	0D89:	90	05	A5	FA	CD	FA	0F	60	F7
0BC1:	0B	68	68	4C	1B	08	A9	80	37	0D91:	20	D3	0D	A0	27	A9	20	99	BD
0BC9:	20	90	FF	A0	00	B9	08	0E	EA	0D99:	C0	07	88	10	FA	AD	F9	0F	AB
0BD1:	F0	06	20	D2	FF	C8	D0	F5	4B	0DA1:	8D	86	02	18	A2	18	A0	0A	35
0BD9:	A0	00	20	CF	FF	C9	0D	F0	32	0DA9:	20	F0	FF	A5	5D	D0	04	A0	33
0BE1:	06	99	00	02	C8	D0	F3	98	A9	0DB1:	00	F0	0A	A5	5E	F0	04	A0	46
0BE9:	F0	E1	A9	0D	20	D2	FF	C0	27	0DB9:	11	D0	02	A0	1D	B9	9C	0F	C0
0BF1:	11	90	15	A0	00	B9	0F	0E	20	0DC1:	F0	06	20	D2	FF	C8	D0	F5	3B
0BF9:	F0	06	20	D2	FF	C8	D0	F5	73	0DC9:	20	DC	0D	AD	F6	0F	8D	86	9B

0DD1:	02	60	38	20	F0	FF	86	5B	5F	0EE9:	45	4E	44	0D	77	20	57	52	10
0DD9:	84	5C	60	18	A6	5B	A4	5C	36	0EF1:	49	54	45	0D	64	20	44	45	EF
0DE1:	20	F0	FF	60	A9	00	85	A2	25	0EF9:	4C	45	54	45	20	54	4F	20	09
0DE9:	A5	A2	29	80	F0	FA	60	20	48	0F01:	45	4E	44	0D	0D	3F	20	44	96
0DF1:	0A	0D	A9	20	A0	27	91	FA	27	0F09:	49	53	50	4C	41	59	20	54	51
0DF9:	88	10	FB	20	76	0D	20	84	D6	0F11:	48	49	53	20	53	43	52	45	44
0E01:	0D	90	EF	20	0A	0D	60	0D	33	0F19:	45	4E	00	52	45	41	44	49	13
0E09:	4E	41	4D	45	3A	00	0D	4E	C0	0F21:	4E	47	2F	41	50	50	45	4E	5B
0E11:	41	4D	45	20	54	4F	4F	20	18	0F29:	44	49	4E	47	20	46	49	4C	48
0E19:	4C	4F	4E	47	0D	00	54	45	F0	0F31:	45	0D	0D	31	2E	20	52	45	A7
0E21:	58	54	20	41	52	45	41	20	28	0F39:	41	44	20	55	4E	43	48	41	4F
0E29:	46	55	4C	4C	0D	00	74	68	47	0F41:	4E	47	45	44	0D	32	2E	20	ED
0E31:	65	20	65	78	74	72	61	63	40	0F49:	53	54	52	49	50	20	45	58	9A
0E39:	74	6F	72	0D	0D	4D	41	52	8A	0F51:	54	52	41	20	52	45	54	55	9A
0E41:	4B	49	4E	47	3A	0D	6D	20	40	0F59:	52	4E	53	0D	33	2E	20	53	2F
0E49:	4D	41	52	4B	2F	55	4E	4D	95	0F61:	54	52	49	50	20	4C	49	4E	A5
0E51:	41	52	4B	0D	6F	20	54	55	76	0F69:	45	20	52	45	54	55	52	4E	B0
0E59:	52	4E	20	6D	20	4F	4E	2F	74	0F71:	53	0D	34	2E	20	53	54	52	4E
0E61:	4F	46	46	0D	40	20	41	4C	38	0F79:	49	50	20	45	58	54	52	41	B8
0E69:	4C	20	54	45	58	54	0D	78	A1	0F81:	20	53	50	41	43	45	53	0D	6F
0E71:	20	45	58	43	48	41	4E	47	91	0F89:	00	0D	4B	45	45	50	20	48	25
0E79:	45	0D	74	20	54	4F	50	20	74	0F91:	4F	57	20	4D	41	4E	59	3F	CD
0E81:	54	4F	20	43	55	52	53	4F	D2	0F99:	20	3E	00	4D	41	52	4B	49	6D
0E89:	52	0D	65	20	43	55	52	53	AC	0FA1:	4E	47	20	44	49	53	41	42	BB
0E91:	4F	52	20	54	4F	20	45	4E	AA	0FA9:	4C	45	44	00	20	20	20	20	FF
0E99:	44	0D	0D	43	55	52	53	4F	85	0FB1:	4D	41	52	4B	49	4E	47	00	BC
0EA1:	52	3A	0D	66	20	46	4F	52	A9	0FB9:	20	20	20	55	4E	4D	41	52	9E
0EA9:	57	41	52	44	20	4F	4E	45	DB	0FC1:	4B	49	4E	47	00	52	3F	41	BE
0EB1:	20	53	43	52	45	45	4E	0D	A0	0FC9:	4F	4D	40	58	57	46	42	54	33
0EB9:	62	20	42	41	43	4B	20	4F	BD	0FD1:	45	44	91	11	13	A1	08	8B	46
0EC1:	4E	45	20	53	43	52	45	45	E8	0FD9:	0A	94	08	71	0A	7E	0A	95	1A
0EC9:	4E	0D	68	6F	6D	65	20	54	44	0FE1:	0A	95	0A	0E	0A	2E	0B	42	1F
0ED1:	4F	50	20	4F	46	20	54	45	E0	0FE9:	0B	95	0A	8F	0A	AD	0B	EF	D6
0ED9:	58	54	0D	0D	72	20	52	45	CA	0FF1:	0A	0C	0B	E0	0A	01	00	00	FE
0EE1:	41	44	0D	61	20	41	50	50	D7	0FF9:	02	00	D0	00	FF	00	FF	CC	

TIPS AHoy!

Continued from page 52

- 169, 4, 170, 160, 7, 32, 186, 255
- 4065 DATA 32, 192, 255, 162, 4, 32, 201, 255, 169, 147, 32, 121, 239, 32, 134
- 4080 DATA 3, 32, 226, 80, 169, 0, 141, 0, 255, 169, 4, 32, 74, 255, 96, 0
- 4085 PRINT:PRINT"LLIST ADDED TO BASIC 7.0. LLIST
- 4090 PRINT"PERFORMS LIST TO PRINTER. USE

S THE SAME

- 4095 PRINT"FORMAT AS BASIC 7.0 'LIST' STATEMENT.
- 4100 PRINT:PRINT"FORMAT: [RVSON]LLIST [FIRST LINE] [-LAST LINE]
- 4105 PRINT:PRINT"SET PRINTER TO TOP OF PAGE PRIOR TO
- 4110 PRINT"EXECUTION. LLIST WILL AUTOMATICALLY
- 4115 PRINT"SKIP PERFORATIONS BETWEEN PAGES.":NEW

...COMING IN THE APRIL ISSUE OF AHoy! (ON SALE MARCH 1)...

**BASIC
OBSCURITIES**
DIGGING OUT
BASIC'S LESSER-
KNOWN COMMANDS

**TEXT ADVENTURE
PROGRAMMING**
PART 1: MODULAR
THINKING AND
EFFICIENCY

**FLY TO PARIS
ON FIREBIRD
AND AHoy!**
FULL CONTEST
DETAILS

CINEMAWARE
PRESENTS

MOE

the THREE STOOGES™

Can **THREE** Stooges
Save **ONE** orphanage
From **FORE**closure?!

OUR HEROES

They can save the day
by making **ASSETS**
of themselves!




THE EVIL BANKER

He took their **NEST EGG**
and told them to **BEAT IT!**



THE WIDOW AND HER 3 BEAUTIFUL DAUGHTERS

They're about to be thrown out on their **ARREARS!**




CURLY



"NYUK, NYUK."

"OH, A WISE GUY!"

"RUFF! RUFF!"




Actual Amiga Screens

NOW PLAYING AT A SOFTWARE DEALER NEAR YOU

Available for Amiga, Commodore 64, IBM PC, Apple IIGs, and Atari ST, which are trademarks respectively of Commodore-Amiga, Commodore Electronics, Ltd., International Business Machines, Apple Computer Inc., and Atari Inc. Cinemaware Corporation, 4165 Thousand Oaks Blvd., Westlake Village, CA 91362

ECHELON™



INCLUDED
WITH THE
GAME:

THE
LipStik

VOICE ACTIVATED
CONTROL HEADSET

ACTUAL AMIGA GRAPHICS

3-D SPACE FLIGHT SIMULATOR


ECHELON . . . A top secret military facility where a few highly skilled pilots will be trained to operate the 21st Century's most awesome combat and exploration vehicle, the Lockheed C-104 Tomahawk. The C-104 spacecraft has the latest in advanced instrumentation, weaponry, and control systems.

ACTUAL C-64 SCREENS



Available Now For C-64/128.

Enhanced versions coming soon for APPLE, IBM, AMIGA, ATARI ST, and COMMODORE 128.



ITS IMPRESSIVE ATTRIBUTES INCLUDE

- 4 Different "State-of-the-Art" Weapons Systems
- Bi-Directional Transporter Unit
- Unmanned RPV (Remote Piloted Vehicle) Control
- Anti-Gravity Braking and Hovering
- Forward and Reverse Thrusters
- Twin 3-D Screens
- Real-Time Infrared Vector Graphics
- Non Real-Time Computer Enhanced Graphics
- Computer Assisted Control Systems
- Computer Information Data Link
- On Board Sub-Atomic Analyzer/Decoder
- Voice Activated Control Button

ACCESS™
Software Incorporated

Reader Service No. 245

ECHELON is a true 3-D space flight simulator that puts you at the controls of the C-104 Tomahawk and in the heart of the action. You'll experience the excitement and thrill of real spaceflight through superb three dimensional graphics. But, before you go exploring on your own, it would be wise to go through the carefully designed training simulators. These rigorous courses will develop your skills in maneuvering the spacecraft, accurate selection and use of weapons, control of RPV's, object retrieval and refuel and docking procedures. Developing these skills are essential to your survival when encountering hostile enemy spacecraft or exploring unknown terrain. **ECHELON** is available now and offers you the Simulation Adventure of a Lifetime for only \$44.95.



If you can't find our products at your local dealer, you can order direct. For mail orders, enclose check or money order, plus \$1.00 shipping and handling, and specify machine version desired. Order by phone on VISA, MasterCard or C.O.D. by calling TOLL FREE (800) 824-2549.

ACCESS SOFTWARE, INC. 2561 So. 1560 W. Woods Cross, UT 84087

SUBSCRIBE TO AHOY!

☐ Send me twelve issues of *AHOY!* for \$23.00 (\$30.00 Canada & elsewhere).

☐ Send me twenty-four issues of *AHOY!* for \$44.00 (\$55.00 Canada & elsewhere).

☐ Payment enclosed: \$_____ ☐ Please bill me.

B388

☐ Please charge to Credit Card checked:

☐ MasterCard ☐ VISA Card #_____ Exp. Date_____

Signature_____

NAME_____

ADDRESS_____

CITY_____

STATE_____ ZIP_____

SUBSCRIBE TO THE AHOY! DISK MAGAZINE

☐ Send me twelve issues of the *AHOY! Disk Magazine* for \$97.00 (\$135.00 Canada & elsewhere).

☐ Send me twenty-four issues of the *AHOY! Disk Magazine* for \$180.00 (\$250.00 Canada & elsewhere).

☐ Payment enclosed: \$_____ ☐ Please bill me.

B388

☐ Please charge to Credit Card checked:

☐ MasterCard ☐ VISA Card #_____ Exp. Date_____

Signature_____

NAME_____

ADDRESS_____

CITY_____

STATE_____ ZIP_____

March 1988 *Ahoy!* Void after July 2, 1988

READER SERVICE CARD

To request additional information on any product advertised or otherwise pictured in this issue of *Ahoy!* that is accompanied by a reader service number, circle the corresponding number below and mail this card. We will promptly forward your request to the designated companies.

101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130
131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160
161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190
191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220
221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240
241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270
271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300

A. Please check whether you are...

1. ☐ male 2. ☐ female

B. What is your age?

1. ☐ under 18 2. ☐ 18-24 3. ☐ 25-34

4. ☐ 35-44 5. ☐ 45-54 6. ☐ 55-64 7. ☐ 65+

C. Education level completed

1. ☐ elementary 2. ☐ high school
3. ☐ junior college 4. ☐ college graduate
5. ☐ master's degree 6. ☐ PhD

D. From which of the following sources did you obtain your copy of *Ahoy!*?

1. ☐ newstand 2. ☐ subscription (mail)
3. ☐ from a friend or family member
4. ☐ other_____

If not currently a subscriber, do you plan to become one?

1. ☐ yes 2. ☐ no

Name_____

Street_____

City_____ State_____ Zip_____



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 65 MT. MORRIS, ILL.

POSTAGE WILL BE PAID BY ADDRESSEE

Ahoy!

P.O. BOX 341
MT. MORRIS, IL 61054-9925



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 65 MT. MORRIS, ILL.

POSTAGE WILL BE PAID BY ADDRESSEE



Ahoy!

P.O. BOX 341
MT. MORRIS, IL 61054-9925



PLACE
STAMP
HERE

AHOY! MAGAZINE
P.O. Box 4586
Boulder, CO 80306-4586



Outrageous Pages tations, certificates

party printers, are al
With my Commodore
2000 from Sears, I
MPS-801 driver wit
any problems.

Outrageous Page
highest recommend

We're always
ity programs av
that description
umentation, a p
envelope to:

Payment is made